

Magnetrol

Garanti: 12 ay
 Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Magnetrol** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Magnetrol Trkiye Distribtr veya temsilcisi deėildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
Tdf-1100-V00-6t1-12	Max. Process 207 bar AT 40 'C Suppl 8 - Contact-gauge
Ref No : Ref: Tpf/2020/06/400 R	
TD2-7D00-0G0	Thermal flow limit switch TD2-7D00-0G0 with TMC-A110-006 sensor - Power supply: 100 - 264 V AC - Output relay: 1 DPDT 8 A - Glass window: no - Fixing: integral - Approval: ATEX II 2 G Ex d IIC T5 ... T4 Gb - mA output: yes - Housing material: cast aluminum - Protection class: IP 66 - Electrical connections: 3 / 4` NPT-F - Sensor material: stainless steel 316 / 316L (1.4401 / 1.4404) - Process connection: 3 / 4` NPT-M - Sensor installation length: 5.5 cm
TDF-1100-V00-6T1-1220-005/42393-01-007	10A-240V
SWITCH,LEVEL	TYPE THERMAL DISPERSION,VOLTAGE RATING 19.2-28.8VDC/100-264VAC V DC,CURRENT RATING 0.5/8 A,HOUSING CAST STAINLESS STEEL,ELECTRICAL CONNECTION SIZE 3/4 IN,ELECTRICAL CONNECTION TYPE FNPT,MODEL NUMBER:TD2-8H00-0G0,MFR:MAGNETROL DRAWING:3871-GG-VD-DB02152805P22005,TAG/EQUIP NO:2201-LSL-22725,FREQUENCY 50-60HZ,WITH PROBE TMC-A110-008
TD2-8D01-031	Thermal flow limit switch Supply voltage: 24 V DC Output relay: 1 DPDT 8 A Glass window: yes Assembly: compact Approval: weatherproof mA output: yes Housing material: cast aluminum Protection class: IP 66 Cable entry: M20 x 1.5 Thermal sensor Material: stainless steel 316 / 316L (1.4401 / 1.4404) Process connection: 1 "BSP (G 1") Installation length: 25 cm
TMA-A220-025	Thermal sensor Material: stainless steel 316 / 316L (1.4401 / 1.4404) Process connection: 1 "BSP (G 1") Installation length: 25 cm

ESD P/N:030-2163-003	DISPLACER LEVEL TRANSMITTER MODEL SMART EZ MODULELEVEL TRANSMITTER PC BOARD
TG1-120D-TA0	Thermal dispersion switch Output relay : 1 SPDT 2 A Power supply : 24 V DC Mounting : remote DIN rail Housing material : sensor housing: aluminium Ingress protection : sensor housing: IP 65 Cable entry : sensor housing: M20 x 1,5 Approval : ATEX II 1 G EEx ia IIB T5 1.1 XTMH-A470-032 Thermal dispersion sensor with Material certificate EN 10204-3.1 X = RTJ Flange finish Material of construction : 316/316L (1.4401/1.4404) stainless steel Process connection : 2" ANSI 900/1500 lbs RTJ Insertion length : 32 cm NOTE: S/N 89086-01-002 Tag Number(s):610LSLL002A
X96150A+9A1434A015	
XTMH-A470-032	1. Output Relay: 1 SPDT 2 A Power supply: 24 V DC Mounting : remote DIN rail Housing material: sensor housing: aluminum Ingress protection : sensor housing: IP 65 Cable entry : sensor body: M20 x 1.5 Approval : sensor housing: ATEX II 1 G EEx ia IIB T5 XTMH-A470-032 Thermal dissipation sensor With EN 10204-3.1 Material certificate X = RTJ Flange cover Construction material: 316/316L (1.4401/1.4404) stainless steel Process connection : 2" ANSI 900/1500 lbs RTJ Insertion length : 32 cm
E35-KQ3C-S1H	Materials of construction : body: carbon steel, displacer: stainless steel Connection style : side/side Density range : 0,55-1,09 kg/dm ³ Process connection : 2" ANSI 150 lbs RF Displacer length (measuring range) : 1219 mm (48") Power supply : 24 V DC Output : 4 - 20 mA + HART Electronics : SIL 2/3 certified Display : digital Mounting : integral Approval : ATEX II 1/2 G Ex d IIC T6 Housing material : cast 316 (1.4401) stainless steel Ingress protection : IP 66 Cable entry : M20 x 1,5
E35-KQ3B-S1H	Materials of construction : body: carbon steel, displacer: stainless steel Connection style : side/side Density range : 0,55-1,09 kg/dm ³ Process connection : 2" ANSI 150 lbs RF Displacer length (measuring range) : 813 mm (32") Power supply : 24 V DC Output : 4 - 20 mA + HART Electronics : SIL 2/3 certified Display : digital Keypad : yes Mounting : integral Approval : ATEX II 1/2 G Ex d IIC T6 Housing material : cast 316 (1.4401) stainless steel Ingress protection : IP 66 Cable entry : M20 x 1,5
E35-KQ3B-S1H	Materials of construction : body: carbon steel, displacer: stainless steel Connection style : side/side Density range : 0,55-1,09 kg/dm ³ Process connection : 2" ANSI 150 lbs RF Displacer length (measuring range) : 813 mm (32") Power supply : 24 V DC Output : 4 - 20 mA + HART Electronics : SIL 2/3 certified Display : digital Keypad : yes Mounting : integral Approval : ATEX II 1/2 G Ex d IIC T6 Housing material : cast 316 (1.4401) stainless steel Ingress protection : IP 66 Cable entry : M20 x 1,5
B15-DH3B-C4B - Top mounted displacer switch	Top mounted displacer level switch Digit Characteristic Code Description 1-3 Type B15 Liquid level - 2 switches - narrow differential 4 Material of construction D Inconel 600 spring - 316 SST trim - 316 SST process connection - 316 SST displacer clamps and cable - 316 SST sleeve - standard construction 5-6 Process connection H3 4" 150# RF - ASME B16.5 [316/316L stainless steel] 7 Displacer material and proofer ® B 316 stainless steel displacer without proof-er® 8-10 Switch C4B 2 x SPDT, Weatherproof / general purpose, Cast aluminium, M20 x
ASSEMBLY PART # 030-2135-001;	
706-512A-B10 - Transmitter	Eclipse® guided wave radar level tran
XB15-1E2B-BLB	Top mounted displacer level switch X = Factory set low level alarm 1655mm and high alarm 480mm (as measured from bottom of threads) @ 1.0 S/G @AMB Housing: Aluminum, (2) 1" NPT Conduit Connections - NEMA 4X/7/9 Specific Gravity Range: 0.7 - 1.2 Switch(es): (2) SPDT SNAP (B series) Displacer Material: 316/316L SS Process Connection: 2 1/2" NPT, CARBON STEEL NOTE: S/N 751139-01-002

89-7401-102	
Water pump for cooling machinesWS 270-J4 pumping	F10-4D28-BC9 Line: 8"-MCS-1P5-7201
811-1205+8AA	811-1205-E00 with 8AA-1A1A-009
401036970	DR LE48E51 SENSOR WATER LEAKAGE
Transmitter level	Model 705-511A-610
Sensor level	Model No. X7MP-A55N-135/705 L=0-135c m
Thermatel® thermal dispersion switch	TG1-120D-TA0 - Electronics 1 TMC-A110-008 - Probe With Material certificate EN 10204-3.1 Complete unit (identical as S/N 57417-01-001).
XT20-1H3A-BAC	
Parts and accessories	089-7905-001 - DIN rail housing and electronics model TG1 For S/N 60901-01-001, there was just a spare part delivered (DIN rail housing and electronics)
E4 Modulelevel® displacer level transmitter	2 X5EB-ALJA-AEBU-1111-RNNNBNN-032 - External Chamber X = -Special paint on cage (like previous unit - SM 142347) -Material certificate EN 10204-3.1 2 XE4M-51C3-1A1-53-ORB - Displacer Level Transmitter X = - Special paint on housing (like previous unit - SM 142347) -Material certificate EN 10204-3.1 Notes: ✓ Same units as delivered for S/N 142347-01-001. Please check and confirm. ✓ Updated model is offered (our newest 'E4' Modulelevel - Liquid Level Displacer Transmitter).
TD2-7D00-1G0	
705-511A-A11 PROB	7EA-A110-049 SERİ NO 547145-03-001 Ui=23.6V Li=140MA
705-511A-610	
X7MP-A55N-135/705 L=0-135cm	
708-511A-A10/X7MF-A418-070	
X7MJ-A418 L=330 cm	
TRANSMITTER LEVEL 706-512A-B10	
MG5223F	
MG5436	
X706-512A-B10 + 7CP-4300-A1N-20-064	Eclipse 706 X706-512A-B10 - Transmitter X = Metrology certificate (Russian Federation) -russian nameplate 7CP-4300-A1N-20-064 - Probe With Material certificate EN 10204-3.1 -Hydrostatic test 10 minutes at 1.5x rated pressure same as SN 135884-01-xxx
Eclipse 706	
F10-3d24-Ckb	
089-7401-121	
Au-12-100	RECTIFIER CONTROLLER AUTOMATED 100W 12VDC 120/240V
Pc Board For Xe63 S.G:0.55-1.09	
284989	
Xe3e-Kq3d-H1e	
Z30-9012-001	

Xh311s74bks	LEVEL SWITCH
Xe3e-Kq3b-H1e	
810-0005-D01	LEVEL SWITCH 3500PSIG 120V 50/60HZ
705510aa21	TRANSMITTER
705510aa10	TRANSMITTER
7msa558053	PROBE
Fdd(89-7401-097)	
Tg1-120d-Tao + Xtmc-A450-030 (89086-02-001)	
842-1001-C02	SENSOR ASSEMBLY KOTRON SENTINAL
Xtma-A110-010	
705-510a-A11	
Xe3e-Kq5b-H1e	
0897401097	SWITCH
Xe3e-Kq3d-H1e, 705192-09-001	
089-3401-001	
0895958005	TUBE
H52-1v74-Da9	
Spare Switch Mechanisms	
Xa15-D8ab-Hfc	
705-501a-111	LEVEL TRANSMITTER 4-20MA
005-5617-123	
Xe3e-Kq6b-H1e	
Td2-8d00-030 + Tec-A110-016	
Xa15-D8aa-Hfc	
F10-1d28-Adf	FLOW SWITCH 6.5/13AMP 120/240VAC
Cdd(89-7401-124) S/N:585593-03-001	
A15-Ag3n-Cu5	
705510a410	TRANSMITTER
705-510a-111	TRANSMITTER TDR GUIDED WAVE
P632c7apaa	MODULE
47-2301-003	
Xc75-2q50-Bf9	
C29-1320-Bam	LEVEL SWITCH 1/4HP 15AMP 500PSI 240VAC 360VA
3450442100	
80-8032-322	LEVEL SENSOR PROBE 5AMP 24VDC

089-7401-107 - Sw Mech A Kit Sw C,O	
89-7101-015	
7a-13809-1053	
089-7401-102	
7msa558099	PROBE
705-51aa-111	
7a-13809-1056	
345-0442-100	TRANSMITTER ULTRASONIC NON-CONTACT 120VAC 4-20MA
0373310001	METER
Xe36kcaah1f	TRANSMITTER
Ci2701	
8ca-1a1a-15b	
Acd-1be2-3ab/080	
Xc75-2v50-Bf9	
7mr-A110-208	
0896125012	DISPLACER
705-510a-110/7mra118-188	
T622h3ebky	MISC SAFETY
T35-003c-B4a	
Xc34-1v40-Koh	
F504a2bbnq	FLOW SWITCH
Dual Magnet, Rating: 120vac/15.0aac	
089-7401-093	
Xe3e-Kq4b-H1e	
7a-13809-1055	
F104d24fkk	FLOW SWITCH
961-50a0-0c1-9m1-A22a-005	
039-5001-500-00	
704-511a-130	LEVEL TRANSMITTER 12-28VDC IN 4-20MA OUT 275PSIG
4optocouplerm	TRANSMITTER
H32-1v74-Da9	
805-511a-110/X8c1-5a1a-007	
X805-511a-A11	
96058a1074	FLOW SWITCH
0896566006	CONTROL ASSY
Tsl-4100-V00/6t1-A220-009quot;	

089-7101-024	
089-8301-003	
37-4303-003-	
910-Wma1-005	
705-510a-C11	LEVEL TRANS
Aad-1de2-2a0/110	
Lvdt For Xe63 S.G:0.55-1.09	
7ms-A458-071	
030-2163-003	
B154e2eb1b	TWO STAGE TOP MOUNT DISPLACER LEVEL SWITCH-NARROW DIFFERENTIAL
7msa538053	PROBE
037-4303-003	
8ab-Aa2b-028	
355510a16b	UNIT
Tec-A110-004	
7a-13809-1054	
Xa10-Dh3b-Udb	
910-A1a2-002	
089-7401-124	
12-1301-112-Unknown Product	
705 510a 110 7ms A118 125	
7a-13809-1057	
Td2-8d00-030	
B75-2n50-8nm	
7msa118085	TRANSMITTER
7a-13809-1058	
089-6562-001	
Xa15-Dh3b-C8q	SWITCH LEVEL DISPLACER
P635c0apba	MODULE
Xc75-2v40-Bf9	
X7md-N5nn-542	
B15-4h3b-Bob	LEVEL SWITCH LIQUID DISPLACER
5218	
89-7401-123 26-Lshh-3507 Lshh-3525	
7eaa530039	TRANSMITTER

7mra630170	LEVEL GAUGE
Xe31kq3ch1f	CONTROLLER
082-4012-102	ELECTRONIC LEVEL CONTROL 120VAC 4-20MA
032-6346-804	
F50-4b2c-Akq	FLOW SWITCH 13AMP-O/P 120VAC 50/60HZ-I/P 1150PSIG
F101d28bnb	FLOW SWITCH MAX TEMP 250 DEG
910ama1067	SENSOR
Acd-1ce2-3ab/080	
910-P1a2-004	
38-5101-001	
P632c5apaa	MODULE
Xe3e-Kq3b-H1e,700mm	
189-7412-004	
8aa1a6a078	PROBE
D510998	
0899113001	PC BOARD
B152g3bblk	LEVEL SWITCH
0898301001	SWITCH
Xa75-Dn30-Xf9	
Xtd2-8d00-030	
910p1a2001	SWITCH
705510a310	TRANSMITTER
A106g3ackb	LEVEL SWITCH
7a-13809-1063	
961/962 With 290 Mm Probe	
Model:Tq1	
Tk1-003a Bea Obsolete With Standrd Type Tk1-002a-Bea	
030-2135-001	
7a-13809-1061	
Xb75-1b30-Cna	LIQUID LEVEL SWITCH 1000PSIG 15AMP 120VAC 50/60HZ
V4rd1b1054	LEVEL SWITCH
Bdr(89-7401-097) S/N:585593-08-008	
F50-1d2c-Akp	FLOW SWITCH 13/6.5A 120/240VAC 115/230VDC 400PSIG
089-7401-122, Dps - 1m	
B102g3cblm	SWITCH

805511a110	TRANSMITTER
089-9113-001	
355-510a-C0r	
57163-01-001/002	
89-7101-014	
C151h3bokb	SWITCH
Xe3ekq7ch15	LEVEL TRANS
B251b103ka	VALVE
032-6302-033	
350500005c	RELAY
Aad-1ce2-2an/480	
089-7101-022	
089-7401-101	
37-4606-001	
B15-2h3b-Abf	LEVEL SWITCH LIQUID
0897401093	SWITCH
Tec-A110-016	
012-1301-003	
961-7da0-130	LEVEL SWITCH INPUT 102-265VAC OUTPUT 5AMP DPDT
002-1102-003-Unknown Product	
Xbga-Ma4d-00a	
B73-1b30-Bkp	
B101g3bdob	LEVEL SENSOR
Xe3e-Kq3b-H1e,705192-07-001 Through-003	
89-7401-127 Type S1m-D4	
Fdm(89-7401-098) S/N:585593-06-001	
E-Tube Gasket For Xe63 S.G:0.55-1.09 E-Tube Gasket For P/F:Elec. Level Transmitterquot;	
Xb721b20cdr	FLOAT SWITCH
355-510a-10r	
89-7101-013-	
Mc07a0155a3400	DRIVE
E63-Rd61-Rsq	
A153-X-Tdm-J19-Hf	
B75-As30-Bka	
706511b310	LEVEL TRANSMITTER

Model:Tg1-120d-Tao/Xtmc-A450-030, Sn: 89086-02-001	
F1e-0500-080	
7mra230136	PROBE
7a-13809-1059	
Xc75-2v30-Bf9	
7msa118350	PROBE
Type Dps-1	
897401098	SWITCH
7a-13809-1062	
Li1559-1752 L2300mm 3-Fmd	
C104k3aocbg	LEVEL SWITCH
089-7101-020	
Xh311v64bkq	SWITCH
89-7401-003	
705-510a-270	
Type S-1 51	
Z312835001	MODULE
032-8129-003	
F104e54dnk	FLOW SWITCH
T621h3abnr	SWITCH
910-P1a2-001	
Type S-1	
089-7401-125	
A1000ep	
X8c1-5a1a-005	
Xb401b60fkk	LEVEL SWITCH
T52-2e3a-Dnq	
Echotel 919	
300r21c45l	TRANSMITTER
080-5212-302/8aa-1a1a-006	LEVEL SWITCH
Jupiter 242-Edea-1aa-Am-050	
032-5841-004	
H511b20bnq	LEVEL SWITCH
A15-Dg4e-Uh9	
705510ad80	LEVEL GAUGE

89-7101-030	
705-510a-110	LEVEL TRANSMITTER
919-C121-005-No More Available- 910-Wma1-005	
Ta2-A100-130	
910-P1a2-010	
Xbga-Ma4d-220x74c-4ra0-220	
Mag23097	KIT PARTS FIELD SERVICE
Sdg006956	
Td1-2d00-031	
0395000304	SWITCH
47-1302-003	
B732b2bns	LEVEL SWITCH
047-5534-001	
089-7905-001	
Tg1-120d-Tao + Xtmc-A450- 030	
089-7601-012	
A152h3bbks	LEVEL SENSOR
805501aa10	MODULE
Td2-7d01-031 + Tmm-A010-007	
7msa548053	PROBE
E35-Kq3a-H1a	
355500a10b	TRANSMITTER
910-P1a2-008	
Xa15-Dh3b-C8s	SWITCH LEVEL DISPLACER
032-8129-007	
8421000c00	LEVEL CONTROL
Xa15-Dh3b-Ub9	
Tk1-002a-Bea	
Xf10-Ad24-Bdb	
048-8510-004	
47-1304-003	
B75-1s4x-Akd	LEVEL SWITCH LIQUID
B73-2n30-Ddy	LEVEL CONTROL SWITCH
089-7401-110	
B15-1h3b-Dob	LIQUID LEVEL SWITCH DISPLACER TYPE

Thermatel Td2	
910-5ma2-003.	
Xf10-Ae56-Ckb	
705510a134	TRANSMITTER
Xb741v50hm7	PART
030-2135-002	
910-Wmaj-010	
F101d28cnb	FLOW SWITCH MAX TEMP 450 DEG
8ca4a6a210	PROBE
910-Ama2-003	
Transmitter Level 704 501a 140 7mr A110 205 Guided Wave Tdr	
Td2-8d00-0g1 (Ex Tsl-1200-200)	
7ema430024	PROBE
705-510a-110/7mra118-068	
7a-13809-1060	
832-1000-C00	LEVEL CONTROL
897101041	MODULE
7msa668064	PROBE
Xapmw251pea	CONTROL
089-8502-035	
G36kr47scacth	SOLENOID VALVE
Chamber Gasket For Xe63 S.G:0.55-1.09 Chamber Gasket For P/F:Elec. Level Transmitter	
Ors-320e-001(2)	
B405c20fam	FLOAT SWITCH
B751b20fad	SWITCH
335-Aa1a-G5p	TRANSMITTER LEVEL VOLUME AND OPEN FLOW 85-255VAC
7eaa530055	PROBE
089-7501-024	
Xe3ekq7ah15	LEVEL TRANS
B405c20fnb	FLOAT SWITCH
Housing Gasket For Xe63 S.G:0.55-1.09 Housing Gasket For P/F:Elec. Level Transmitter	
0897827001	ASSEMBLY
0828403400	TRANSMITTER
089-7101-020, Dpdt	

P652q5apca	TRANSMITTER
911-A1a0-E10/581-1a22-030	ULTRASONIC SWITCH W/TRANSDUCER 120VAC 10A 30IN
089-7401-122	
P/N: 089-7401-046	
705-510a-C11 / 7md-A22n-095	
705511a110	TRANSMITTER HEAD 3/4INCH NPT
961-2da1-030	
032-6401-004 Obsolete, Replaced By Z32-6401-004	
7msa118080	PROBE
B752b20bkb	LEVEL SWITCH
335ad1ag5p	TRANSMITTER
89-7401-098	
X 041-6078-140	
089-7401-121, Dps - 1m	
Transducer For X910-Pmd1-013	
A106g3abkb	LEVEL SWITCH
89-7401-055, Ob	
0897601012	KIT
Ter-A11a-050	
801-2331-N41	CAPACITOR TRANSMITTER 4-20MA 10AMP RELAY 120VAC