

MAGPOWR



Tension and Torque Controls



Load Cells



Tension Readouts



Position and Diameter Sensors

Magpowr

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Magpowr** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Magpowr T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
3b157	
C50w	WATER-COOLED, 50 LB-FT
Aqm1212fflfbw211	TENSION CTRL
Us-2	
Ts150sc	
Tsp50	
Ts10fcm	
Gbdm90a115	
C50	CLUTCH MAGNETIC PARTICLE 50 LB-FT

7mp026	
Psb24024v	
Gtsc5000m	5000 KG, SIZE C
702b101	ROTARY CAM
Cl1-50-Ec12	
Gbdm90	METRIC MODEL, 75.9 N-M
Ts25pc	
C50wab	
C10 Vdc 90	
Tsu150l	LOAD CELL
Mp3389eflf	
Ts150sr	
Tc5p	
Ts500scec12	
Ts5sc	
Gtsd15000m	15000 KG, SIZE D
C1b	
Rkc10	
Hc558	
C100a	FAN-COOLED, 100 LB-FT
C10w	WATER-COOLED, 10 LB-FT
Gtsb250m	250 KG, SIZE B
M3052smf	
Gtsb550	
Ts250srm	
C10s14	
M3053smf	SMART BRAKE™, 12-INCH, WITH FAN, 3 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
M327926	
Psb290v	
Gbf90a115	FAN-COOLED, 115 VAC FAN, 325 LB-FT

Cygnusdin	CYGNUS™ DIGITAL TENSION READOUT AND CONTROL, DIN MOUNT
M4601smo	SMART BRAKE™, 18-INCH, WITHOUT FAN, 1 CALIPER, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
M124110	
M4603smo	SMART BRAKE™, 18-INCH, WITHOUT FAN, 3 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
Ts75scm	
Gba90a115	
Ddc	
Ts150fr	
B25a	
Us1	
Ts250pw	
C100wb	WATER-COOLED, 100 LB-FT
Gbd90a115	
610b2	
Gcd90	56 LB-FT
0020349001	BOARD
Rkb50	
D2slvmd	CONTROL
Gba90	
Lcc-5m	
Psc-15-24v	
M372043	
D2emd	MODULE
M308433	
Sbc10	
Ts10scm	
3b44-2	
31b145	
3b125-2	

M4605smf	SMART BRAKE™, 18-INCH, WITH FAN, 5 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
Magpowr-Sca-Adapter-F3;R-Ts-Kraftsensoren-M372043-Istanbul-Turkiye	
M3056smf	
135c271	
Cl1-50-Ec12 (M407864)	
Gbfm90	METRIC MODEL, 441 N-M
Rkgbd	
Gbem90	METRIC MODEL, 130 N-M
M308433 Sensorkabel	
C100wab	FAN- AND WATER-COOLED, 100 LB-FT
Cl2500	
Ts10frm	
3c120	
3c118-1a	
Lb3	
Ps15	
M4602smf	
Ts5pw	
Bkgbf230	
M4602smo	SMART BRAKE™, 18-INCH, WITHOUT FAN, 2 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
C10wab	FAN- AND WATER-COOLED, 10 LB-FT
Lcc5m	
Rkgcc	
Vtc-Eã1000002638ã	
M3056smo	SMART BRAKE™, 12-INCH, WITHOUT FAN, 6 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
Mmhdb50	
M4604smf	SMART BRAKE™, 18-INCH, WITH FAN, 4 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
Ts25swm	

Ipt-E	
M124493- Tsa	
3d103	
B50a	
Lc500g	
Ba1	
Ts50pw	
12b1936	
Tsu35000x	5,000 LB, SIZE 3
C-10r	CLUTCH MAGNETIC POWER 90VDC
C3ab	FAN-COOLED, 3 LB-FT
M3051smo	SMART BRAKE™, 12-INCH, WITHOUT FAN, 1 CALIPER, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
Rkgbe	
Sce-15	
M4606smo	
Ts25sc	
3c118-3	CONTROL BOARD
Cl1-50, S/N: 082010007 Obsolete/Replaced By Cl1-50-Ec12 Tension Sensor,	
Ip-80	
M327931	
Ta3	
Ts500sc	
Cl1-50, S/N: 082010007 Obsolete/Replaced By Cl1-50-Ec12	
145b153	
M245729	
Bk-Gba/B230	
B25	
M3055smo	SMART BRAKE™, 12-INCH, WITHOUT FAN, 5 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)

Ts150fc	
Gcdm90	METRIC MODEL, 75.9 N-M
Lb100	
Tsu21000r	SENSOR
Gbam90	
Tsu2500r	
Ddb92x	9 IN., TWO ACTUATORS WITH GUARDS
9a-22-1	
3c118-2	
Ts250scm	
M4605smo	SMART BRAKE™, 18-INCH, WITHOUT FAN, 5 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
-C10#1000002071	Art Nr. M124110 MAGPOWR magnetic powder coupling Type: C10 Series: C series Rated torque: 13.6 Nm (10 lb-ft) Min. Torque:> 0.2 Nm (0.15 lb-ft) Coil voltage: 90 VDC Rated coil current: 0.25 amps Heat output: 564 watts max. at 1800 / min Assembly: Solid shaft with keyway ø 19.05 mm (3/4 inch) Configuration power amplifier: 0.25 amps CE conform
3c70	
Gbcm90a115	METRIC MODEL, FAN-COOLED, 115 VAC FAN,35.2 N-M
Ts50fc	
Lca Obsolete, Replaced By Dlca (M386201)	
Mmgbf	
Ts500fw	
Raa	
Rkb25	
3d1031rpl	BRAKE ASSEMBLY
Gbb90	
Sce100	
M3052smo	
Psb15--90v	
Gtsd10000m	10000 KG, SIZE D
Ts250fcm	

Spyder/100d288-1/M270825	WEB TENSION CONTROL
Ts2pcm	
Bkqbd230	
Mmhdb10	
145b81	
C100ab	FAN-COOLED, 100 LB-FT
B7v	
Rkc1	
Us2100	
M327932	
A-Trac-2	
Pa90	
Ta5	TOP PLATE ADAPTER, FOR SIZE D
M4601smf	SMART BRAKE™, 18-INCH, WITH FAN, 1 CALIPER, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
Psb7024v	
C10ab	FAN-COOLED, 10 LB-FT
Tsu2500x	
3c94-1	
3c118-1	
Hdb100r	
D2s1	
Ts75fcm	
Gbe90	100 LB-FT
Psc1590v	
Gtsb500m	500 KG, SIZE B
Os-90	
3b117-Rpl	
Ts5sw	
Eztrac	
Ts5pr	

M212189	
31b1491	
Ts-S150	
Mmgbc	
Hb12	
Gtsb550ec12	
Gtsc7500m	
Bkgbc115	
Detc-1	
M327926 Kraftsensor,	
M327927	
Mistr	
Ts-F150	
Gtsb1000m	1000 KG, SIZE B
Psb-15-24v	
Ts250prm	
Sc15	
Ts500pw	
M124493- Tsa Messverstärker	
M124513 Modell: Us-2	
B5a	
-C10ã1000002071	
Ts150fcec12	
Ts75pwm	
Bkc10a	
C-1	
Spyder	PART
Ts25pw	
Rkb7v	
Rkgcd	

Ts50sw	
Bkgbd115	
Dtm	
Hc634	
Digitrac-Ch	
Gtsa10m	
Tsu31000x	
Sce75	
Smcl25m, Replaced Bz Cl1-50-Ec12	
Gbfm90a115	
Tc-Iii	
Ts500fc	
Ts150scec12	
Ts10swm	
Ts2prm	
Us250	
Gbe90a115	FAN-COOLED, 115 VAC FAN, 100 LB-FT
Fp4l	
Trac-2	
Cl115	
Gtsc2500m	2500 KG, SIZE C
Gtsb2200	2,200 LB, SIZE B
Ts250pcm	
Rkc50	
Ts50fw	
Gtsb550-Ec12	
Ts50sr	
Ta4	
Tsu1150x	150 LB, SIZE 1
Rkhdb3	
Ts5sr	

Gccm90	
Rkqbc	
Dfk	
Rkc3	
Psc7090v	
Hc438	
31b148-1	
Digitrac-2	
Ts25fc	
3b63-1	
Hc512	
M4603smf	SMART BRAKE™, 18-INCH, WITH FAN, 3 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
Sbc5	
3b70	
Ps-90	
Mmgcd	
Ts25fr	
Commkiten	
3b105	
C50ab	
Dpg500	
Gcam90	
Ts25fw	
Cygnum-E	TENSION CONTROL
Ts25pr	
Ts50sc	
Ts500sw	
Gbbm90	
Ts250swm	
Bkqbab115	

3b123-1	
Ts2scm	
C100b	100 LB-FT
Dfp	
Ba2	
Ts10srm	
M327925	
3c78-1	
Tc-R	
B50	
Dfp2	
Paa	
Ts25prm	
D2	
Ts25sr	
31c94-1	
Gbem90a115	
3d99-1	TRAC-2 CTRL BD
M3055smf	
Ts-150-Fc	
Sce20	
Tsu150x	
Rkgca	
Ts50pr	
145b151	
Fp4m	
Mmc3	
Pb6	
Gtsa55	
Tsu2500I	

Ps24
Gbcm90
Bkgbe230
Gbb90a115
Lca
Swf50
Hb61
140a621
Mmgca
Gtsa50m
Ts25srm
Dlca (M386201)
Lc500gs1
3c91
M327925 Kraftsensor
Mmgbe
Gbbm24
Gbam90a115
3b41
C10
Gca90
Gtsb100m
M3054smo
Tsa
Ddb-13-3-M
Bg9
Bkgbc230
CI2-50
Bkb50a
Tr-3p

Mmc50
Rkhdb100
Gtsa25m
Ts2swm
Tc-5
Gtsa110
Tr5
C100