

## MAGPOWR



Tension and Torque Controls



Load Cells



Tension Readouts



Position and Diameter Sensors

## Magpowr

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Magpowr** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Magpowr T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">3b157</a>	
<a href="#">C50w</a>	WATER-COOLED, 50 LB-FT
<a href="#">Aqm1212fflfbw211</a>	TENSION CTRL
<a href="#">Us-2</a>	
<a href="#">Ts150sc</a>	
<a href="#">Tsp50</a>	
<a href="#">Ts10fcm</a>	
<a href="#">Gbdm90a115</a>	
<a href="#">C50</a>	CLUTCH MAGNETIC PARTICLE 50 LB-FT

<a href="#">7mp026</a>	
<a href="#">Psb24024v</a>	
<a href="#">Gtsc5000m</a>	5000 KG, SIZE C
<a href="#">702b101</a>	ROTARY CAM
<a href="#">Cl1-50-Ec12</a>	
<a href="#">Gbdm90</a>	METRIC MODEL, 75.9 N-M
<a href="#">Ts25pc</a>	
<a href="#">C50wab</a>	
<a href="#">C10 Vdc 90</a>	
<a href="#">Tsu150l</a>	LOAD CELL
<a href="#">Mp3389eflf</a>	
<a href="#">Ts150sr</a>	
<a href="#">Tc5p</a>	
<a href="#">Ts500scec12</a>	
<a href="#">Ts5sc</a>	
<a href="#">Gtsd15000m</a>	15000 KG, SIZE D
<a href="#">C1b</a>	
<a href="#">Rkc10</a>	
<a href="#">Hc558</a>	
<a href="#">C100a</a>	FAN-COOLED, 100 LB-FT
<a href="#">C10w</a>	WATER-COOLED, 10 LB-FT
<a href="#">Gtsb250m</a>	250 KG, SIZE B
<a href="#">M3052smf</a>	
<a href="#">Gtsb550</a>	
<a href="#">Ts250srm</a>	
<a href="#">C10s14</a>	
<a href="#">M3053smf</a>	SMART BRAKE™, 12-INCH, WITH FAN, 3 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
<a href="#">M327926</a>	
<a href="#">Psb290v</a>	
<a href="#">Gbf90a115</a>	FAN-COOLED, 115 VAC FAN, 325 LB-FT

<a href="#">Cygnusdin</a>	CYGNUS™ DIGITAL TENSION READOUT AND CONTROL, DIN MOUNT
<a href="#">M4601smo</a>	SMART BRAKE™, 18-INCH, WITHOUT FAN, 1 CALIPER, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
<a href="#">M124110</a>	
<a href="#">M4603smo</a>	SMART BRAKE™, 18-INCH, WITHOUT FAN, 3 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
<a href="#">Ts75scm</a>	
<a href="#">Gba90a115</a>	
<a href="#">Ddc</a>	
<a href="#">Ts150fr</a>	
<a href="#">B25a</a>	
<a href="#">Us1</a>	
<a href="#">Ts250pw</a>	
<a href="#">C100wb</a>	WATER-COOLED, 100 LB-FT
<a href="#">Gbd90a115</a>	
<a href="#">610b2</a>	
<a href="#">Gcd90</a>	56 LB-FT
<a href="#">0020349001</a>	BOARD
<a href="#">Rkb50</a>	
<a href="#">D2slvmd</a>	CONTROL
<a href="#">Gba90</a>	
<a href="#">Lcc-5m</a>	
<a href="#">Psc-15-24v</a>	
<a href="#">M372043</a>	
<a href="#">D2emd</a>	MODULE
<a href="#">M308433</a>	
<a href="#">Sbc10</a>	
<a href="#">Ts10scm</a>	
<a href="#">3b44-2</a>	
<a href="#">31b145</a>	
<a href="#">3b125-2</a>	

<a href="#">M4605smf</a>	SMART BRAKE™, 18-INCH, WITH FAN, 5 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
<a href="#">Magpowr-Sca-Adapter-F3;R-Ts-Kraftsensoren-M372043-Istanbul-Turkiye</a>	
<a href="#">M3056smf</a>	
<a href="#">135c271</a>	
<a href="#">Cl1-50-Ec12 (M407864)</a>	
<a href="#">Gbfm90</a>	METRIC MODEL, 441 N-M
<a href="#">Rkgbd</a>	
<a href="#">Gbem90</a>	METRIC MODEL, 130 N-M
<a href="#">M308433 Sensorkabel</a>	
<a href="#">C100wab</a>	FAN- AND WATER-COOLED, 100 LB-FT
<a href="#">Cl2500</a>	
<a href="#">Ts10frm</a>	
<a href="#">3c120</a>	
<a href="#">3c118-1a</a>	
<a href="#">Lb3</a>	
<a href="#">Ps15</a>	
<a href="#">M4602smf</a>	
<a href="#">Ts5pw</a>	
<a href="#">Bkgbf230</a>	
<a href="#">M4602smo</a>	SMART BRAKE™, 18-INCH, WITHOUT FAN, 2 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
<a href="#">C10wab</a>	FAN- AND WATER-COOLED, 10 LB-FT
<a href="#">Lcc5m</a>	
<a href="#">Rkgcc</a>	
<a href="#">Vtc-Eã1000002638ã</a>	
<a href="#">M3056smo</a>	SMART BRAKE™, 12-INCH, WITHOUT FAN, 6 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
<a href="#">Mmhdb50</a>	
<a href="#">M4604smf</a>	SMART BRAKE™, 18-INCH, WITH FAN, 4 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
<a href="#">Ts25swm</a>	

<a href="#">Ipt-E</a>	
<a href="#">M124493- Tsa</a>	
<a href="#">3d103</a>	
<a href="#">B50a</a>	
<a href="#">Lc500g</a>	
<a href="#">Ba1</a>	
<a href="#">Ts50pw</a>	
<a href="#">12b1936</a>	
<a href="#">Tsu35000x</a>	5,000 LB, SIZE 3
<a href="#">C-10r</a>	CLUTCH MAGNETIC POWER 90VDC
<a href="#">C3ab</a>	FAN-COOLED, 3 LB-FT
<a href="#">M3051smo</a>	SMART BRAKE™, 12-INCH, WITHOUT FAN, 1 CALIPER, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
<a href="#">Rkgbe</a>	
<a href="#">Sce-15</a>	
<a href="#">M4606smo</a>	
<a href="#">Ts25sc</a>	
<a href="#">3c118-3</a>	CONTROL BOARD
<a href="#">Cl1-50, S/N: 082010007</a> <a href="#">Obsolete/Replaced By Cl1-50-Ec12</a> <a href="#">Tension Sensor,</a>	
<a href="#">Ip-80</a>	
<a href="#">M327931</a>	
<a href="#">Ta3</a>	
<a href="#">Ts500sc</a>	
<a href="#">Cl1-50, S/N: 082010007</a> <a href="#">Obsolete/Replaced By Cl1-50-Ec12</a>	
<a href="#">145b153</a>	
<a href="#">M245729</a>	
<a href="#">Bk-Gba/B230</a>	
<a href="#">B25</a>	
<a href="#">M3055smo</a>	SMART BRAKE™, 12-INCH, WITHOUT FAN, 5 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)

<a href="#">Ts150fc</a>	
<a href="#">Gcdm90</a>	METRIC MODEL, 75.9 N-M
<a href="#">Lb100</a>	
<a href="#">Tsu21000r</a>	SENSOR
<a href="#">Gbam90</a>	
<a href="#">Tsu2500r</a>	
<a href="#">Ddb92x</a>	9 IN., TWO ACTUATORS WITH GUARDS
<a href="#">9a-22-1</a>	
<a href="#">3c118-2</a>	
<a href="#">Ts250scm</a>	
<a href="#">M4605smo</a>	SMART BRAKE™, 18-INCH, WITHOUT FAN, 5 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
<a href="#">-C10#1000002071</a>	Art Nr. M124110 MAGPOWR magnetic powder coupling Type: C10 Series: C series Rated torque: 13.6 Nm (10 lb-ft) Min. Torque:> 0.2 Nm (0.15 lb-ft) Coil voltage: 90 VDC Rated coil current: 0.25 amps Heat output: 564 watts max. at 1800 / min Assembly: Solid shaft with keyway ø 19.05 mm (3/4 inch) Configuration power amplifier: 0.25 amps CE conform
<a href="#">3c70</a>	
<a href="#">Gbcm90a115</a>	METRIC MODEL, FAN-COOLED, 115 VAC FAN,35.2 N-M
<a href="#">Ts50fc</a>	
<a href="#">Lca Obsolete, Replaced By Dlca (M386201)</a>	
<a href="#">Mmgbf</a>	
<a href="#">Ts500fw</a>	
<a href="#">Raa</a>	
<a href="#">Rkb25</a>	
<a href="#">3d1031rpl</a>	BRAKE ASSEMBLY
<a href="#">Gbb90</a>	
<a href="#">Sce100</a>	
<a href="#">M3052smo</a>	
<a href="#">Psb15--90v</a>	
<a href="#">Gtsd10000m</a>	10000 KG, SIZE D
<a href="#">Ts250fcm</a>	

<a href="#">Spyder/100d288-1/M270825</a>	WEB TENSION CONTROL
<a href="#">Ts2pcm</a>	
<a href="#">Bkqbd230</a>	
<a href="#">Mmhdb10</a>	
<a href="#">145b81</a>	
<a href="#">C100ab</a>	FAN-COOLED, 100 LB-FT
<a href="#">B7v</a>	
<a href="#">Rkc1</a>	
<a href="#">Us2100</a>	
<a href="#">M327932</a>	
<a href="#">A-Trac-2</a>	
<a href="#">Pa90</a>	
<a href="#">Ta5</a>	TOP PLATE ADAPTER, FOR SIZE D
<a href="#">M4601smf</a>	SMART BRAKE™, 18-INCH, WITH FAN, 1 CALIPER, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
<a href="#">Psb7024v</a>	
<a href="#">C10ab</a>	FAN-COOLED, 10 LB-FT
<a href="#">Tsu2500x</a>	
<a href="#">3c94-1</a>	
<a href="#">3c118-1</a>	
<a href="#">Hdb100r</a>	
<a href="#">D2s1</a>	
<a href="#">Ts75fcm</a>	
<a href="#">Gbe90</a>	100 LB-FT
<a href="#">Psc1590v</a>	
<a href="#">Gtsb500m</a>	500 KG, SIZE B
<a href="#">Os-90</a>	
<a href="#">3b117-Rpl</a>	
<a href="#">Ts5sw</a>	
<a href="#">Eztrac</a>	
<a href="#">Ts5pr</a>	

<a href="#">M212189</a>	
<a href="#">31b1491</a>	
<a href="#">Ts-S150</a>	
<a href="#">Mmgbc</a>	
<a href="#">Hb12</a>	
<a href="#">Gtsb550ec12</a>	
<a href="#">Gtsc7500m</a>	
<a href="#">Bkgbc115</a>	
<a href="#">Detc-1</a>	
<a href="#">M327926 Kraftsensor,</a>	
<a href="#">M327927</a>	
<a href="#">Mistr</a>	
<a href="#">Ts-F150</a>	
<a href="#">Gtsb1000m</a>	1000 KG, SIZE B
<a href="#">Psb-15-24v</a>	
<a href="#">Ts250prm</a>	
<a href="#">Sc15</a>	
<a href="#">Ts500pw</a>	
<a href="#">M124493- Tsa Messverstärker</a>	
<a href="#">M124513 Modell: Us-2</a>	
<a href="#">B5a</a>	
<a href="#">-C10ã1000002071</a>	
<a href="#">Ts150fcec12</a>	
<a href="#">Ts75pwm</a>	
<a href="#">Bkc10a</a>	
<a href="#">C-1</a>	
<a href="#">Spyder</a>	PART
<a href="#">Ts25pw</a>	
<a href="#">Rkb7v</a>	
<a href="#">Rkgcd</a>	



<a href="#">Ts50sw</a>	
<a href="#">Bkgbd115</a>	
<a href="#">Dtm</a>	
<a href="#">Hc634</a>	
<a href="#">Digitrac-Ch</a>	
<a href="#">Gtsa10m</a>	
<a href="#">Tsu31000x</a>	
<a href="#">Sce75</a>	
<a href="#">Smcl25m, Replaced Bz Cl1-50-Ec12</a>	
<a href="#">Gbfm90a115</a>	
<a href="#">Tc-Iii</a>	
<a href="#">Ts500fc</a>	
<a href="#">Ts150scec12</a>	
<a href="#">Ts10swm</a>	
<a href="#">Ts2prm</a>	
<a href="#">Us250</a>	
<a href="#">Gbe90a115</a>	FAN-COOLED, 115 VAC FAN, 100 LB-FT
<a href="#">Fp4l</a>	
<a href="#">Trac-2</a>	
<a href="#">Cl115</a>	
<a href="#">Gtsc2500m</a>	2500 KG, SIZE C
<a href="#">Gtsb2200</a>	2,200 LB, SIZE B
<a href="#">Ts250pcm</a>	
<a href="#">Rkc50</a>	
<a href="#">Ts50fw</a>	
<a href="#">Gtsb550-Ec12</a>	
<a href="#">Ts50sr</a>	
<a href="#">Ta4</a>	
<a href="#">Tsu1150x</a>	150 LB, SIZE 1
<a href="#">Rkhdb3</a>	
<a href="#">Ts5sr</a>	

<a href="#">Gccm90</a>	
<a href="#">Rkqbc</a>	
<a href="#">Dfk</a>	
<a href="#">Rkc3</a>	
<a href="#">Psc7090v</a>	
<a href="#">Hc438</a>	
<a href="#">31b148-1</a>	
<a href="#">Digitrac-2</a>	
<a href="#">Ts25fc</a>	
<a href="#">3b63-1</a>	
<a href="#">Hc512</a>	
<a href="#">M4603smf</a>	SMART BRAKE™, 18-INCH, WITH FAN, 3 CALIPERS, SPECIFY COEFFICIENT OF FRICTION OF PAD (L/ M / H)
<a href="#">Sbc5</a>	
<a href="#">3b70</a>	
<a href="#">Ps-90</a>	
<a href="#">Mmgcd</a>	
<a href="#">Ts25fr</a>	
<a href="#">Commkiten</a>	
<a href="#">3b105</a>	
<a href="#">C50ab</a>	
<a href="#">Dpg500</a>	
<a href="#">Gcam90</a>	
<a href="#">Ts25fw</a>	
<a href="#">Cygnum-E</a>	TENSION CONTROL
<a href="#">Ts25pr</a>	
<a href="#">Ts50sc</a>	
<a href="#">Ts500sw</a>	
<a href="#">Gbbm90</a>	
<a href="#">Ts250swm</a>	
<a href="#">Bkqbab115</a>	

<a href="#">3b123-1</a>	
<a href="#">Ts2scm</a>	
<a href="#">C100b</a>	100 LB-FT
<a href="#">Dfp</a>	
<a href="#">Ba2</a>	
<a href="#">Ts10srm</a>	
<a href="#">M327925</a>	
<a href="#">3c78-1</a>	
<a href="#">Tc-R</a>	
<a href="#">B50</a>	
<a href="#">Dfp2</a>	
<a href="#">Paa</a>	
<a href="#">Ts25prm</a>	
<a href="#">D2</a>	
<a href="#">Ts25sr</a>	
<a href="#">31c94-1</a>	
<a href="#">Gbem90a115</a>	
<a href="#">3d99-1</a>	TRAC-2 CTRL BD
<a href="#">M3055smf</a>	
<a href="#">Ts-150-Fc</a>	
<a href="#">Sce20</a>	
<a href="#">Tsu150x</a>	
<a href="#">Rkgca</a>	
<a href="#">Ts50pr</a>	
<a href="#">145b151</a>	
<a href="#">Fp4m</a>	
<a href="#">Mmc3</a>	
<a href="#">Pb6</a>	
<a href="#">Gtsa55</a>	
<a href="#">Tsu2500I</a>	

<a href="#">Ps24</a>
<a href="#">Gbcm90</a>
<a href="#">Bkgbe230</a>
<a href="#">Gbb90a115</a>
<a href="#">Lca</a>
<a href="#">Swf50</a>
<a href="#">Hb61</a>
<a href="#">140a621</a>
<a href="#">Mmgca</a>
<a href="#">Gtsa50m</a>
<a href="#">Ts25srm</a>
<a href="#">Dlca (M386201)</a>
<a href="#">Lc500gs1</a>
<a href="#">3c91</a>
<a href="#">M327925 Kraftsensor</a>
<a href="#">Mmgbe</a>
<a href="#">Gbbm24</a>
<a href="#">Gbam90a115</a>
<a href="#">3b41</a>
<a href="#">C10</a>
<a href="#">Gca90</a>
<a href="#">Gtsb100m</a>
<a href="#">M3054smo</a>
<a href="#">Tsa</a>
<a href="#">Ddb-13-3-M</a>
<a href="#">Bg9</a>
<a href="#">Bkgbc230</a>
<a href="#">CI2-50</a>
<a href="#">Bkb50a</a>
<a href="#">Tr-3p</a>

<a href="#">Mmc50</a>
<a href="#">Rkhdb100</a>
<a href="#">Gtsa25m</a>
<a href="#">Ts2swm</a>
<a href="#">Tc-5</a>
<a href="#">Gtsa110</a>
<a href="#">Tr5</a>
<a href="#">C100</a>