

## Maple Systems

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine bařvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulařabilirsiniz.  
**Maple Systems** Markası, tedarik sresi iin ltfen bizimle iletiřime geiniz.

*Firmamız Maple Systems Trkiye Distribtr veya temsilcisi deėildir. Firmamız sipariř durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">Oit4160-A00</a>	Operator Interface Terminal With 2x20 VFD OIT-3165
<a href="#">Hmi-530c-001</a>	TOUCHSCREEN 7.7IN DSTN COLOR DISPLAY 1AMP 24VDC
<a href="#">Hmi5104th</a>	TOUCH SCREEN
<a href="#">Hmi520c-006</a>	OPERATOR INTERFACE 5.7INCH TFT 256COLOR
<a href="#">Map340d-240f</a>	OPERATOR INTERFACE 12/30VDC
<a href="#">Hmi520t-007</a>	OPERATOR INTERFACE MONITOR 24VDC 370MA
<a href="#">Hmi5121p</a>	GRAPHIC HMI, 12.1IN LCD, ALUM.HOUSING, 800MHZ
<a href="#">Pc415a</a>	DISPLAY
<a href="#">Pc115b</a>	15" XGA TFT,7-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU 1.5 GHZ CELERON M. 256 MB DDR, 40 GB HDD,IDE CF SLOT (EXTERNAL),1 ETHERNET, 4 SERIAL, 2 USB,2 PS/2
<a href="#">He800thm100b</a>	4 Channel Thermo-Couple Input HE800
	15" XGA TFT,7-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU

<a href="#">Pc115bf</a>	1.0 GHZ CELERON M ULVFANLESS. 256 MB DDR, 40 GB HDD,IDE CF SLOT (EXTERNAL),1 ETHERNET, 4 SERIAL, 2
<a href="#">Oit3200-A00</a>	OPERATOR INTERFACE
<a href="#">Hmi5104t</a>	10.4" 640 X 480. CPU 200 MHZ RISC. FLASH MEMORY32 MB. DRAM64 MB. USB PORTS 3
<a href="#">Hmi612x-Xp</a>	12.1" TFT LCD800 X 600 PIXELS, 65536 COLORS4-WIRE ANALOG RESISTIVE TOUCHSCREEN. CPU 500 MHZCISC. 2 GB DOM1 ETHERNET, 2 SERIAL, 3 USBMICROSOFT WINDOWS
<a href="#">Hmi5104x</a>	10.4" 640 X 480. CPU500 MHZ CISC. FLASH MEMORY256 MB. DRAM256 MB. USB PORTS 3
<a href="#">Oit-4450-Boo</a>	2 LINE DISPLAY 40 CHARACTERS EACH
<a href="#">Hmi5100l</a>	10.0 65K-COLOR SLIM-FORM
<a href="#">Oit-4400-Boo</a>	2 LINE DISPLAY 40 CHARACTERS EACH
<a href="#">San460c-001</a>	OPERATOR INTERFACE 8-30VDC
<a href="#">Hmi5303-005e</a>	OPERATOR INTERFACE TOUCH SCREEN
<a href="#">Hmi608t</a>	8" TFT LCD640 X 480 PIXELS, 65536 COLORS4-WIRE ANALOG RESISTIVE TOUCHSCREEN. CPU 200 MHZRISC. 32 MB FLASH, CF SLOT1 ETHERNET, 2 SERIAL, 3 USBMICROSOFT
<a href="#">Hmi-520h-005e</a>	OPERATOR INTERFACE 5.7INCH 256 COLOR TFT
<a href="#">He5000cs100x</a>	Operator Panel HE5000
<a href="#">Web64000xp-Rtu</a>	UPGRADE WEB4000XP-RT RUNTIME LICENSE TO WEB64000XP-RT
<a href="#">Pc110bf</a>	10.4" SVGA TFT,5-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU 1.0 GHZ CELERON M ULVFANLESS. 256 MB DDR, 40 GB HDD,IDE CF SLOT (INTERNAL),1 ETHERNET, 2 SERIAL
<a href="#">Pc117b</a>	17" SXGA TFT,7-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU 1.5 GHZ CELERON M. 256 MB DDR, 40 GB HDD,IDE CF SLOT (EXTERNAL),1 ETHERNET, 4 SERIAL, 2 USB,2 PS/
<a href="#">Hmi550h-03</a>	OPERATOR INTERFACE 10.4INCH COLOR TFT
<a href="#">Hmi5070t</a>	DISPLAY
<a href="#">Hmi530ckit</a>	SCREEN , SOFTWARE , CABLE
<a href="#">Hmi530t</a>	7.7"640 X 480. TYPE 256-COLOR TFT LCD.ANALOG RESISTIVE . FLASH MEMORY2 MB .ETHERNET COMPACT FLASH PORTNO
<a href="#">Web1500ce</a>	WINDOWS CE PROJECTS ONLY OPERATING SYSTEM. WEBSTUDIO DEVELOPMENT SOFTWARE FOR WINDOWS CE APPLICATIONS. INCLUDES DEVELOPMENT SOFTWARE AND ONE RUNTIME L
<a href="#">Oit-4400-B00</a>	2 LINE DISPLAY 40 CHARACTERS EACH

<a href="#">Web-Iw-Pb</a>	CONVERTS PANELBUILDER™ APPLICATIONS INTO WEBSTUDIO APPLICATIONS (OPTIONAL)
<a href="#">Hmi-550h-001</a>	OPERATOR INTERFACE 10.4INCH 24VDC 1A
<a href="#">Pc417a</a>	DISPLAY
<a href="#">Hmi-520m-005</a>	OPERATOR INTERFACE 5.7IN COLOR STN
<a href="#">Web4000xp-C</a>	UPGRADE A WEB4000XP DEVELOPMENT SOFTWARE TO THE LATEST VERSION
<a href="#">Pc117bf</a>	17" SXGA TFT,7-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU 1.0 GHZ CELERON M ULVFANLESS. 256 MB DDR, 40 GB HDD,IDE CF SLOT (EXTERNAL),1 ETHERNET, 4 SERIAL,
<a href="#">Oit-4450-Aoo</a>	2 LINE DISPLAY 40 CHARACTERS EACH
<a href="#">Web4000xp-Rtu</a>	UPGRADE WEB1500XP-RT RUNTIME LICENSE TO WEB4000XP-RT
<a href="#">Web4000xp</a>	WINDOWSXP OR CEPROJECTS OPERATING SYSTEM. WEBSTUDIO DEVELOPMENT SOFTWARE FOR WINDOWS XP OR CE APPLICATIONS.INCLUDES DEVELOPMENT SOFTWARE AND ONE RUNTI
<a href="#">Web-Iw-Pm</a>	CONVERTS PANELMATE™ APPLICATIONS TO WEBSTUDIO APPLICATIONS (OPTIONAL)
<a href="#">Hmi550hkit</a>	PVIEW 10.4 TOUCH W/SOFTWARE AND CONFIG. CABLE
<a href="#">Web4000xp-Rt</a>	WINDOWSXP OPERATING SYSTEM. WEBSTUDIO RUNTIME LICENSE FOR WINDOWS XP. INCLUDES 1 RUNTIME LICENSEFOR 4,000 APPLICATION TAGS, 3 COMMUNICATION DRIVERS, A
<a href="#">Hmi550t</a>	10.4"640 X 480. TYPE 256-COLOR TFT LCD.ANALOG RESISTIVE . FLASH MEMORY2 MB .ETHERNET COMPACT FLASH PORTNO
<a href="#">Web1500xp-C</a>	UPGRADE A WEB1500XP DEVELOPMENT SOFTWARE TO THE LATEST VERSION
<a href="#">Hmi612x-Ce</a>	12.1" TFT LCD800 X 600 PIXELS, 65536 COLORS4-WIRE ANALOG RESISTIVE TOUCHSCREEN. CPU 500 MHZCISC. 256 MB DOM1 ETHERNET, 2 SERIAL, 3 USBMICROSOFT WINDOW
<a href="#">Hmi520t</a>	5.6"320 X 234. TYPE 256-COLOR TFT LCD.ANALOG RESISTIVE . FLASH MEMORY2 MB .ETHERNET COMPACT FLASH PORTNO
<a href="#">Com501b003</a>	TERMINAL
<a href="#">Web4000xp-U</a>	UPGRADE WEB1500XP DEVELOPMENT SOFTWARE TO WEB4000XP
<a href="#">Web1500xp</a>	WINDOWSXP OR CEPROJECTS OPERATING SYSTEM. WEBSTUDIO DEVELOPMENT SOFTWARE FOR WINDOWS XP OR CE APPLICATIONS.INCLUDES DEVELOPMENT SOFTWARE AND ONE RUNTI

<a href="#">Web64000xp-Rtc</a>	UPGRADE A WEB64000XP-RT RUNTIME LICENSE TO THE LATEST VERSION
<a href="#">Web64000xp</a>	WINDOWSXP OR CEPROJECTS OPERATING SYSTEM. WEBSTUDIO DEVELOPMENT SOFTWARE FOR WINDOWS XP OR CE APPLICATIONS.INCLUDES DEVELOPMENT SOFTWARE AND ONE RUNTI
<a href="#">Oit-4400-Aoo</a>	2 LINE DISPLAY 40 CHARACTERS EACH
<a href="#">Hmi5121t</a>	12.1" 800 X 600. CPU 200 MHZ RISC. FLASH MEMORY32 MB. DRAM64 MB. USB PORTS 3
<a href="#">Web64000xp-U</a>	UPGRADE WEB4000XP DEVELOPMENT SOFTWARE TO WEB64000XP
<a href="#">Hmi5070th</a>	OPERATOR INTF
<a href="#">Gef340a001</a>	OPERATOR INTERFACE PANEL
<a href="#">Pc110b</a>	10.4" SVGA TFT,5-WIRE ANALOG RESISTIVE TOUCHSCREEN. CPU 1.5 GHZ CELERON M. 256 MB DDR, 40 GB HDD,IDE CF SLOT (EXTERNAL),1 ETHERNET, 2 SERIAL,2 USB, 2
<a href="#">Hmi520m-006</a>	OPERATOR INTERFACE 5.7IN 4COLOR STN LCD 24VDC
<a href="#">Oit-4450-B00</a>	2 LINE DISPLAY 40 CHARACTERS EACH
<a href="#">Omi5121ace</a>	OPER INTERFACE
<a href="#">Hmi-520c-005e</a>	OPERATOR INTERFACE 5.7IN 256 COLOR STN LCD
<a href="#">Hmi5150x</a>	15" 1024 X 768. CPU500 MHZ CISC. FLASH MEMORY 256 MB. DRAM256 MB. USB PORTS3
<a href="#">Hmi610x-Ce</a>	10.4" TFT LCD640 X 480 PIXELS, 65536 COLORS4-WIRE ANALOG RESISTIVE TOUCHSCREEN. CPU 500 MHZCISC.256 MB DOM1 ETHERNET, 2 SERIAL, 2 USBMICROSOFT WINDOWS
<a href="#">Hmi530te</a>	7.7"640 X 480. TYPE 256-COLOR TFT LCD.ANALOG RESISTIVE . FLASH MEMORY4 MB .ETHERNET COMPACT FLASH PORTYES
<a href="#">Hmi530c-005</a>	TOUCH SCREEN
<a href="#">Hmi550te</a>	10.4"640 X 480. TYPE 256-COLOR TFT LCD.ANALOG RESISTIVE . FLASH MEMORY4 MB .ETHERNET COMPACT FLASH PORTYES
<a href="#">Hmi615x-Ce</a>	15" TFT LCD1024 X 768 PIXELS, 65536 COLORS4-WIRE ANALOG RESISTIVE TOUCHSCREEN. CPU 500 MHZCISC. 256 MB DOM1 ETHERNET, 2 SERIAL, 3 USBMICROSOFT WINDOWS
<a href="#">Web64000xp-Rt</a>	WINDOWSXP OPERATING SYSTEM. WEBSTUDIO RUNTIME LICENSE FOR WINDOWS XP. INCLUDES 1 RUNTIME LICENSEFOR 64,000 APPLICATION TAGS, 3 COMMUNICATION DRIVERS,
<a href="#">Oit5400-B00</a>	OPERATOR INTERFACE
<a href="#">Omi5100a-Ce</a>	OPERATOR INTERFACE TOUCH SCREEN 10INCH

<a href="#">Web64000xp-C</a>	UPGRADE A WEB64000XP DEVELOPMENT SOFTWARE TO THE LATEST VERSION
<a href="#">Pc419a</a>	PANEL PC 19INCH TOUCHSCREEN
<a href="#">Hmi520m-001</a>	HMI 520M Operator Panel HMI 520M
<a href="#">Oit3175-A00</a>	OIT3175A w/4x20 LCD Panel
<a href="#">Hmi5150xl</a>	INTERFACE
<a href="#">Pc217a</a>	17" SXGA TFT,7-WIRE ANALOG RESISTIVETOUCHSCREEN. CPU 2.4 GHZ CELERON. 256MB DDR, 80 GB HDD,1 ETHERNET, 4 SERIAL, 2 USB,2 PS/2, 1 PARALLEL, 1 VGA,WINDO
<a href="#">Hmi-5100t</a>	OPERATOR INTERFACE 10INCH TOUCHSCREEN TFT LCD
<a href="#">Hmi530c05</a>	TOUCH SCREEN
<a href="#">Hmi550c-004</a>	OPERATOR INTERFACE 10IN COLOR LCD
<a href="#">Web4000xp-Rtc</a>	UPGRADE A WEB4000XP-RT RUNTIME LICENSE TO THE LATEST VERSION
<a href="#">He5000cs100y</a>	Panel HE5000
<a href="#">Oit-4400-A00</a>	2 LINE DISPLAY 40 CHARACTERS EACH