

Marechal



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Marechal Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Marechal Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

| rn | Aıklama |
|--|--|
| 6168017 | DECONTACTOR DSN6 INLET POLY BLUE Size.3 IP66 / 67/69 3P + N + E 63A 440V AC |
| 3994013600 Ds9 Socket Metal Size.5 Marec | MARECHAL MODEL: 3994013600 DECONTACTOR DS9 SOCKET METAL BLUE SIZE.5 IP66/67 3P+E 150A 440V AC |
| 3998013600 Ds9 Inlet Metal Size.5 Marech | MARECHAL MODEL: 3998013600 DECONTACTOR DS9 INLET METAL SIZE.5 IP66/67 3P+E 150A 440V AC |
| 595c7m63 Wall Box Metal Blue Size5+70d A | MARECHAL MODEL: 595C7M63 WALL BOX METAL BLUE Size.5 +70D ANGLE ADAPTER M63 |
| 555p0d45 Elastomer Black Size.5 +cable | MARECHAL MODEL: 555P0D45 STRAIGHT HANDLE ELASTOMER BLACK Size.5 +CABLE GLAND 35- 45MM |
| 319a426 Ds9 Plug Cap Elastomer Black | MARECHAL MODEL: 319A426 DS9 PLUG CAP ELASTOMER BLACK |
| 2518013 | DECONTACTOR DXN1 RECESSED PLUG II2GD Ex db eb IIC Gb - Ex tb IIIC Db T5-T6 POLY BLACK Size.A IP66 / 67 3P + E 20A 440V AC |
| 2514013 | DECONTACTOR DXN1 SOCKET II2GD Ex db eb IIC Gb - Ex tb IIIC Db T5-T6 POLY BLACK Size.A IP66 / 67 3P + E 20A 440V AC |
| 251ab53 | DXN1 WALL BASE 30 DEGREES POLY BLACK Size.A + M20 10-14MM |
| 251a753 | DXN1 HANDLE STRAIGHT POLY BLACK Size.A + M20 10-14MM |
| SET COMPLETT DXN1 | DECONTACOR DXN1 SOCKET II2GD EX DB EB IIC GB-EX KOD.2514017352/ DECONTACOR DXN1 INLET II2GD EX DB EB IIC GB-EX KOD.2518017 / DXN1 WALL BOX 30D POLY BLACK SIZE.A+CABLE GLAND KOD.251AB5325P/ DXN1 STRAIGHT HANDLE POLY BLACK SIZE.A+CABLE GLAND KOD.251A44325P/ DXN1SELF-EJECTION MECHANISM PLUG LEVER KOD.251A338/ DXN1 SELF-EJECTION MECHANISM TENSION CORD KOD.251A336/ |

| | |
|--|---|
| SOLENOID | SOLENOID TO BE USED IN FIRE EXTINGUISHING SYSTEM / SERVICE: WATER AND FOAM NORMALLY CLOSED (NC) 1 / 4"30 BAR RESISTANT. VOLTAGE 24V9W |
| DS9 3994017751 | |
| DS6 FEMALE SOCKET METAL 3964013 | |
| DS6 MALE PLUG METAL 3968013 | |
| DS6 MALE PLUG BOX METAL 594P040M | |
| DS6 MALE PLUG PIN 316A011 | |
| DS6 FEMALE SOCKET PIN 316A021 | |
| Marechal | |
| Marechal | |
| Marechal | |
| 3994013600 DS9 SOCKET METAL SiZE.5 MAREC | 3994013600 DECONTACTOR DS9 SOCKET METAL BLUE SiZE.5 IP66/67 3P+E 150A 440V AC |
| 3998013600 DS9 INLET METAL SiZE.5 MARECH | 3998013600 DECONTACTOR DS9 INLET METAL SiZE.5 IP66/67 3P+E 150A 440V AC |
| 595C7M63 WALL BOX METAL BLUE SiZE5+70D A | 595C7M63 WALL BOX METAL BLUE Size.5 +70D ANGLE ADAPTER M63 |
| 555P0D45 ELASTOMER BLACK Size.5 +CABLE | 555P0D45 STRAIGHT HANDLE ELASTOMER BLACK Size.5 +CABLE GLAND 35- 45MM |
| 319A426 DS9 PLUG CAP ELASTOMER BLACK | 319A426 DS9 PLUG CAP ELASTOMER BLACK |
| socket | |
| DECONTACTOR DXN1 SPINA | II2GD Ex db eb IIC Gb - Ex tb IIIC Db T5-T6 POLIE. NERO IP66/67 2P+2P+T 20A 24V DC |
| 3924053z1312 | |
| 1998032 Dn 9 Einbaustecker Metall | |
| Mar3928013 00569 | |
| 319a963 | |
| Ds13114097+311a083(Ex.Ds1-3110097) | |
| 3111015000a | |
| 3113215rk4l | |
| 3414082000a | |
| 3p+n+e | |

| |
|--|
| 256a25332p |
| 3928013972 |
| 01 P8 061 |
| 61c8003 |
| 3924017972 |
| 3924013972 |
| Dxn1 (20a) 380-440v 3p + K + E PLUG |
| 0124017825a |
| 3928043233 |
| 2518092 (Dxn 1) |
| 2514015 Dxn 1 Einbaudose |
| 1968191600 |
| 09na95332m |
| Mah3924013 00612 |
| 3998017 |
| 879a053420 |
| 3928053z1312 |
| 3994017600 |
| Pfq4 |
| 392a053 |
| 1998013 |
| 61-340193-972 |
| Sp Ip66/67 Brown |
| 01 P4 061 |
| 3411082000a |
| 392a913 |
| Ds6 |
| 3994017 |
| 09na95332m Pn 5 M Griff Gerade Metall Blau M32 |
| Siehe Anhang |

| | |
|---|--|
| Dn9 19980 13 | |
| 61c4003 | |
| 3168017 | |
| 198a053 | |
| 1994013 | |
| 659a013d35 | |
| Dxn1 2514015 | |
| 1980000023 | |
| Dxn1 (20a) 220-250v 1p + K + E | PLUG |
| 2694017z0357 | |
| 399a053 | |
| 3110017000a | |
| 2564097+18 | |
| 316a013 | |
| 352a013d49 | |
| 61 3a 253 32p | |
| 879a823 | |
| 3994013612 | |
| 879a053 | |
| 1000volt 700amper Ip66 / 67 Plug-In Typ Sp) | |
| 269ab53z0357 | |
| Ds9 M 3998097656 | Please look at the attachement |
| 1.985.127 | |
| 51da058 | |
| 9244013 | |
| 1994032 Dn 9 Einbaudose Metall | |
| 616a053 | |
| 3928017 | DS 2 MOUNTING METAL Contacts: 3P + N + PE / Voltage: 440V Frequency: AC Hz / current: 250A Protection class: 54 / Position: 01 |
| 1988017 | |

[3924043233](#)

[199a653](#)

[3198197](#)

[0121017001a](#)

[6168013](#)

[6164013](#)

[3924013600](#)

[61-38093-972](#)

[196a126](#)

[1998032](#)

[3994013](#)

[256a426](#)

[3164017](#)

[2568097](#)

[616a473](#)

[196a95332m](#)

[01na013](#)

[3924017600 Ds2](#)

[01na126 Pn 5 K Stecker-Kappe](#)

[3194197+18](#)

[25-68017](#)

[Ds2 250a](#)

[616a013](#)

[2518092 Industrial Electric Plug](#)

[256ab58](#)

[3928017972](#)

[1964191605](#)

[51-Ba757](#)

[25-34015](#)

[3998013](#)

| | |
|--|--|
| X756033402 | |
| 09p4041 | |
| 25-64017 | |
| 09a4001 Einbaudose Pn 12c Metall | |
| 392a027 | |
| 251ab53 Dxn 1 Wandsocket | |
| 3111017000a | |
| 556p0d35 (New Art. No. Since 01.01.17) | HANDLE JUST ELASTOMER BLACK SIZE.6 + CABLE GLAND 25-35MM |
| 1994013 199a653 19 | |
| 6164013843 | |
| 3928017 + 392a013 | |
| 619a25363p | |
| 3944223600 | |
| 3924017 | DS 2 SOCKET METAL BLUE Contacts: 3P + N + Pe / Voltage: 440V Frequency: AC Hz / Electricity: 250 A Protection class: 55 / Position: 01 |
| 3928013 | |
| 3110015000a | |
| 263ab53 | |
| 2634015 | |
| 1994032 | |
| 09a8001 Pn 12c M Einbaustecker Metall | |
| 01p4061 | |