

## Marechal



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Marechal** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Marechal Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

| rn   | Aıklama   |
|--|--|
| <a href="#">6168017</a>                                  | DECONTACTOR DSN6 INLET POLY BLUE Size.3 IP66 / 67/69 3P + N + E 63A 440V AC  |
| <a href="#">3994013600 Ds9 Socket Metal Size.5 Marec</a> | MARECHAL MODEL: 3994013600 DECONTACTOR DS9 SOCKET METAL BLUE SIZE.5 IP66/67 3P+E 150A 440V AC  |
| <a href="#">3998013600 Ds9 Inlet Metal Size.5 Marech</a> | MARECHAL MODEL: 3998013600 DECONTACTOR DS9 INLET METAL SIZE.5 IP66/67 3P+E 150A 440V AC  |
| <a href="#">595c7m63 Wall Box Metal Blue Size5+70d A</a> | MARECHAL MODEL: 595C7M63 WALL BOX METAL BLUE Size.5 +70D ANGLE ADAPTER M63   |
| <a href="#">555p0d45 Elastomer Black Size.5 +cable</a>   | MARECHAL MODEL: 555P0D45 STRAIGHT HANDLE ELASTOMER BLACK Size.5 +CABLE GLAND 35- 45MM  |
| <a href="#">319a426 Ds9 Plug Cap Elastomer Black</a>     | MARECHAL MODEL: 319A426 DS9 PLUG CAP ELASTOMER BLACK   |
| <a href="#">2518013</a>                                  | DECONTACTOR DXN1 RECESSED PLUG II2GD Ex db eb IIC Gb - Ex tb IIIC Db T5-T6 POLY BLACK Size.A IP66 / 67 3P + E 20A 440V AC  |
| <a href="#">2514013</a>                                  | DECONTACTOR DXN1 SOCKET II2GD Ex db eb IIC Gb - Ex tb IIIC Db T5-T6 POLY BLACK Size.A IP66 / 67 3P + E 20A 440V AC   |
| <a href="#">251ab53</a>                                  | DXN1 WALL BASE 30 DEGREES POLY BLACK Size.A + M20 10-14MM  |
| <a href="#">251a753</a>                                  | DXN1 HANDLE STRAIGHT POLY BLACK Size.A + M20 10-14MM   |
| <a href="#">SET COMPLETT DXN1</a>                        | DECONTACOR DXN1 SOCKET II2GD EX DB EB IIC GB-EX KOD.2514017352/ DECONTACOR DXN1 INLET II2GD EX DB EB IIC GB-EX KOD.2518017 / DXN1 WALL BOX 30D POLY BLACK SIZE.A+CABLE GLAND KOD.251AB5325P/ DXN1 STRAIGHT HANDLE POLY BLACK SIZE.A+CABLE GLAND KOD.251A44325P/ DXN1SELF-EJECTION MECHANISM PLUG LEVER KOD.251A338/ DXN1 SELF-EJECTION MECHANISM TENSION CORD KOD.251A336/ |

|  |   |
|--|---|
| <a href="#">SOLENOID</a>                                 | SOLENOID TO BE USED IN FIRE EXTINGUISHING SYSTEM / SERVICE: WATER AND FOAM NORMALLY CLOSED (NC) 1 / 4"30 BAR RESISTANT. VOLTAGE 24V9W |
| <a href="#">DS9 3994017751</a>                           |   |
| <a href="#">DS6 FEMALE SOCKET METAL 3964013</a>          |   |
| <a href="#">DS6 MALE PLUG METAL 3968013</a>              |   |
| <a href="#">DS6 MALE PLUG BOX METAL 594P040M</a>         |   |
| <a href="#">DS6 MALE PLUG PIN 316A011</a>                |   |
| <a href="#">DS6 FEMALE SOCKET PIN 316A021</a>            |   |
| <a href="#">Marechal</a>                                 |   |
| <a href="#">Marechal</a>                                 |   |
| <a href="#">Marechal</a>                                 |   |
| <a href="#">3994013600 DS9 SOCKET METAL SiZE.5 MAREC</a> | 3994013600 DECONTACTOR DS9 SOCKET METAL BLUE SiZE.5 IP66/67 3P+E 150A 440V AC   |
| <a href="#">3998013600 DS9 INLET METAL SiZE.5 MARECH</a> | 3998013600 DECONTACTOR DS9 INLET METAL SiZE.5 IP66/67 3P+E 150A 440V AC   |
| <a href="#">595C7M63 WALL BOX METAL BLUE SiZE5+70D A</a> | 595C7M63 WALL BOX METAL BLUE Size.5 +70D ANGLE ADAPTER M63  |
| <a href="#">555P0D45 ELASTOMER BLACK Size.5 +CABLE</a>   | 555P0D45 STRAIGHT HANDLE ELASTOMER BLACK Size.5 +CABLE GLAND 35- 45MM   |
| <a href="#">319A426 DS9 PLUG CAP ELASTOMER BLACK</a>     | 319A426 DS9 PLUG CAP ELASTOMER BLACK  |
| <a href="#">socket</a>                                   |   |
| <a href="#">DECONTACTOR DXN1 SPINA</a>                   | II2GD Ex db eb IIC Gb - Ex tb IIIC Db T5-T6 POLIE. NERO IP66/67 2P+2P+T 20A 24V DC  |
| <a href="#">3924053z1312</a>                             |   |
| <a href="#">1998032 Dn 9 Einbaustecker Metall</a>        |   |
| <a href="#">Mar3928013 00569</a>                         |   |
| <a href="#">319a963</a>                                  |   |
| <a href="#">Ds13114097+311a083(Ex.Ds1-3110097)</a>       |   |
| <a href="#">3111015000a</a>                              |   |
| <a href="#">3113215rk4l</a>                              |   |
| <a href="#">3414082000a</a>                              |   |
| <a href="#">3p+n+e</a>                                   |   |

|  |
|--|
| <a href="#">256a25332p</a>   |
| <a href="#">3928013972</a>   |
| <a href="#">01 P8 061</a>  |
| <a href="#">61c8003</a>  |
| <a href="#">3924017972</a>   |
| <a href="#">3924013972</a>   |
| <a href="#">Dxn1 (20a) 380-440v 3p + K + E</a> <b>PLUG</b>         |
| <a href="#">0124017825a</a>  |
| <a href="#">3928043233</a>   |
| <a href="#">2518092 (Dxn 1)</a>                                    |
| <a href="#">2514015 Dxn 1 Einbaudose</a>                           |
| <a href="#">1968191600</a>   |
| <a href="#">09na95332m</a>   |
| <a href="#">Mah3924013 00612</a>                                   |
| <a href="#">3998017</a>  |
| <a href="#">879a053420</a>   |
| <a href="#">3928053z1312</a>                                       |
| <a href="#">3994017600</a>   |
| <a href="#">Pfq4</a>   |
| <a href="#">392a053</a>  |
| <a href="#">1998013</a>  |
| <a href="#">61-340193-972</a>                                      |
| <a href="#">Sp Ip66/67 Brown</a>                                   |
| <a href="#">01 P4 061</a>  |
| <a href="#">3411082000a</a>  |
| <a href="#">392a913</a>  |
| <a href="#">Ds6</a>  |
| <a href="#">3994017</a>  |
| <a href="#">09na95332m Pn 5 M Griff Gerade Metall<br/>Blau M32</a> |
| <a href="#">Siehe Anhang</a>                                       |

|   |  |
|---|--|
| <a href="#">Dn9 19980 13</a>                                    |  |
| <a href="#">61c4003</a>   |  |
| <a href="#">3168017</a>   |  |
| <a href="#">198a053</a>   |  |
| <a href="#">1994013</a>   |  |
| <a href="#">659a013d35</a>                                      |  |
| <a href="#">Dxn1 2514015</a>                                    |  |
| <a href="#">1980000023</a>                                      |  |
| <a href="#">Dxn1 (20a) 220-250v 1p + K + E</a>                  | PLUG   |
| <a href="#">2694017z0357</a>                                    |  |
| <a href="#">399a053</a>   |  |
| <a href="#">3110017000a</a>                                     |  |
| <a href="#">2564097+18</a>                                      |  |
| <a href="#">316a013</a>   |  |
| <a href="#">352a013d49</a>                                      |  |
| <a href="#">61 3a 253 32p</a>                                   |  |
| <a href="#">879a823</a>   |  |
| <a href="#">3994013612</a>                                      |  |
| <a href="#">879a053</a>   |  |
| <a href="#">1000volt 700amper Ip66 / 67 Plug-In<br/>Typ Sp)</a> |  |
| <a href="#">269ab53z0357</a>                                    |  |
| <a href="#">Ds9 M 3998097656</a>                                | Please look at the attachement   |
| <a href="#">1.985.127</a>                                       |  |
| <a href="#">51da058</a>   |  |
| <a href="#">9244013</a>   |  |
| <a href="#">1994032 Dn 9 Einbaudose Metall</a>                  |  |
| <a href="#">616a053</a>   |  |
| <a href="#">3928017</a>   | DS 2 MOUNTING METAL Contacts: 3P + N + PE / Voltage:<br>440V Frequency: AC Hz / current: 250A Protection class: 54 /<br>Position: 01 |
| <a href="#">1988017</a>   |  |

|  |
|--|
| <a href="#">3924043233</a>                       |
| <a href="#">199a653</a>                          |
| <a href="#">3198197</a>                          |
| <a href="#">0121017001a</a>                      |
| <a href="#">6168013</a>                          |
| <a href="#">6164013</a>                          |
| <a href="#">3924013600</a>                       |
| <a href="#">61-38093-972</a>                     |
| <a href="#">196a126</a>                          |
| <a href="#">1998032</a>                          |
| <a href="#">3994013</a>                          |
| <a href="#">256a426</a>                          |
| <a href="#">3164017</a>                          |
| <a href="#">2568097</a>                          |
| <a href="#">616a473</a>                          |
| <a href="#">196a95332m</a>                       |
| <a href="#">01na013</a>                          |
| <a href="#">3924017600 Ds2</a>                   |
| <a href="#">01na126 Pn 5 K Stecker-Kappe</a>     |
| <a href="#">3194197+18</a>                       |
| <a href="#">25-68017</a>                         |
| <a href="#">Ds2 250a</a>                         |
| <a href="#">616a013</a>                          |
| <a href="#">2518092 Industrial Electric Plug</a> |
| <a href="#">256ab58</a>                          |
| <a href="#">3928017972</a>                       |
| <a href="#">1964191605</a>                       |
| <a href="#">51-Ba757</a>                         |
| <a href="#">25-34015</a>                         |
| <a href="#">3998013</a>                          |

|  |  |
|--|--|
| <a href="#">X756033402</a>                             |  |
| <a href="#">09p4041</a>                                |  |
| <a href="#">25-64017</a>                               |  |
| <a href="#">09a4001 Einbaudose Pn 12c Metall</a>       |  |
| <a href="#">392a027</a>                                |  |
| <a href="#">251ab53 Dxn 1 Wandsocket</a>               |  |
| <a href="#">3111017000a</a>                            |  |
| <a href="#">556p0d35 (New Art. No. Since 01.01.17)</a> | HANDLE JUST ELASTOMER BLACK SIZE.6 + CABLE GLAND 25-35MM   |
| <a href="#">1994013 199a653 19</a>                     |  |
| <a href="#">6164013843</a>                             |  |
| <a href="#">3928017 + 392a013</a>                      |  |
| <a href="#">619a25363p</a>                             |  |
| <a href="#">3944223600</a>                             |  |
| <a href="#">3924017</a>                                | DS 2 SOCKET METAL BLUE Contacts: 3P + N + Pe / Voltage: 440V Frequency: AC Hz / Electricity: 250 A Protection class: 55 / Position: 01 |
| <a href="#">3928013</a>                                |  |
| <a href="#">3110015000a</a>                            |  |
| <a href="#">263ab53</a>                                |  |
| <a href="#">2634015</a>                                |  |
| <a href="#">1994032</a>                                |  |
| <a href="#">09a8001 Pn 12c M Einbaustecker Metall</a>  |  |
| <a href="#">01p4061</a>                                |  |