

## Mazurczak

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Mazurczak** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Mazurczak T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">P40_16125KF51A8</a>	radiator 2841605034 Radiator type P40 Number of turns 16 Nominal power [kW] 12.0 Nominal voltage [V] / type of current 400 Ds Type of cable on the long side Heating cable material FEP Heating cable length N [m] 3.5 Cable length C [m] 1.5 Model frame made of stainless steel 1.4306 Purpose of use Standard Drawing number AK20 / 01099-10 Net weight / piece: 8,600kg Total net weight: 8,600kg
<a href="#">1013035009</a>	
<a href="#">1053040003</a>	
<a href="#">1054045002</a>	
<a href="#">1054045012</a>	
<a href="#">1054045036</a>	
<a href="#">1055040028</a>	
<a href="#">1055045003</a>	
<a href="#">1055060012</a>	

[1056055004](#)

[1056065001](#)

[1057070001](#)

[1057079001](#)

[1057079009](#)

[1073040003](#)

[1077079004](#)

[1630402001](#)

[1946502054](#)

[211515001](#)

[2140407006](#)

[2142020009](#)

[2143025007](#)

[2163025005](#)

[2255772001](#)

[2256475002](#)

[3063044001](#)

[3065184001](#)

[3496000001](#)

[3621000103](#)

[3910285001](#)

[3931860001](#)

[3980280001](#)

[3980280002](#)

[3980280003](#)

[4010340001](#)

[4013340001](#)

[4014450001](#)

[4411005003](#)

[4411103012](#)

<a href="#">4424160089</a>
<a href="#">4474060014</a>
<a href="#">4517200003</a>
<a href="#">4521000002</a>
<a href="#">4531000001</a>
<a href="#">4535201009</a>
<a href="#">4537000002</a>
<a href="#">4541000001</a>
<a href="#">4541003001</a>
<a href="#">4545203020</a>
<a href="#">B-FC 500/0,8 -230Ws</a>
<a href="#">B-KB</a>
<a href="#">B-KB 1000/3,15 -400Ds</a>
<a href="#">B-KB 1000/4,5 - 400Ds</a>
<a href="#">B-KB 1250/3,15 - 400Ds/L</a>
<a href="#">B-KB 1250/4,0-400Ds</a>
<a href="#">B-KB 630/2,0 - 400Ds</a>
<a href="#">B-T1 1000/3,5-400Ds</a>
<a href="#">B-T1 1600/3,5-400Ds</a>
<a href="#">B-T1 1600/4,5-400Ds</a>
<a href="#">B-TG</a>
<a href="#">B-TG 500/1,0 - 230Ws</a>
<a href="#">B-TI 1000/3,5 - 400Ds</a>
<a href="#">B-TI 630/2,0 - 230Ws</a>
<a href="#">CALOR-PHK</a>
<a href="#">DIV440</a>
<a href="#">E 4,5/340/F 400V</a>
<a href="#">E 9,0/6200/F 400V</a>
<a href="#">GALMATHERM P30 25905 JF 10 D1</a>
<a href="#">GALMATHERM P40 15905 JF 10 D1</a>
<a href="#">HL</a>

<a href="#">HM</a>
<a href="#">L-KB 500/1,0 – 230Ws</a>
<a href="#">L-TG 400/0,6-230Ws</a>
<a href="#">L-TG 500/1,0 – 230Ws</a>
<a href="#">L-TI 400/0,8 – 230Ws</a>
<a href="#">MTS2u 25/5/LC-L</a>
<a href="#">MTS2u 32/5,5/PG-B</a>
<a href="#">MTS3u 105/70/90/LC-B</a>
<a href="#">MTSu 40/BC-L/L</a>
<a href="#">NS 1/44/LC-B</a>
<a href="#">NS 4/... - ... - ...-30/BC-B</a>
<a href="#">NS 4/10-15-20-100/ LC-K</a>
<a href="#">NT 3/10-15-30/25/BC-K</a>
<a href="#">NT 3/9-14-30/25/BC-K/L</a>
<a href="#">P40 06102 KF00A2</a>
<a href="#">P40 11455 JF05D2</a>
<a href="#">P40 12402 KP00D1</a>
<a href="#">P40 15605 JF05D2</a>
<a href="#">PHK 46-1000/100-5,0/460Ds K1-B/9</a>
<a href="#">PHK46-1400/100-7,5/400DsK1-OA</a>
<a href="#">ROTKAPPE B-FC 1600/3,15 – 400Ds*</a>
<a href="#">ROTKAPPE B-KB 1250/4,0 – 400Ds</a>
<a href="#">ROTKAPPE B-KB 1600/4,5 – 400Ds</a>
<a href="#">ROTKAPPE B-KB 630/1,6 – 400Ds</a>
<a href="#">ROTKAPPE B-TI 1250/4,0 – 400Ds</a>
<a href="#">ROTKAPPE B-TI 630/1,6 – 400Ds</a>
<a href="#">ROTKAPPE B-TI 630/2,0 – 230Ws</a>
<a href="#">ROTKAPPE B-TI 630/2,0 – 400Ds</a>
<a href="#">ROTKAPPE M-TG 1000/3.5-400 Ds/L</a>
<a href="#">ROTKAPPE with ABS A-FC 800/1,6-400Ds</a>

<a href="#">SB</a>	
<a href="#">SRF 2000</a>	
<a href="#">TF 02-30/LC-L-L3/L/9</a>	
<a href="#">TF 02-50/BC-L/L BC/L (PVDF)</a>	
<a href="#">TF 02-50/LC-L LC (PP)</a>	
<a href="#">TF 06-30/LC-L-L3/L/9</a>	
<a href="#">1045040026</a>	Bath warmer ROTKAPPE B-FC 1000/2.0-400Ds/L/PFA Material Fluoropolymer compound Nominal length [mm] 1000 Rated power [kW] 2.0 Rated voltage [V] 400 Mains connection 3-phase alternating current Cable length [m] 1.6 Plug type without plug Terminal housing BC/L (PVDF) Type standard Minimum immersion depth [mm] 725 Drawing number AK09/01112 Net weight/piece: 4.250kg Total net weight: 4,250kg Country of origin: DE Customs tariff number: 84198998 Attention: Our immersion heaters B-FC.../PFA are being converted to PFA compound material. the The outer diameter of the immersion tubes is reduced from 48 mm to approx. 46.5 mm.
<a href="#">TF 02-80/LC-B</a>	Immersion tube material stainless steel 1.4571 Sensor code 02 Terminal housing LC (PP) Nominal length [mm] 800 Standard mounting type Operating temperature range [°C] -20...100 Drawing number AK03/02215
<a href="#">TF 02-80/LC-F</a>	Immersion tube material polypropylene Sensor code 02 Terminal housing LC (PP) Nominal length [mm] 800 Standard mounting type Operating temperature range [°C] -20...90 Drawing number AK03/02215
<a href="#">TF 02-80/LC-G</a>	Immersion tube material PTFE Sensor code 02 Terminal housing LC (PP) Nominal length [mm] 800 Standard mounting type Operating temperature range [°C] -20...100 Drawing number AK03/02215
<a href="#">TF 02-80/LC-B/L</a>	Immersion tube material stainless steel 1.4571 Sensor code 02 Terminal housing LC/L (PVDF) Nominal length [mm] 800 Standard mounting type Operating temperature range [°C] -20...100 Drawing number AK03/02215
<a href="#">TF 02-80/LC-B</a>	Immersion tube material stainless steel 1.4571 Sensor code 02 Terminal housing LC (PP) Nominal length [mm] 800 Standard mounting type Operating temperature range [°C] -20...100 Drawing number AK03/02215
<a href="#">TF 02-50/LC-B-K3/9</a>	Immersion tube material stainless steel 1.4571 Sensor code 02 Terminal housing LC (PP) Nominal length [mm] 500 Fastening type threaded nipple Operating temperature range [°C] -20...100 Drawing number AK03/05248
<a href="#">TF 02-50/LC-B-K3/9</a>	Immersion tube material stainless steel 1.4571 Sensor code 02 Terminal housing LC (PP) Nominal length [mm] 500 Fastening type threaded nipple Operating temperature range [°C] -20...100 Drawing number AK03/05111

<a href="#">B-KB 800/2,5-400Ds/L</a>	1054045036 Bath warmer ROTKAPPE Material stainless steel 1.4571 Nominal length [mm] 800 Rated power [kW] 2.5 Rated voltage [V] 400 Mains connection 3-phase alternating current Cable length [m] 1.6 Plug type without plug Terminal housing BC/L (PVDF) Type standard Minimum immersion depth [mm] 560 Drawing number AK09/01112 Net weight/piece: 3,050kg Total net weight: 3,050kg
<a href="#">4427160119</a>	MTS float switch MTS2u 56/10/LC-L/L Contact number 2 changeover switch Terminal housing LC/L (PVDF) Material PVDF Fastening type with holder SH 10 Cable length [m] without cable Nominal length [mm] 560 Switching distance 1 [mm] 100 Drawing number AK03/06216 Net weight/piece: 0.300kg Total net weight: 1,200kg
<a href="#">1053035003</a>	Bath warmer RED CAP B-KB 630/1.6-400Ds Material stainless steel 1.4571 Nominal length [mm] 630 Rated power [kW] 1.6 Rated voltage [V] 400 Mains connection 3-phase alternating current Cable length [m] 1.6 Plug type without plug Terminal housing BC (PP) Standard design Minimum immersion depth [mm] 460 Drawing number AK09/01112
<a href="#">Alternative to position 1</a>	1054035003 Bath warmer RED CAP B-KB 800/1.6-400Ds Material stainless steel 1.4571 Nominal length [mm] 800 Rated power [kW] 1.6 Rated voltage [V] 400 Mains connection 3-phase alternating current Cable length [m] 1.6 Plug type without plug Terminal housing BC (PP) Standard design Minimum immersion depth [mm] 560 Drawing number AK09/01112
<a href="#">2143025007 Rotkappe L-Kb 630/1.25 - 230 Ws</a>	
<a href="#">1077070001</a>	
<a href="#">B-Kb1000/3.5-400ds Heizung</a>	
<a href="#">Heizung Rotkappe B-Kb 3,15 Kw, L=1250 Mm 460v Ds/L.</a>	
<a href="#">1700002001</a>	
<a href="#">Rotkappe L-Kb 500/1,0 - 230ws</a>	
<a href="#">Calor Phk 46-800/100-3,0/400 Ds K1-Bk/9 Obsolete, Replacement Phk 46-800/100-3,0/400ds K1-Bc/9</a>	
<a href="#">2142020009 Heizungl-Kb 500/1,0-230ws</a>	
<a href="#">Tf 02-60/Lc-B/L</a>	
<a href="#">3931860001 Tf 18-160/Sog-M</a>	
<a href="#">1073040003 Heizung Rotkappe</a>	
<a href="#">Rotkappe B-Kb 1250/4,0 - 400ds Tauchpumpe Heizung</a>	

<a href="#">Rotkappe With Abs A-Fc 800/1,6-400ds</a> <a href="#">Rotkappe</a>
<a href="#">Rotkappe B-Kb 630/1,6 – 400ds</a> <a href="#">Tauchpumpe Heizung</a>
<a href="#">4535204005</a>
<a href="#">1639402002</a>
<a href="#">Phk 46-800/100-3,0/400ds K1-Bc/9</a>
<a href="#">Rotkappe B-Kb 1000/3,5 – 400ds</a>
<a href="#">Tf 18-160 / Sog-M</a>
<a href="#">2163025005 Rotkappe L-Ti 630/1.25 -</a> <a href="#">230 Ws</a>
<a href="#">Rotkappe B-Ti 630/2,0 – 230ws</a>
<a href="#">1054045003</a>
<a href="#">HI/L</a>
<a href="#">Rotkappe B-Ti 630/2,0 – 400ds</a> <a href="#">Tauchpumpe Heizung</a>
<a href="#">Etto E 4,5/340/F 400v</a>
<a href="#">1003040003</a>
<a href="#">Etto E6,0/430/F 400v</a>
<a href="#">Ns4/7-10-22-30/Bc-B</a>
<a href="#">Ns 2/35-35/Lc-B</a>
<a href="#">B-Qs 1250/3,5-400ds/L</a>
<a href="#">Ns 2/35-35/Lc-B/L</a>
<a href="#">Ns4/10-15-20- 100/Lc-K</a> <a href="#">Sensoru=max.20v</a>
<a href="#">3063044001 Teng</a>
<a href="#">Nt 3/9-14-21/40/Lc-K/L</a>
<a href="#">Phk46-2950/100-10,0/400ds</a>
<a href="#">1053040009 Elektroheizer</a>
<a href="#">1054045004</a>
<a href="#">?-?? 1000/3,15 400 Ds P-3150w V-400v</a>
<a href="#">?4011455jf05d2 Heater Galmatherm</a> <a href="#">325x455, 4,5 Kw</a>

<a href="#">B-Kb 1000/3,5 - 400ds</a>
<a href="#">Mtst 25/Lc-F</a>
<a href="#">Mtsu Bc/L 400/300 ??</a>
<a href="#">3065184001 Teng</a>
<a href="#">Galmatherm P40 15905 Jf 10 D1 Tauchpumpe Heizung</a>
<a href="#">Rotkappe B-Kb 800/2,0 - 400ds</a>
<a href="#">4535206007</a>
<a href="#">Ns 2/100-100/Lc-B</a>
<a href="#">1053040009</a>
<a href="#">3930160001</a>
<a href="#">Rotkappe B-Kb 630/2,0 -400ds</a>
<a href="#">4417160005</a>
<a href="#">B-Kb 630/2,0 -400ds</a>
<a href="#">Ns 3/10-20-70/Lc-B</a>
<a href="#">2255175002</a>
<a href="#">Rotkappe B-Kb 1000/3,15 -400ds</a>
<a href="#">509008</a>
<a href="#">Ns 1/44/Lc-B/9</a>
<a href="#">4546203001</a>
<a href="#">3920020002</a>
<a href="#">1074055006</a>
<a href="#">Tr-Tf 50/Lc-L</a>
<a href="#">1948710002</a>
<a href="#">4011340001</a>
<a href="#">2112020010 Heizungl-Tg 500/1,0-230ws</a>
<a href="#">4.5/3x380-1120/1050/910 Elektroheizer</a>
<a href="#">2141519008</a>
<a href="#">B-Qs 1250/3,5-400 Ds/L</a>
<a href="#">1054040003</a>
<a href="#">Tf 29-262/Lc-L-L3/L/9</a>



<a href="#">4555000012</a>
<a href="#">3920080003</a>
<a href="#">P30 21605jf00a1 (2832165003)</a>
<a href="#">Tf 02-40 Lc-B</a>
<a href="#">Mtsu 25/Bc-L/L</a>
<a href="#">Heater Rotkappe B-Tg 400/1.0 - 230ws</a>
<a href="#">Mtsu Bc/L 400/300mm</a>
<a href="#">Heater Rotkappe B-Cb 630/2.0 - 230ws</a>
<a href="#">1055060012 Heizung Rotkappeb-Kb 1000/3.5-230ws</a>
<a href="#">Phk46-1050/250-3,5/400 Ds</a>
<a href="#">B-Kb 1250/3.5-400 Ds/L</a>
<a href="#">3920020002 Temperatursensor</a>
<a href="#">4545206004</a>
<a href="#">3933160001</a>
<a href="#">Etto E 7,5/520/F 400v</a>
<a href="#">4921000081</a>
<a href="#">Etto E7,5/520/F</a>
<a href="#">1947502038</a>
<a href="#">21402009</a>
<a href="#">Sezdkubin Ivn 1643 16l 6h/380-415 V Lp44 Iec60309</a>
<a href="#">Mtsu 18/Lc-F</a>
<a href="#">2255577001</a>
<a href="#">B-Bk 630/2,0 400ds P-1250w V-400v</a>
<a href="#">Etto E4,5/340/F</a>
<a href="#">Ns 4/35-35-35-35/Lc-T/L</a>
<a href="#">Etto E6/450/F</a>
<a href="#">----- Float Level Sensor Mtsmtsu 35/Pg- L/9/9 - Protective Hose Ptfе 500 Mm, Cable 6 M</a>
<a href="#">1053040003 Immersion Heaterrotkappe B-Kb 630/2.0-400ds</a>

<a href="#">1055060012 Heizung Rotkappe B-Kb 1000/3,5-230 Ws</a>
<a href="#">P40 08202 Jf00d1</a>
<a href="#">Etto E9,0/620/F</a>
<a href="#">B-Ti 1000/3,5 - 400ds</a>
<a href="#">Rotkappe B-Ti 1250/4,0 - 400ds Tauchpumpe Heizung</a>
<a href="#">Heizelement Calor Leistung 7,5 Kw Imp.</a>
<a href="#">Nt 2/13-30/25/Lc-K/L</a>
<a href="#">Galmatherm P30 25905 Jf 10 D1 Tauchpumpe Heizung</a>
<a href="#">4546006001</a>
<a href="#">Rotkappe B-Kb/2.00-230ws Rotkappe B- Kb/2.00-230ws</a>
<a href="#">1055060004</a>
<a href="#">Be3-1-Gbn04ct001 - Unknown, Alternative Tf 29-262/Lc-L-L3/L/9</a>
<a href="#">4474160013</a>
<a href="#">- Heizungen (Mazurczak)tigter Art Der Leistung 4500-5000 Kw/400v L=1600mm Lmin=1400mm Edelstahl</a>
<a href="#">Rotkappe B-Fc 1000/2,0 - 400ds</a>
<a href="#">1075060002</a>
<a href="#">Tf 02-60/Lc-B</a>
<a href="#">4921000078</a>
<a href="#">3930960002</a>
<a href="#">Petn Etto E6/450/F</a>
<a href="#">1052030003</a>
<a href="#">B-Kb 1250/3,5-400ds/L</a>
<a href="#">Petn Etto E4,5/340/F</a>
<a href="#">----- Float Level Sensor Mtsmtsu 23/Pg- L/9/9 - Protective Hose Ptfe 500 Mm, Cable 6 M</a>
<a href="#">1700078001</a>
<a href="#">1055065010</a>

<a href="#">Rotkappe B-Fc 800/2,0 – 400ds</a>
<a href="#">???. 1055060012</a>
<a href="#">Rotkappe B-Wkb 1150-1250/5,0 – 400ds</a>
<a href="#">1948510006</a>
<a href="#">?4015605jf05d2 Heater Galmatherm 405x455, 6kw</a>
<a href="#">4411103012 Float Level Sensor Mtsmtsu 30/Pg-L/9/9 - Protective Hose Ptfе 500 Mm, Cable 6 M</a>
<a href="#">P90 17135of20a1/9 (2851785002)</a>
<a href="#">?4006102kf00a2 Heater Galmatherm 225x230, 1 Kw</a>
<a href="#">Rotkappe L-Kb 200/0.315-230ws P-315 W,U-230v</a>
<a href="#">1055055003</a>
<a href="#">Art-Nr. 3920280002</a>
<a href="#">?4012402k?00d1 Heater Galmatherm 345x375, 4kw</a>
<a href="#">Nt 3/10-15-20/20 Lc-K</a>
<a href="#">Rotkappe M-Tg 1000/3.5-400 Ds/L Heizung</a>
<a href="#">4535004002</a>
<a href="#">Ns 2/30-35/Lc-K/L</a>
<a href="#">4545204007</a>
<a href="#">Rotkappe B-Ti 630/1,6 – 400ds Tauchpumpe Heizung</a>
<a href="#">4535006002</a>
<a href="#">Tf 02-50/Lc-L</a>
<a href="#">2142020009 Rotkappe L-Kb 500/1.0 - 230 Ws</a>
<a href="#">2355577003</a>
<a href="#">4531202001</a>
<a href="#">1077060003</a>
<a href="#">Mtsu 35/Bc-L/L</a>
<a href="#">Mtsu 21/Lc-L/L</a>

[Immersion Heaters Rotkappe B-Kb/2.00-230ws](#)

[- Heizungen \(Mazurczak\) Tigter Art Der Leistung 4500-5000 Kw/400v L=1600mm Lmin=1400mm Aus Teflon](#)

[B-Qs800/2,5-400ds](#)

[B-Kb 800/2,5-400ds/L](#)

[1052030006](#)

[Petn Etto E9,0/620/F](#)

[Tf01-160/Sog-M](#)

[B-Fc 1000/2,0-400ds/L](#)

[Ns 2/20-30/Lc-B](#)

[4417160012](#)

[Rotkappe B-Kb 630/2,0 - 400ds Tauchpumpe Heizung](#)

[Etto E 9,0/620/F 400v](#)

[4546202003](#)

[3910230026](#)

[L-Fc 500/0.5-230 Ws](#)

[Tr-Tf 50/Lc-L Temperatursensor](#)