

## Mcmaster-Carr



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Mcmaster-Carr** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Mcmaster-Carr T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">91853a031</a>	18-8 Stainless Steel Locknut for Use with Cotter Pins 3/8"-16 Thread Size
<a href="#">94758a615</a>	18-8 Stainless Steel Flange Nut 1/4"-28 Thread Size
<a href="#">96880a530</a>	Mil. Spec. Steel Pan Head Phillips Screws 10-32 Thread Size, 1" Long PK25
<a href="#">92949a566</a>	18-8 Stainless Steel Button Head Hex Drive Screw 1/4"-28 Thread Size, 1" Long
<a href="#">6325k58</a>	Metal Gear - 14-1/2 Degree Pressure Angle Round/Machinable Bore, 6 Pitch, 18 Teeth
<a href="#">6325k123</a>	Metal Gear - 14-1/2 Degree Pressure Angle Round/Machinable Bore, 6 Pitch, 48 Teeth
<a href="#">6295k213</a>	Metal Gear Rack - 14-1/2 Degree Pressure Angle 6 Pitch, 6 ft. Length, 1.333" Pitch Height
<a href="#">Quick Disconnect Coupling Dn20 316l</a>	
<a href="#">Quick Disconnect Coupling Dn20 316l</a>	
<a href="#">5312k45</a>	Tight-Seal Stainless Steel Bolt Clamp for Soft Hose and Tube with Zinc-Plated Steel Screw, 1- 3/8" to 1-1/2" ID
<a href="#">18635a52</a>	
<a href="#">Level 3 Ppap</a>	We also need a Level 3 PPAP nomination phase
<a href="#">5/16-18</a>	
<a href="#">95185a251</a>	Zinc-Plated Steel Press-Fit Nut for Sheet Metal, 5/16"-18 Thread Size, for 0.056" Minimum Panel Thickness, packs of 10
<a href="#">95185a260</a>	Zinc-Plated Steel Press-Fit Nut for Sheet Metal, 5/16"-18 Thread Size, for 0.09" Minimum Panel Thickness, packs of 10

<a href="#">95185a270</a>	Zinc-Plated Steel Press-Fit Nut for Sheet Metal, 5/16"-18 Thread Size, for 0.125" Minimum Panel Thickness, packs of 10
<a href="#">23345t13</a>	Steel V-Groove Track Wheel Tapered Bearing, 6" X 3", 1-1/2" Axle, 10000# Cap
<a href="#">7421A34</a>	
<a href="#">6111K661</a>	
<a href="#">4488K524</a>	Medium-Pressure Pipe Repair Clamp 304 Stainless Steel, 15" Long, for 8.54" to 8.94" Pipe OD
<a href="#">68095K374</a>	Low-Pressure Steel Unthreaded Pipe Flange, Butt-Weld Adapter, 6 Pipe Size,
<a href="#">43425K487</a>	Standard-Wall Butt-Weld Steel Unthreaded Fitting, Straight Reducer, 6 x 4 Pipe Size
<a href="#">68095K373</a>	Low-Pressure Steel Unthreaded Pipe Flange, Butt-Weld Adapter, 4 Pipe Size
<a href="#">4513K74</a>	High-Pressure Steel Pipe Fitting, Straight Adapter, 3/4 NPT Female x Butt Weld
<a href="#">43425K237</a>	Standard-Wall Butt-Weld Steel Unthreaded Fitting, Short 90 Degree Elbow Connector, 6 Pipe Siz
<a href="#">68095K179</a>	Low-Pressure Steel Unthreaded Pipe Flange Stub-End Adapter, 6 Pipe Size
<a href="#">43425K235</a>	Standard-Wall Butt-Weld Steel Unthreaded Fitting, Stub-End Adapter, 6 Pipe Size
<a href="#">45985K35</a>	Quick-Install Fiberglass Pipe Insulation Tube with 3/8" Thick Wall, 1-7/8" ID, 20 ft Length
<a href="#">46015K815</a>	Quick-Install Fiberglass Pipe Insulation for 90 Degree Elbows, 3/8" Thick Wall, 1-7/8" ID
<a href="#">1095K32</a>	
<a href="#">1148N1</a>	
<a href="#">11765T75</a>	
<a href="#">1298K59</a>	
<a href="#">1398A14</a>	
<a href="#">1439K611</a>	
<a href="#">1439K811</a>	
<a href="#">1567A44</a>	
<a href="#">1567A46</a>	
<a href="#">1604A41</a>	

<a href="#">1646A36</a>
<a href="#">20635A63</a>
<a href="#">2209K612</a>
<a href="#">2335T24</a>
<a href="#">2447N1</a>
<a href="#">4179A733</a>
<a href="#">4485A033</a>
<a href="#">4513K63</a>
<a href="#">4513K64</a>
<a href="#">4630A12</a>
<a href="#">48185A83</a>
<a href="#">5225K712</a>
<a href="#">5234K68</a>
<a href="#">5234K69</a>
<a href="#">5314A26</a>
<a href="#">5324K94</a>
<a href="#">5324K95</a>
<a href="#">5536T22</a>
<a href="#">5891T622</a>
<a href="#">5909K295</a>
<a href="#">5909K33</a>
<a href="#">5909K46</a>
<a href="#">5909K59</a>
<a href="#">5913T1</a>
<a href="#">5951K51</a>
<a href="#">59535K13</a>
<a href="#">60025A72</a>
<a href="#">6044K53</a>
<a href="#">6058K811</a>
<a href="#">62005K612</a>
<a href="#">6301K45</a>

[6301K84](#)

[6422K49](#)

[6483K630](#)

[7130K41](#)

[7130K45](#)

[7178A12](#)

[7290A24](#)

[7466K588](#)

[7902T147](#)

[84895A34](#)

[8545K206](#)

[86075T61](#)

[86435K121](#)

[86435K41](#)

[86435K61](#)

[86435K81](#)

[8643K552](#)

[90128A745](#)

[90158A100](#)

[90285A121](#)

[90285A124](#)

[90285A131](#)

[90670A175](#)

[90670A185](#)

[90902A229](#)

[90997A210](#)

[91166A340](#)

[9132K230](#)

[91475A552](#)

[91732A961](#)

<a href="#">91732A963</a>
<a href="#">91776A104</a>
<a href="#">9177T21</a>
<a href="#">92133A105</a>
<a href="#">9225K81</a>
<a href="#">9225K84</a>
<a href="#">9232T111</a>
<a href="#">92390A395</a>
<a href="#">93115K171</a>
<a href="#">93286A054</a>
<a href="#">93286A154</a>
<a href="#">93335A666</a>
<a href="#">9416K15</a>
<a href="#">94241A550</a>
<a href="#">94485A033</a>
<a href="#">9452K159</a>
<a href="#">94705A218</a>
<a href="#">9540K48</a>
<a href="#">9540K772</a>
<a href="#">9573K81</a>
<a href="#">97245A358</a>
<a href="#">9756K22</a>
<a href="#">9756K24</a>
<a href="#">9756K52</a>
<a href="#">98089A309</a>
<a href="#">98296A878</a>
<a href="#">98306A682</a>
<a href="#">98350A460</a>
<a href="#">9889T304</a>
<a href="#">9960K54</a>
<a href="#">SKU 90026A108</a>

<a href="#">1646A34</a>	PULL HANDLE WITH THREADLESS HOLE
<a href="#">92000A105</a>	
<a href="#">98689A111</a>	
<a href="#">92148A070</a>	
<a href="#">92010A012</a>	
<a href="#">92010A016</a>	
<a href="#">92010A001</a>	
<a href="#">92010A003</a>	
<a href="#">30345T353</a>	
<a href="#">99637A311</a>	
<a href="#">13665A27</a>	
<a href="#">93580A615</a>	
<a href="#">90955A101</a>	
<a href="#">1494a11</a>	
<a href="#">Cod. 7804k4146</a>	
<a href="#">Blc8bc21s</a>	
<a href="#">92290a332</a>	
<a href="#">9649t13</a>	
<a href="#">23345t13 / Drop Forged Steel</a>	
<a href="#">6436k36</a>	
<a href="#">45235k62</a>	
<a href="#">1338a44</a>	
<a href="#">92290a117</a>	
<a href="#">9654k303</a>	
<a href="#">7397a31</a>	
<a href="#">Part Number 90134a036</a>	
<a href="#">91828a251</a>	
<a href="#">94150a335</a>	
<a href="#">92290a168</a>	
<a href="#">91475a031</a>	

[Blc8bc16s](#)

[Blc8bc36s](#)

[8451k33](#)

[90134a036](#)

[2211a12](#)

Product code : 2211A12

[92290a180](#)

[6391k131](#)

[3013t45](#)

[92290a426](#)

[9433k82 \(Pack 1x3\)](#)

[39865t31](#)

[Stl 10 Lg - No 8](#)