

Mecmesin



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Mecmesin Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Mecmesin Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
AFG 2,5N	AFG 2,5N / 5N / 10N / 25N / 50N 100N / 250N / 500N / 1000N / 2500N
BFG 500 N MK 4	Force gauge Type BFG 500 N MK 4 - Accuracy: $\pm 0.25\%$ - Capacity: 500N Art Nr: 1-0122-04 Transmission speed: 1000 Hz Supplied in a case including 4 x AAA batteries, extension, push button, Plug-in power supply and test certificate Data output: RS232, Mitutoyo, analog
35N and 50N force by rotating 20°C under ISO 5356	
1-0110-12	Shotcrete Penetrometer 1000 N MK 4 - Capacity: 1000 N - Accuracy: $\pm 0.1\%$ Incl. Two-hand grip / handling Penetration needle / 15 pieces short extension 30 mm power adapter and calibration certificate
AFG 500 N MK 4	1-0121-08 Force gauge type AFG 500 N MK 4 - capacity: 500 N - Accuracy: $\pm 0.1\%$ The force gauge recognizes further 'Smart' force and torque sensors Mecmesin item no. 850-419
CAL-100K1B	Calibration certificate according to VDI/VDE 2624 sheet 2.1, 1kN, 2R Calibration of hand force gauges F(nom) from 100 N to 1000 N in Tension and pressure direction according to VDI/VDE guideline 2624, sheet 2.1 K-BNME (force reference standard measuring device) with direct mass. Calibration certificate with calibration recommendation and DAKKS calibration mark. Statement of conformity taking into account the measurement uncertainty at a CMC of 0.02%.
1-0110-12	Shotcrete Penetrometer 1000 N MK 4 - Capacity: 1000 N - Accuracy: $\pm 0.1\%$ Incl. Two-hand grip / handling Penetration needle / 15 pieces short extension 30 mm power adapter and calibration certificate Mecmesin item no. 850-501
850-611 Art nr. 1-0110-20	Shotcrete Penetrometer VFG 100N - Capacity: 1000 N - Accuracy: $\pm 0.1\%$ 01 1-0110-20 Incl. Two-hand grip / handling Penetration needle / 15 pieces short extension 30 mm power adapter and calibration certificate Mecmesin item no. 850-

611

[25n \(870-105\) Smart Junior S-Beam
Load Cell](#)

[Bfg500](#)

[R1665](#)

[1-0105-08/860-022](#)

[Type Afg 50 N Mk 4](#)

Force gauge Type AFG 50 N MK 4 Capacity: 50 N Accuracy: ± 0.1% The force gauge detects more 'smart' power and torque sensors

[5-0320-01/840-008](#)

[Type Multitest 5-I](#)

[Multitest Dv - 1 Mk Ii \(1-2502-07\)](#)

[Load Cell 1000 N For Multitest-I; Xt](#)

Measuring range: 1000 N (M10 thread) Accuracy: ± 0.1% Type ILC-S; Version: dovetail box + KMD in S-shape incl. adapter M10 => 5/16 UNC

[Ths438-158-5/16-24 Unf](#)

[810-403 \(Type Multitest Dv- 2,5\)](#)

[1-0121-07/850-418 Advanced Force
Gauge](#)

[Type Multitest 2.5-Xt; Without Kmd](#)

Console-controlled test bench for train and pressure Incl. - "Quick Test / Program Test" function and - Advanced Program Builder - various PC cables - Interlock (preparation for cultivation of a protective housing)

[Pinch Grip 200n](#)

[Afg 1000 N Mk 4 \(1-0121-09\)](#)

[200n S-Beam](#)

[Load Cell Ilc 500 N; For Mt -I, -Xt](#)

Measuring range: 500 N (10/32 UNF thread) Accuracy: ± 0.1% Type ILC; Version: Swallowtail box with integr. KMD

[Ths438-158-10/32 Unf](#)

[Lcp](#)

[Art. Nr. 1-0105-08/860-022](#)

[Spring Action Vice 200n](#)

[1-0121-07/850-418](#)

[Multitest 2,5-D](#)

[850-421](#)

Art.No. 1-0121-10 / Advanced Force Gauge 2500n
4-0102-05/351-076
Afg-1000n
Type Multitest 5-Xt
7-0101-10
Afg 250n (Mk4)
P/N: 850-417 Type: Advanced Force Gauge 100n
Anzeigegerã196;T Afti
Spezialverpackung Fur Das Stativ Type Multitest-D
Cfg+ 200n
Multitest 2,5 Dv
Cfg+500
Mecmesin-Option-F3;R-Vortexxt=-gt;- Aufr3;Stung-Auf-Emperor-Istanbul-Turkiye
G78.0240.05
Ilc 250n
Tornado 6 Part Number: 876-102
850-418
351-086
1-3501-01/887766-021001
6-0104-01 Kalibrierung Von Cfg +200
351-092
4-0103-11
1-2502-03 / 810-102
Mdd
870-001
G78.0960.20
430-078
850-419 (Type Afg 500 N Mk 4)

432-415 Wedge Grip	
25n (870-105)	
Type Ilc-S	
Switch Power (On/Off) For Afg 0-1000n S/N.05-2053-10	
4-1001-01 Basic Force Gauge	
Vector Pro Lite Sw	
Large Pinch Grip 500n	
4-1001-01	
Afg 50	
S-Beam Load Cell 500n	
4-1102-19/ 416-059	
Afg 1000	
Bfg-100 By Bfg 200n	
Charger For:Bfg 500n Sn:14-0221-06	
Art.No. 853-413 / Bfg 500n	
Cfg 500 / 860-023	
Load Cell 2500 N For Multitest-I; Xt	Measuring range: 2500 N (M12 thread) Accuracy: ± 0.1% Type ILC-S; Version: dovetail box + KMD in S-shape incl. adapter M12 => 5/16 UNC
Afg-500n / Art-Nr. 1-0121-08	
Ts Serie Drehmomentaufnehmer	
Basic Force Gauge 500 N	
Afg-500n 1-0121-08	
Multitest 1 D 1-2501-02 / 810-101	
Cfg+ 500n	
4-0502-01/432-450	
P/N: 351-051 , 351-086	
Multitest 1-Xt	
432-385 (Acc008-100)	
Bfg - 1000n	
P/N: 853-412, Type: Bfg 200n	

[1-3501-01/887766-021001 Vortex-D
Motorised Torque Tester - No
Transducer Included](#)

[N0:200 50200m](#)

[Under Holder Part For Ultra Test S/N:
03-1006-10](#)

[Art.No. 1-0122-03, Type: Bfg 200n](#)

[110 Ibf\(500n\)capacity](#)

[351-093](#)

[Bfg200](#)

[Drehmomentsensor](#)

[Usb-Konverter =gt; Adapterkabel Auf
Seriell Inkl. Treiber \(9pol. Buchse Auf
Usb\)](#)

[4-0103-07/351-077 Data Cable](#)

[Digital Force Gauges For Afg 0-1000n
S/N.05-2053-10](#)

[5-0320-05](#)

[Afg Mk4 100n](#)

[432-177](#)

[Power Supply/Charger Dc For Afg 0-
1000n S/N.05-2053-10](#)

[5-0320-01/840-008 Software](#)

[P/N: 850-418 Type: Advanced Force
Gauge 250n](#)

[P/N: 1-2502-05 Type: Multitest Dv - 2,5](#)

[Upper Holder Part For Ultra Test S/N:
03-1006-10](#)

[110 Ibf\(500n\)capacity Manual Test
Stand](#)

[Bfg 1000 N](#)

Drawing no. 853-414 Force gauge Type BFG 1000 N MK 4
Accuracy: $\pm 0.25\%$ Capacity: 1000 N Transmission speed:
1000 Hz Supplied in a case incl. 4 x AAA rechargeable
batteries, Extension, pushbutton, plug network and test
certificate Data output: RS232, Mitutoyo, analog Country of
manufacture: Great Britain Customs tariff number: 90241020

[4-0503-12](#)

N0:204 50204m	
Afgmkii250n	
432-177 50mm Wide Toggle Clamp...flat Jaw - 500n	
Mecmesin-Manuelle- Drehmomentpr3;Fgerđ;T-Type-Tornado- Istanbul-Turkiye	
(Afg) Serie	
Charger For:Handy Force Gauge 102097	
Afg 250 N	Art nr. 1-0121-07 Force gauge Type AFG 250 N MK 4 Capacity: 250 N Accuracy: ± 0.1% The force gauge detects more 'smart' power and torque sensors
4-0502-01/432-450 Rs232 To Usb Converter Cable	
Art.No. 1-0121-10 (850-421)	
Bfg 2500 N	
Afg 500n	
853413v03	GAUGE
Afg 10	
2,5-Xt	
1-0105-08/860-022 Compact Gauge	
5-0320-01/840-008 Software "emperor Lite"	
840-400	
Art-Nr. 1-0121-09 (850-420) Type: Afg 1000n	
Mecs470	
N0:213 50213m	
Tem Base Type	
432-415	
1-2502-03 / 810-102 Multitest 2,5-D	
Charger Cable For:Bfg 500n Sn:14-0221- 06	
Afti	
P/N: 860-022	

P/N: 871-002 Type: Ts1.5
P/N: 850-419
351-086 Usb Cable
Vortex-Xt
1-0105-08/860-022 Cfg + 200n
Ths470
4-0102-05/351-076 Rs232-Cable Bfg To Multitest-D Stand "rs232 Only"