


Meggitt



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyatı ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Meggitt** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Meggitt T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Input Card Mpc4 Part No 200-510-070-113	
Input Card Mpc4 Part No 200-510-064-034	
Vms 830	Vibro Meter Vibration monitor PNR 204-830-000-01 PNR: VMD-VMS830-A02-B04-C4-D10- E1000-Fxx-G4-H024-I0-J0 Version (A) 02: Alu Housing IP65 Input (B) 04: mV / mm / s Input sensitivity (C) 4: 4 mV / mm / s HP filter (D) 10: 10 Hz TP filter (E) 1000: 1000 Hz Measuring range (F) xx: PLEASE SPECIFY U / I output (G) 4: 4 - 20 mA Power supply (H) 024: 24 V DC BNC socket (I) 0: none LCD display (J) 0: none Net weight: approx. 2,000 kg / piece EU / German law (AL-No.): N US law (ECCN): N stat. Lot number: 90319000 Country of origin: Germany (DE) Attachment for delivery: 1 x test report / test protocol (German / English) 1 x data sheet (German / English) 1 x instruction manual (German / English)
	Vibro meter Vibration velocity transducer PNR VMD 160-4-AT-S Output 4 mV / mm / s Frequency range 5 Hz. ... 4 kHz +/- 5% Resonance frequency range 18 kHz Housing insulated, material stainless steel Protection class IP 67 Fixing bore 1/4 "-28 UNF

Cv 160	with 5 meter integral cable Temp. Range -25 ° C ... + 125 ° C Incl. 1 x adapter (male studs) MS067 1/4 "-28 UNF / M8 x 1.25 1 x adapter (male studs) MS068 1/4 "-28 UNF / 1/4" -28 UNF according to Data sheet CV 160 EU / dt. Law (AL-No.): N US law (ECCN): N stat. Lot number: 90319000 Country of origin: United Kingdom (UK) Delivery systems: 2 x Calibration Certificate (English) 1 x data sheet (English)
PROXIMETER IQS452 16	
GALVANIC SEPARATOR GSI130 8	
CA201-144-201-000-2 16	
IPC704 244-704-000-02 16	
FILTER MF101-809-101-000-1 16	
MPC4 200-510-041-024 6	
IOCT4 200-560-000-111(113) 12	
BACK PLANE 200-500-110-012 1	
Model 6222S	
IQS450	Proximity converter signal conditioner P/N: 204-450-000-002-A1- B21-H05-I1 Proximity converter conditioner with self-locking plug, suitable for TQ / EA 4X1, 4X2 and 4X3 See data sheet for detailed information. • 204-450-000-002-A1-B21-H05-I1 • A1 standard environment • B21 TQ 4x2, range: 2 mm, sensitivity: 8 mV / µm • H05 total system length = 5 m • I1 installation = mounted on the MA130 mounting adapter
CP104 143-104-000-101	Piezoelectric Pressure Transducer CP104 VC2 based sensing element, -196C to +400 C, 190 pc/bar , 7/16" -27 UNS-2A connector-Original OEM part
VMD185-020-EX-CA-S	
200-595-067-114	
200-560-000-111	I/O Card IOC 4T
200-582-500-013	Power Supply RPS 6U
GSI 124-A2-B2	
GSI 124-A2-B3	
Transducer Probe(Keyphasor compressor shaft)	111-412- 000-012-A2- (1)B1-E010-F0-G000-H10 Exi , Range : 0- 10000 min
-Vibro Meter	111-402-000-013-A2-B1-C072- D000-E010-F2-G010-H10 Tq 402 Proximity Transducer
TYPE B/3S HEAD	FAREHAM P015 5TT UK INSP MAV 125 EX 112G Exd IIC T6 Gb Baseefa 03ATEX0358X CE 1180 SER No F1123 B18 2kV-1A HEI/16A
CA134	

CA135	
CA139	
CA281	
TQ902	A1-B1-C072-D2-E10000-F2-G9800-H10 Proximity transducer
VMS 830 card + 25mV/g part. Nr. 680M101	
VIBRATION PROBE MEGGITT TQ402	PN:111-402-000-012/AE38359112009S3960A2131C140DO60E010FOG000H21N176B2
PNR 244-127-000-017A2B03	
921-069-000-701	VIBRATION CABLE HPC MI CABLE , VM7 16-27 UNS -2A/2B HIGH CONNECTOR ON BOTH ENDS L=3 m)
F117BGVX6B 117NOZL-MOD	
CCMY8500M3B-2 4" PRESSURE CONTROL COUPLER KAPLİN	
TRANSDUCER SX12V25HP	690100050 SX12V025HP LVDT SX12V, stroke +/-12,5mm supplied without mating connector- core rod included with Option pressure 350 bar static, T° <150°C
TQ402	111-402-000-013-A1-B1-C072-D000-E050-F2-G050-H05
922-222-000-002-L3000	EC222-002 CABLE ASSEMBLY, 3 METER
SENSOR VIBRASYON IPC704	
SENSOR VIBRASYON A1-B1-C072-D000	
SENSOR VIBRASYON TQ412 PROXIMITY	
VIBROMETER EC153 CABLE	
Vm600 Pnr: 111-402-000-013-A1-B1-C072-D000-E050-F0-G000-H0	
Pnr 200-582-500-021	
111-402-000-013 (V-M009124)	
801 - Drl	
Jp.2310 // 4330-99-768-8312	
204-450-000-002 (V-00015)	
Low Frequency Accelerometer With Cable And Magnetic Mount	
Pnr 204-450-000-002, Iqs 450	

Ls120 (With 5m Cable)
Pnr Vmd-Cv211-H-Ct-020
F1260039
3601-128 900/250-33 F/O Det
Vm600 Pnr:200-530-076-014
Tww 101 M1 Pnr Vmd-Tww101-M1-030-050
Acoustic Miss Distance Indicator
3001-158
200-582-500-01h , V-M090025/Rps 6u Pnr 200-582-500-021
14224
Iqs 450 Pnr 204-450-000-002
Omniguard Uv/Ir Model 860
V-M090015(Ioc4t)
V-M090014(Mpc4)
Rps 6u 200-582-500-01h
Pnr Vmd-Ec-050-050-R
V-M090014
200-596-100-013
200-510-Sss-1hh
204-450-000-002-A2-B21-H10-10 (V-000150)
Rps 6u 200-582-500-013 , By Pnr 200-582-500-021
Ioc N 200-566-000-1hh
Vm600 Pnr: 111-402-000-013-A1- B1-C165-D080-E050-F0-G000-H05
Ec069
244-704-000-042 (V-M002034)
Ccm558 - Unknown Product
Vm600 Pnr: 200-582-200-013

144-202-000-203
P/N: 204-450-000-001-A2-B12-H05-I0
7250a-10
Pnr 204-040-100-013
Vmd-Ww007-A1-B1-C016-D000-E010-F0-G000-H05
Vm600 Pnr: 244-704-000-042-A1-B03-C100-D77-E2-F5000-G0-H0-I0
Ccmy606 - Unknown Product
Ls120 (With 10m Cable)
400027169
Vm600 Pnr: 200-565-000-Hhh
Vm600 Pnr:200-510-076-114
600-016-000-003
Ww 007 Pnr Vmd-Ww007-A1-B1-C042-D008-E010-F1-G010-H05
Vm600
799m/Sf6m-1
R6w-0-J9t2a-16 Pnr Vmd-Ec-050-050-R
200-595-0ss-12h , V-M090116 / Cpu-M Pnr 200-595-0ss-33h
204-450-000-001 , Pnr 204-450-000-002
Mac800
224-124-000-022-A2-B2
200-505-016-011
200-505-001-011 , 200-505-011-011
Type: Tq402 (Ord. Nr.: 111-402-000-013) - , By - Type: Tq 402 (Pnr 111-402-000-013)
Ccmy 4500 Iss:8, W/O:10183186-01 Max W.P.150 Psi
It-111-F05-S500-L0000.3-H20000

P/N: 922-119-000-2
Pnr 200-595-0ss-53h
T9501-010
Ca280
Ww 007 Pnr Vmd-Ww007-A1-B1-C016-Exxx-Fx-Gxxx-Hxx
204-195-000-011 Old Number, New Number Pnr 204-195-000-021 (V-M00035)
Vm600 Pnr:111-402-000-013-A1-B1-C040-D000-E050-F0-G000-H05
200-505-005-011 , 200-505-015-011
Sx 3120
Cp 104 Pnr 143-104-000-101
T9537-001
Pvaz415
Vmd 110-100-Ct-Vo Mit Integrierter Elektronik Ausgang
Pnr 244-127-000-017
Art. Nr. V-M029010 , Type Gsi 127 , Pnr 244-127-000-017
Gsi 124 Atex Version 244-127-000-017-A2-B3
Vmd-Ww007-A1-B1-C040-D008-E010-F0-G000-H05
Vm600 Pnr:111-403-000-013-A1-B1-C086-D000-E050-F0-G000-H05
Vm600 Pnr: 500-112-000-022
111-412-000-012
144-280-000-015
144-202-000-125, Type Ca 202
Gsi 127 (A2-B01/B02) Pnr 244-127-000-017
244-124-000-022-A2-B3 , By Pnr 244-127-000-017 (V-M029010)

200-582-960-051
P/N 200-595-0ss-42h , By Pnr 200-595-0ss-53h
P/N: 204-452-000-372
Tsw 101 M1 Pnr Vmd-Tsw101-M1-X007-H05
Pnr 204-195-000-021 (V-M00137)
Cvs 100 Lc
200-566-000-1hh
204-697-000-023
Type: Tq 402 (Pnr 111-402-000-013) (V-M009124)
V-M029010
Cpu-M 200-595- Oss - 32h
200-570-000-1hh
200-505-015-011
V-M090015
Vm600 Pnr: 204-450-000-002-A1-B23-H05-I0
Ipc 704
Mpc 4 Pnr 200-510-Sss-1hh
Pnr Vmd 160-4-Ct-S
V-M090025(Rps 6u)
200-505-02-011
Part No: Ccmy 558
A2-B07-C232-D2.5-E5-F10000-G0-H0-I0
F1260190
T9538-001
Vm600 Pnr: 444-311-000-021
P/N: 200-595-067-114
Vm600 Pnr: 444-311-000-011
244-127-000-017

Part No: Ccmy 4500
A2-B02-C10-D20-E2-F10000-G0-H0-I0
Vm600 Pnr:111-412-000-013-A1-B1-E050-F0-G000-H05
7251a-100
Vm600 Pnr: 200-560-000-113
Tq401 (V-M0401/3)
7250a-2
Wwv 4.0
Ils 730
V-M090017
224-124-000-022-A2-B3
Flame Detector Series 760
V-M090025
Cv214
Mpc4 P/N 200-510-Sss-1hh
Gsi 124 Atex Version 244-127-000-017-A2-B2
Vmd-Tsw101-M1-X007-H05
Pnr 144-202-000-225
P/N: 204-040-100-012
200-515-Sss-1hh
200-505-006-011 , 200-505-016-011
P/N: 204-450-000-001-A2-B22-H05-I0
V-M029010 / Gsi 127 Pnr 244-127-000-017 (03)
P/N: 922-119-000-3
S-00012 Tsg 201
200-560-000-13 Old Number, New Number Pnr 200-566-000-1hh (V-M090015)

C-50810 // 4720-99-764-6227
V-M090116/ Cpu-M Pnr 200-595-0ss-33h
200-582-916-01h
144-134-000-202
3001-158 1050/450-38
200-505-011-011
Pnr 921-069-000-201
200-582-911-02h
Pnr Vmd-Cv211-V-Ct-020
V-M090025/Rps 6u Pnr 200-582-500-021
200-595-0ss-33h
P/N 111-412-000-013 Sn Ak54537
F228c
A2-B02-C100-D20-E0.5-F10000-G0-H0-I0
F1260103
200-5950ss-35h
H2107r-F32-010
Vm600 Pnr: 144-202-000-105
V-M090012
200-595-075-322
P/N: 144-202-000-511
Tq 412 Pnr 111-412-000-013
204-524-000-011
Vm600 Pnr: 244-704-000-042-A3-B07-C850-D2-E2-F10000-G0-H0-I0
244-704-000-042-A2-B01-C10-D20-E2-F10000-G0-H0-I0
Vm600 Pnr: 244-127-000-017-A1-B02
Vibration Signal Cable, 10 M Long, 8.2 Mm Diameter, 0.4-4.4 Mm

[Range Tq 402 Spiral Cable](#)