



Meidinger

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Meidinger Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Meidinger T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Typ : S-GRN48/120/500/2G	Meidinger centrifugal fan 750 m ³ / h, 160 mbar LOOSE PARTS (per fan) 1 documentation according to investment 1 Atex Doc. Gr. II Cat.2G / 2G
Typ EXSGRN48/120/500/2G (LG270)	Ventilator Replacement device for device no. 317157x 1.2 identical version with motor II2G Ex-de IIC T4 (1), Special price, only valid in connection with resale of the old device. incl. Free delivery (DDP). On-site assembly not included. (1) New motor type 132S2 - 7.5 kW - II2G Ex-de IIC T4 3x400 V 50 Hz, 2'925 min-1, B3, IP55, F/B class, with triple thermistor protection, suitable for frequency converter operation Speed range 30-50 Hz
EX-S-GRN36/160/300/1E	V = 700 m ³ /h; Δpt = 1147 Pa; Pr = .35 kW (ρ=1,2 kg/m ³) loose parts (per fan) 1 ATEX certificate II 2G/2G - T1 700 m ³ /h bei 10 mbar
EX-P-GRN48/120/500/2G-2	V = 700 m ³ /h; Δpt = 16661 Pa; Pr = 5.27 kW (ρ=1,2 kg/m ³) Loose parts (per fan) 1 ATEX certificate Gr.II Cat. 2G/2G T2 1 Casing gas-tight ISO13349 Cat.H1
Gas blower pulley 2R/SPZ TKO85 with	

1610-O24	
Fan P-GRN48/120/500/2G	
2R/SPZ TKØ160 with 2012-Ø38	Pulley complete with clamping bush balanced
2R/SPZ TKØ85/ 1610-Ø24	Pulley complete with clamping bush balanced
Replacement assembly for GRN48 (version1)	No. 206317X STEP 1 Housing made of GGG40 gas-tight, Pos.: LG270, free shaft end, without pulley, with suction port DN125/PN10, without pressure port, Shaft seal FPM with greaser, Max. speed: 5544 min-1, with cooling disk, Explosion protection according to EN 14986, Surface protection: N60/BR 2-comp. Deck., 80µm RAL 7032.
Replacement assembly for GRN48 (version2)	No. 206317X LEVEL 2 Housing made of GGG40 gas-tight, Pos.: LG270, free shaft end, without pulley, with special Suction nozzle including connecting pipe, with pressure port DN125/PN10, Shaft seal FPM with greaser, Max. speed: 5544 min-1, with cooling disk, Explosion protection according to EN 14986, Surface protection: N60/BR 2-comp. Deck., 80µm RAL 7032
P-Grn48 / 120/500 / 1g	
Pp224 St 3x200 V 60 Hz Oem	
Typ: Fvr4001/100/500/2 Replaced By Grn48/120/500/2g	
Grn48/120/500/2g	
70807-125	
Bellow Lt 200 Ng 315-BI 125 Mm Angular	
90s2-02 - 1.5 Kw - Ii3g Ex Na Ii-T3	
Nw D280mm	
Meidinger-Ersatzteile-F3;R-Fvr40011005002-Nr-201179-Istanbul-Turkiye	
A-T28/315/560/1e	
Pp280 St 3x200 V 60 Hz Oem	
Prod No:44/11 Oil Filter Cartridge(For S-Grn48/120/500/2g Gas Blower)	
P-Hrz10d/90/315/1 Dsf10	
Pp315 St 3x200 V 60 Hz. Oem	
P-Ha/400/1120/1gb	
Me80m-2	

[Bellow Lt 200 Dn 280-BI 125 Mm Round](#)

[Teal 90s/L Obsolete Replaced By 90s2-02 - 1.5 Kw - Ii3g Ex Na Ii-T3](#)

[S-Grn48/120/500/1g](#)

Meidinger- Centrifugal Fan Separate parts (per unit) 1 ATEX-Certificate II 2G/2G c IIA T1