



Mennekes

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Mennekes Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Mennekes T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
4x125 Verlängerungs Stecker	
IP44 - 522	32 Amper
PLUG 3POL 16A 230V 6H IP44	
3 Polig	
einzelfphase	
5792A	CIDE1-51330619 777555-81
262-C774E37	000777555-81 Special procurement items Manufacturer: MENNEKES Elektrotechnik Manuf.-No .: 11311F
EverGUM receptacle combination CEE 63A	EverGUM receptacle combination CEE 63A (4x CEE 32A 5 pin + 9x16A IP 54 CEE Norm)
EverGUM receptacle combination CEE 32A	(1x CEE 32A 5 pin + 6x16A IP 54 CEE Norm)
25 meters energy cable with 63A male and female	CEE connectors at both ends
25 meters power cable with 32A male and female	CEE connectors at both ends

100 meters TTR 3x2,5 black energy cable
16 A CEE Norm Male energy socket
16 A CEE Norm Female power socket
100 meters dmx signal cable
Typ 3200
Typ 905
Typ 41000
057703
10754
10833(3258937)
10860
10861
11031
11032
1192
1192 2P+E
1192 ZA
1210 32A,3P+N+F, 400V, IP67
13206
13225
132P
14225P
1461P
1492
1497269
1497270 209A 5x63A
1551.
1555
16 A 1193
1649

16A 3P+N+T
1720
1805.
19553
1983 IP67
208621
209P 63A 5PIN
2152
2175B
218 16 A IP 67
2213.
22134
22261
22928
2324
23597
23598
236-0017
24201
24214
24660
24675
248 16A 3PIN IP 44
260-522 32A 2+E 230V IP44 50-60 HZ
264
2648
278
2837 ZA
294..
300

3149
316C6-510
3202501
32075510 ,32A400-440V 2644
3244100
3251621 1632 16A 3polig
3254100
3254700092
3254700483
32580850
3258534
3258754
3258937
32A 3P+N+T
32A 3P+N+T- male
33
3303MEN
330P6W -3830
3325
332C6-522
3374
3381 125 A IP 67
3425P 63A 5PIN
3451
3469P
354
3794
3796
3888
391
391MEN

406219V
40A -6H/3P+EARTH
41442
4200P6-75201
4200R6-75241
431-6438
432P3W-2175
459- 913
463P7W-13207
470236EX
4981-441S
4P 9H 281
5113 A 63A 3P
5113A(3258803)
532MICB6W-7242
5792 4X32A
5792A / 6796940
579710
5911AMEN
5959A
625
700126
7012A
7240
736 7X32
7498467 11646
75011/3244411
7503 16A 3PIN IP 44
7507 16A 5 PIN IP 44
75136

75211
8401616
90839
920009RMEN
930001
930022MEN
931237
935743
940 013
940005.
94354GE
94354RO
946175
954808
96489
AMAXX IP67.
AMMAX 400V/16A/1X3P+N+PE, IP44
AMX3A-931234
AMX4A
C-5010158-17
CEE 16 A.-5P 400 V
CEE 25A 400V, 5-POL., IP44
CEE 400V/32A/3P+N+PE, IP67
F 400/230 V. 50 Hz
f. 930010
IP 67 75111
IP 67 75131
ME 320HMI6
ME14202P
ME1475

ME200	
ME248	
ME320R4W IP67	
ME320R6W	
ME3303	
ME3430CAP	
ME420HMI7- M2	
ME5100P7W	
ME520R7 3X277/480V	
ME552	
ME5793A	
ME625	
ME729A	
ME920015	
ME92895	
ME92915	
MEN 75131	
NO:5785	
P/N: 2648	
NO.30545-BE	
94358GE	777555-81
ME 520P6-3	
1367	Panel mounted receptacle flange 75 x 75 mm, straight 16A 3P 400V
Typ Cz0254 4506 0001 125 A Locked 3n+n	
3777	
2322	
5103	
10764ze	
1128p Dashboard Socket 5*63 Ip67	
DıŐi EĐik D¼z FiŐ (100-200hz YeŐil)	

Me460mif7	RECEPTACLE FUSED INTERLOCK 3POLE 4WIRE 480VAC
5608ac	
240aa	
Ip 67 FiŐ Dedekt¼r¼ 63 A	
5110a	
1061999 3853	
1141a	MENN CEE socket 4x63A 400V 6h IP44 (Please check the product, as no information!)
1557	
5785	
125 A 3p+n Male Plug	DETAILED IMAGES ATTACHED TO MAIL
936326	MULTISOCKET
92909	
10863	
305000036264	
252	
20162cee32a5p6h	
Me5250p675091	PLUG
75201	
1461p Dashboard Socket 5*125 Ip67	
Ce5x32a-6	
1061999 3809	
3771	
32a	
228+10810+10176	
3381 Extension Plug 5*125 Ip 67	
5605a	
5600a	
Ip 67 FiŐ Dedekt¼r¼ 16 A	
Ip 67 FiŐ Dedekt¼r¼ 125 A	

84948	MENN Kombination MENNEKES socket combination wired ready for connection Degree of protection IP 67 Housing: 1 polycarbonate housing 170x118 mm (horizontal) electrograph RAL 7035 Equipped with: Pos.01 1 CEE socket 16A 5p 400V Pos.02 1 SCHUKO socket 6A 2p + E 230V DWD (10810) Cable entry / connection option: 1 M 25 left open 2 M 25 right closed Terminal for 1 cable up to 5 x 10mm ²
3480p Extension Socket 5*125 Ip67	
136	
32a-Safecontact	
212a	MENN CEE-mounted socket 4X125A 380V
294	
Ip 67 FiŐ Dedekt¼r¼ 32 A	
75241	
10828	
5535a	
1880	
3425p Extension Socket 5*63 Ip 67	
282	
5103ae	
3658 Extension Plug 5*63 Ip67	
Me460mi7	INTERLOCK SWITCH PIN/SLEEVE 60AMP 3PH 40HP 480VAC
5113a	
1110	
31023	
84190	MENN Kombination MENNEKES socket combination wired ready for connection Degree of protection IP 67 Housing: 1 polycarbonate housing 170x118 mm (HxW) electro gray RAL 7035 Equipped with: 2 SCHUKO sockets 16A 2p + E 230V DWD cable entry / connection option: 1 M 25 top open 2 M 25 bottom closed Terminal for 1 cable up to 3 x 10 mm ²
1419	
7306	
13207	
Msr430mis2w	RECEPTACLE INTERLOCKED NON-FUSED 30AMP 3WIRE 4POLE

1196	
Me460micb76	RECEPTACLE
9203230	
13219	MENN plug 4x125A 400V IP67 6H PowerTOP Xtra
3325 Extension Plug 5*63 Ip 67	
Amx5a959026	ENCLOSURE
206a	
125ms3am2	MODULE
Erkek Eđik D¼z FiŐ (100-200hz YeŐil)	
31038	
57852a	
31016	
13212	
218a	
10810	
8051677	POWER SOCKET
Me-460mi9	RECEPTACLE 60AMP 3P 3PH 250VAC SWITCHED INTERLOCK
31024	
20162a	
1983 Machine Plug 5*125 Ip67	
933020	RECEPTACLE
10818	
3853	
563mi65113a	SOCKET
1871	
105	
10757	