



Metal Work

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Metal Work Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Metal Work Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
8084601	
88264K8	Micro flow regulator Ø10-1 / 4 "special with TP ring piece, EPDM seals, bidirectional freight and packing
1213 5001 75CN	Cylinder ISO 15552 Ø = 50 mm stroke = 170 mm - Series 3, double-acting, - Adjustable end position cushioning - With a magnet - Piston rod = C45 hard chrome plated - Seals = NBR Customs tariff number: 84123100 Country of origin: Italy
1213 3201 25CN	Cylinder ISO 15552 Ø = 32 mm stroke = 125 mm - Series 3, double-acting - Adjustable end position cushioning - With a magnet - piston = technopolymer - Piston rod = C45 hard chrome plated - Seals = NBR
7010 0212 00	5/2 way valve, G1 / 8 "type: SOV 25 SOB 00 Connection: 1/8 " electro-pneumatic bistable
7010 0211 00	5/2 way valve, G1 / 8 "type: SOV 25 SOS 00, monostable Electropneumatic Spring return Weight: 200g
PMA18BAR	0-12bar
7020 0215 00	5/2 way valve 1/4 SOV 35 SES 00 Series 70 valve, electro-pneumatic monostable, external control air 1/8
FR 300 G3/4	Filter regulator Skillair FR 300 G3 / 4, 8 bar, 20µm RA Art no 4583 0140 00
0227 3012 01	Inlet plate HDM 1-25D Ø 10 mm

1213 3201 25CN	Cylinder ISO 15552 Ø=32 mm Stroke=125 mm 001 1213 3201 25CN - Series 3, double-acting - Adjustable cushioning - With magnet - Piston = Technopolymer - Piston rod = C45 hard chrome plated - Seals = NBR Customs tariff number: 84123100 Country of origin: Italy
W095 0000 222	HALL-Sensor PNP DSM3-N225 30V= LED 2,5 m
7010 0222 00	5/3 way valve 1/8 SOV 26 SOS OC electropneumatic Center position vented
W021 5000 151	COIL 22 D8 2W-12VDC 100% ED, IP 65, DIN 40050
W021 5000 101	COIL 22 Ø8 BA 2W-24VDC 100% ED, IP65, DIN 40050
W097 0510 01	Socket 22mm standard black DIN industry standard - form B
7020 0224 00	5/3-way solenoid valve, 1/4" SOV 36 SES CC 001 7020 0224 00 5/3-way valve with external control air to also switch in vacuum Technical specifications: 1/4" connections Center position locked. external control air 1/8 Workspace: monostable 2.5 - 10 bar external control air vacuum - 10 bar Temperature range -10° - +60° Nominal diameter 7.5 mm Flow rate 264.26 NI/min Flow rate at 6 bar 0.5 bar 750 NI/min electrical voltage 24 V= Valve is delivered without coil and plug!
W097 0510 011	Socket 22mm standard black DIN industry standard - form B
7020 0102 00	3/2-way valve, 1/4" PNV 33 PNS-NC pneumatic normally closed, Control ports = 1/8 (Below for the 2nd item in your picture)
Pneumatic regulator 0-10 Bar, Line Input -	- Output ¼" Manometer Output 1/8"
Pneumatic Manometer 0-10 Bar , Connection 1/8"	
0227 3012 01	Inlet plate HDM 1-25D Ø 10 mm
7062 0401 32	Mach 16 valve, 5/2-way, monostable MSV 25 SMS OO 24VDC electropneumatic - mechanical spring
7062 0403 12	Center position valve Mach 16, 5/3-way MSV 26 SMS OC 24VDC electro-pneumatic - mid-position exhausted
7062 0401 32	Valve Mach 16, 5/2 way, MSV 25 SMS OO 24VDC monostable electropneumatic - mechanical spring
7062 0401 33	Ventil Mach 16 , 5/2-Wege, MSV 25 SMS OO 24VAC monostable electropneumatic - mechanical spring
W121 1600 220	Zylinder ISO 15552 Ø 160 mm Hub 220 mm double-acting, with magnet, adjustable cushioning, Piston rod C45 hard chrome plated, seals NBR
W165 0321 180	Zylinder Rot. Ø=32 Hub=180 S.R.

EB80 8'er 5/2	
7020021200	
7020021100	
ISO6432 Ø25 C250 UNIT MW DH 025 CODE W07	
7020 0204 00	3/2-way valve, NO G1/4" SOV 33 SOS NO Electro-pneumatic, normally open
7020 0212 00	5/2-way solenoid valve, G1/4", bistable, air spring 9mm el. Electropneumatic Specifications: value Solenoid valve - bistable without coil and socket Working pressure 1 - 10 bar Working pressure electrically with external control air Vacuum up to 10 bar Minimum working pressure 1 bar Temperature range -10 to +60 °C Nominal diameter 7.5 mm Flow capacity C 264.26 NI/min bar Critical factor b 0.27 bar/bar Flow rate at 6 bar and delta P 0.5 bar 750 NI/min Flow rate at 6 bar and delta P 1 bar 1,100 NI/min Response time at 6 bar 21 ms / 21 ms Weight 2.36kg suitable for ATEX Zone 22
7010021100 VALVOLA SOV 25 SOS 00	
7072 0305 31	Ventil HDM I6 2x3/2, NC=5/3 Mitte entlüftet Ø=6 mm
7072 0301 11	HDM Ventil K6, 5/2-Wege, Ø= 6 mm, bistabil Manual override bistable
7082 03I1 00	Valve EB 80, 2x 3/2-way NC bistable manual override Works as a 5/3-way valve, center position vents OC
MSV25 SOP 00 24VDC-M.Work	solenoid valve
562F40 + 562D10 + 562C10	Komplett
5624F 4040 00	Filter Syntesi SY2 1/2 5 RA RA: Condensate drainage with automatic drain, independent of pressure and flow.
5624 D104 00	Oil filter Syntesi SY2 1/2 5 RMSA RMSA: Condensate draining with manual and automatic draining in a depressurized state.
5624 C104 00	Activated carbon filter Syntesi SY2 1/2 RMSA RMSA: Condensate draining with manual and automatic draining in a depressurized state.
9900 1010 00	Manometer M63, 1/4", 0-12 bar
9210 0100 00	Connection nipple set SY2
5613 P203 00	PA 4-way SY1 3/8 compressed air intake
7010 0215 00	5/2 way valve 1/8 SOV 25 SES 00 Electro-pneumatic monostable, external control air M5
9041 0050 00	Flow regulator RFL U 1/2" can be regulated on one side
7010 0221 00	5/3 way valve 1/8 SOV 26 SOS CC Electric pneumatic Middle position locked

7001 0006 10	VALVES SERIES 70, MEV 25 URS OO - 5/2 MECHANICALLY ACTUATED Roller lever valve with return
SILENCER REDUCED G1/8" BRONZE	W097052003
W097052002	SILENCER REDUCED G1/4"
W097052003	SILENCER REDUCED G3/8"
W360 4000 005	Logikelement: MEMORY
5422 1181 1200	Maintenance unit ONE electric, inlet/outlet 3/8 - Filter fineness 20 µm - Control range 0.5 - 8 bar - with filter dirt indicator - Automatic drain - V3V manual - Pressure switch
551 B54 FILTER REGULATOR	1/4 MM THREAD (5610B460 FR SY1 5
Gasket	ISO 15552 TYPE.A. P.max 10bar No Tube 019763.0220.121A320350 FD BORE.032 STROKE-0350..
W0950001001	
0090800502	
W0970510011 Stecker 22 Std	
7020021200	
W0970510011 Steckdose 22mm Standard Schwarzdin Industriestandard - Form B	
Metal Connector Pin Cable 5mt For Crm2m8	
7062040102 Mach 16 Msv 25 Smp Oo 24vdc5/2 Ventil-Elektro-Pneumatisch, Anschluss 1/8,Monostabil	
Magnetspule 383- 24c Fur Ventile Serie Sovipv	
9002200	
2l01010	
7073030130	
Dsl4n	
7010021100 Ventil Sov25 Sos Oo	
5/2 Wegeventil (7020021100)	
121a400075cp Zylinder Iso15552 Dia=40, Hub=75z329999998	
2f06010 Fitting	

Sov 23 Sos Mc 7010020200 Ventil
7072030111
3280001
121a400300cp
Pa-300 Fr-300-20
1/8 2a No/Nc 2 Mt
0227301500 5 - Hdm - Blind-Endplatte
3602004
W0351000031 Drehknopf, Sw, 2 Stellungen, Gerastet Bistabil
121aa11300an
5521500
Nsv G5 Ses 00 Ventil
3402001
Cyl1213320060cn Zylinder Pneumatische Iso15552 S3 Cyl 32 60 Nbr Chr
Id7051021200 Wegeventil Iso 1 5/2 Elpn Bist
1213320400xp
Ifm 05h500 05h-Fpkg/Us
5202003
2750230300cn
4480004
0413 Qc24 121a500300cn
706204010 Solenoidnyj Ventil
124g50a150av
5207002
W0950000453 S. Hall Pnp Dcb3n-24v Smt Halteklammer
5521500 Proportionaldruckregler Regtronic 1/8
7020021100 Sov 35 Sos Oo5/2-Wege- Magnetventil, 1/4", Ohne Spule
W0215000121 Spule 22 D8 Ba 3va-

110vac 50/60 Hz100% Ed, Ip 65, Din 40050	
2f05005 Fitting	
7010020200 Pneumatic Valve 10 Bar	
7010020500 Ventil Sov 23 Ses Nc	
Plt-10 Iso 15218	10mm magnetventil Working pressure 3-7bar, power 0.9W 24VDC NW 0.6mm FKM seal
7010020500 Sov23 Ses Nc	
For 1213800250av	
W0970510015 Steckdose 22mm Mit Led + Vdr 24v Din Industriestandard -Form B Transparent	
1200400125cn	
W02150000101 Coil + Connector	
2120500025cp	
2I01012	
2I04004	
2f01010 Fitting	
7020 0205 00	3/2-way valve 1/4 SOV 33 SES NC Electro Pneumatic, normally closed
Sov-25-Sob-00	
2700163200cn Bore: 016 Stroke: 3200	
707303053 Ventil I8hdm	
0262813032 1580/06 M51 2 8 14x4 X2v6 Z	
2300160025xp	
Isv 56 Sos Cc	
2I03005	
2I02005	
7069030132	
9201201	
121550b800xc	
Dsm1-C51k Mwhs	

Z320126600	
W0511101101	
2703250760cp	
0351000050	
2f06007 Fitting	
9021007c Fitting Mrf N T C 6 1/4	
7073030130 Hdm V8 Man. Monost. Valve	
0223000701	
7073030111	
90010039	
M5148i8716x4v6x3	
Model: 075 G No:06031859	
7062040102 Mach 16 5/2 Ventil Msv 25 Smp Oo 24vdc Elektro Pneumatisch Anschluss 1/8, Monos	
W0950000222	
4602002	
0091250101	
121z50i040cp	Cylinder ISO 15552 Ø = 50mm, stroke = 40mm single-acting basic position extended Seal for double-acting function installed with magnet, adjustable cushioning, Piston rod = C45 hard chromed,
1120250125xp	
0227301201 Hdm-Eingangplatte 1 Std 3 - 7 Bar	
1210500050?? Pneumatikzylinder	
4571901 Apr 300 3/4 Solenoid Cnomo Control	
7010011100 Zufuhr Pnv 25 Pns Oo	
W0215000101 Spule 22 D8 Ba 2w-24vdc	
7062060132 Valve	
7010022100	
121aa10150an Zylinder 121aa10150an With 300mm Extended Pistonrod	

7072030130
022730
5203001
Sov 33 Sos Nc - 3/2
0226960500
W 3501000200
2170250010cp
1130160025cp Pneumatikzylinder
2I050004
7020020200 3/2 Wegeventil 1/4 Sov 33 Sos Ncelektro Pneumatisch Normal Geschlossen
0227300500 Multimach Endplatte, Blind
W0950322020 Kopf Der Gabel-Mw Gk M Metalwork Pneumatic M10x1.25
1211000250ap
1210320025cn
1100250010cp
Mav25v1b00
2f01013 Fitting
7010010200 3/2 Wegeventil 1/8 Pnv 23 Pns Ncpneumatich Normal Geschlossen, Steueran
W3501000111 Vme1-11 Nc M5
2140320040cp
Cr22m Sensor
400-517-42
7062020103
5111002 Mr Bit Fc 04 1/8"
7010021100 Zufuhr Sov 25-Sos Oo
W0952029394
9065712

W 3501001101	
Onpp-A-S-0200-N Magnetostriktive Lineare Wandler	
Z329999998 Ø=40mm, Hub=1300mm	
7030020400	
1920.9pl.42	
Pr30020	
121a500220cn Pneumatikzylinder	
9200701 Haltewinkel R-Fr Sf 1/4	
7062060132 Mach 16 5/2 Ventil Msv 25 Scs Oo 24vdc	
7062040102 Wegeventil Mit 6-182	
7062 0301 32	Mach 16 5/2 valve MSV 25 SES OO 24VDC Electropneumatic, monostable, ext. st
2f01007 Fitting	
Id9002200 Pressure Regulator D40	
4480006	
Cr2m8 W0952028184 Sensor	
W 3501000400	
1130250040cp	
9101201	
W0951602102	
88261a1 3/2 6mm Mini Valve Block	
1130400720cp	
For 7010020200	
25sos00	
2500100?050cp	
2f05004 Fitting	
7062040102 Mach 16 5/2 Ventil Msv 25 Smp Oo 24vdc	
2I08002 Fitting	
0240009035	
2I02005	

P/N Epr102
113u160050cj
W 1201600100 Cylinder
2220630070cp
3202001
1211000050an
227301201
7073030210
113o16150a Pneumatikzylinder
7070030532
9232010
7010010200 3/2 Wegeventil 1/8 Sov 23 Sos Ncelektro Pneumatich Normal Geschlossen
W 3501001111
1130320100cn Cylinder For Plasma Table
7010020200 Ventil3/2 Wegeventil 1/8 Sov 23 Sos Ncelektro Pneumatich Normal Geschlossen
0950004015 Shock Absorbers Eco S 25 Mc2 Corto + Nut M14 X 1.5
W0950000222 Hall-Sensor Pnp Dsm3- N225 30v= Led 2,5m
2151003 Fitting
1130200050cn
227300200
1120250100?P
W 3501000100 Zufuhr Vme 1-01 Nc D4
2101009
W0950000711 Die Befestigung Des Sensors Zum Zylinder Pneumatic Metalwork
W0215000101 Spule 22 D8 Ba 2w-24vcd
7062020103 Wegeventil

Z329999998 Z25p4009300003 Conn.Mp1 Cabl Mt3 Led+var 24
1302002 Regler Newdeal 3/8 8bar
W0950000711 Die Befestigung Des Sensors Zum Zylinder
2170320020xp
25bh50b080xp
7062020132
0240009036 M12 Bus-In Buchse, B- Kodierung
5612r142 Regler Sy1 1/4 08
121a500050cn Pneumatikzylinder
Cr2m8 Sensor 1725 6w/Va
W0950000222 Sensor
1120160030cp
2f04003 Fitting
1210401000ap
0227301500
7062040102 Mach 16 5/2 Ventil 25 Msv Smp Oo 24vdcelektro Pneumatisch Anschluss 1/8, Monos
722123840101
1213a11500 Ap Spezialzylinder
517.212
2008015
W0950000453 S.Hall Pnp Dcb3n-24v 5mt Halteklammer
Sov35soboo Pneumatic Valve Max 10bar
9170201 Montage Des Dampf -
9041003 In-Line Durchflussregler Rfl U Ig 1/4
2006007
1210320150cp
7063020132

[W0950000201 Reed-Sensor Dcb2c-425](#)
[Led Stecker=m8 2,5 St 2 17,68 35,36](#)
[05.10.20172,5m-Kabel](#)

[47100110](#)

[W0950802025 Gelenkauge Ga-M](#)
[M20x1,5](#)

[W020021100 Spule](#)

[W0951602102 Dichtungssatz 160](#)
[Hightemp Fkm/Fpm](#)

[121a500320cn](#)

[4471900a](#)

[7068030132](#)

[0227301500 Blind End-Plate Hdm](#)

[0090500101](#)

[2f06009 Fitting](#)

[9251720](#)

[120ga10230zp](#)

[7062040102 Wegeventil](#)

[Sov 33 Sos Nc L](#)

[9353301 Spares Tf 200 Rmsa](#)

[1213?113000?? Spezialzylinder](#)

[Z329999998 Z52091002300ms51](#)

[4002002](#)

[4488002](#)

[0226007003 Reparatursatz Kit M16 Of](#)
[Multiple Base Integrategaskets](#)

[4589003](#)

[00904060400](#)

[2101008](#)

[5207003 Regler Mr Bit 1/4 8bar](#)

[1213a20090an Iso 15552 Series 3](#)

[121a63d090cn](#)

3202003	
17/12 Rem-Satz Zum Zylinder	
9021007c	
2130250010cn [hub = 10]	
1210630966cp	
W0210010100 Coil 30 O 8 4w-24vdc	
2032011	
Ident.-Nr. W0952029394 T-Nut Ce3m8p 3polig M8 300mm	
0273803040 Not Found	
121550b800xc Pneumatikzylinder	
9001003	
1210320030cn	Cylinder ISO 1552 Ø = 32mm stroke = 30mm double acting, with magnet, adjustable cushioning, Piston rod = C45 hard chromed, Seals = NBR
121aa10150an Pneumatikzylinder	
1210400400cp	
22 D8 Ba 3va-220vac 50/60 Hz	
W0950000232	
2I05004	
7020021500 Wegeventilsov 35 Ses Oo	
0227301302	
5/2 Vana 1/8 Sov25sos Oo	
7030020200 Wegeventil 7030020200 Sov 43 Sos Nc	
Sov 25 Sos Oo	
W0952029394 Hall-Sensor T-Nut Ce3m8p 3polig M8 300mm	
7072030530 Ventil Hdm I6 Monostable	
W1212000190	
1x34	
2I22003	
2f04005 Fitting	

2f01012 Fitting
118z20a015xp
3602003
121340700xp
2031011
Fr+I 200
0227301230 Hdm - Eingangsplatte 1 Profibus Dp, Std
W0950000201 Reed-Sensor Dsm2-C525 Mit 2,5m Kabel
8953700a Getriebe
2110250010cp
0240009036
227300500
7072030131
120za1j500zc
Cr22m W0952025390 Sensor
W1630222180
Solenoid Bobini 383- 24c
Z520910020200m
7062040102 Wegeventil 25 Msv Smp Oo 24vdc; E; 5/2;Monostabiler Mit Fell. Feder
7010010400
2f05003 Fitting
7073030131
7010020200 3/2 Wegeventil 1/8 Sov 23 Sos Ncelektro Pneumatisch Normal Geschlossen
227301500
Pneumatikzylinder Auf Die Werkbank Hdtv Supra D
W0950000722 Bracket St250

0090400502
2f06008 Fitting
W 0952028184
Verteiler Mav25 Pps Oo
5204008
706202010 Wegeventil 25 Msv Sop Oo 24vdc.
W 1212500360
00904002502
W 0950029394
7062060132 Wegeventil Mit 6-181
1211250250ap
4470001
W 0950000232 Cylinder Position For Sensor E Hall Npn Sensor Dsm3 M225
2I04005
Fr+l 1/2 4 012 Rmsa 1/2quot;
1200800030ap Pneumatikzylinderiso 6431-Vdma
Cy0006519
2675400070cp Cylinder
7020022100 5/3 Wegeventil 1/4 Sov 36 Sos Ccelektro Pneumatisch Mittelstellung Gespe
022730030
9000401 Druckschalter 1/8 2a Wechsler 2mtmit 2m Kabel
Hdm-Blind-Endplatte
7062040102 Msv 25 Smp Oo 24vdc
Markp40/10
Pa-300 Fr3001/2508
0227300303
7020021100 Wegeventil 7020021100 Sov 35 Sos Oo

W1430162020
1213500250cn
7001000910 Mev 25 Lls Oo - 5/2
1402004
W0970510011 Aufnahmewannesteckdose 22mm Standard Schwarzdin Industriestandard - Form B
4403003
7020021100 Zufuhr Sov35 Sos Oo
2750250300cn Pneumatikzylinder
Sov 35 Sos 00
3280002
1120250020cn
2f04004 Fitting
9000640
W0952025390 Hall-Sensor Dsa-4n Ce32mp 3polig 2,5m
70100102200
9000401
121aa10275an Pneumatikzylinder
W0970530021
7010011100 Air-Controlled Valves Max 10 Bar
7020021100 Zufuhr Sov 35 Sos Oo
5207004
0227301302 Intermediate Blind Hdm
5522500 Proportionaldruckregler Regtronic 1/4
Ce3m8p
Pnv 35 Pns
707203013
Ventilinsel

516.501
47100259
121aa20160zp
2151001 Fitting
2032010
1210500045xp
9021008c
W0215000111 Die Spule 22 D8 Ba 3,5 Va-24vac 50/60 Hz
Ce3m8p Position Sensors 10-30v Dc, Ia (Current)
235.03-M
E3153924vdc
Z329999998 Z00w0970550012 Val. Sferamini 1/4 Mf
2005006
1130160150cp
0091000031 Reparatursatz
Hdm V8 - Incomplete Model
0240009035 Stecker M12 / Hdm/Eb80 Profibus Out Dp
235.07-M
Nsvg8sesnc70690305
7020021100 Magnetventil Sov 35 Sos Oo5/2-Wege-Magnetventil, 1/4", Ohne Spule
1213400100xp Druckluftzylinder
9700107
514.134
W0950402020
7020011200
2l14005 Fitting
2l08008

May 33 Vlb Oo - 3/2 7020001400
7073030530
1210500250zv
2121000020zp Pneumatikzylinder
121a630500cn
W0215000111
W0215000101 Spule 22 D8 Ba 2w-24vdc 100% Ed, Ip 65, Din 40050
121a320160cn
5610r100 Reg Sy1 02 Without BushingEinstellbereich=0-2bar, Durchfluss=1.200
7020021200 5/2 Wegeventil 1/4 Sov 35 Sob Ooelektro Pneumatisch Bistabil
W0970520037 Steckdose 30mm Mit Led + Vdr 24 V Transpdin43650 - Form A
7063020132 Mach 18 5/2 Ventil Msv D5 Sos Oo 24vdc
400-514-42
7020020200 Wegeventil 7020020200 Sov 33 Sos Nc
Z32w095000020110
3.Dm.63010
Z329999998 Ø=40mm, Hub=1250mm
2I05005
Z329999998
7001000500
7030021200
7062020105 Msv 25 Sop Oo 22ovac - 5/2
Sensor W0950029394 Metal Work Pneumatic Hall-Sensor, Mit 300mm Kabel
9700102
1120320125cn
Piriz 22mm Standart Siyah

Kom 9237/4
226180001
Z52021005005ps2 Multiplicatormaximum 8 Bar
2110001 Fitting
9700101
9151501
0090800005
543511881300
5610b243
W0215000101 Spule 22 D8 Ba 2w- 24vdc100% Ed, Ip 65, Din 40050
121a401000ap
707303011
7020011100
7021020100
Pepur-10/07
For 800050vp
7062040102 Msv 25 Smp 00, 24vdc
1120250040cp
1425030
9021112v Druckregler Unter Das D10
Qc0915 W1590320200 Pneumatikzylinder
9011005c
7010021100 Ventil5/2 Wegeventil 1/8 Sov 25-Sos Oo
11036410
Z329999998 1120200225cp
223000301 Platte Cvm -18-03 Serie 70;3 Pneumatischen Oder Elektro- Pneumatischen Verteiler 1/8
7062040103 Msv 25 Smp Oo 24vac

Z329999998 Wegeventlim51 3 8 V6 W6 V6 V4 I4 7 I4 5
1240400025av
0090500101 Ck .50
0227301201
4471900a Apr Pneumatic W/Out End Plates
M5148i8716x4v6x5v8
112 Z 25a400xp
7061020212 Mach 11 5/3 Ventil Msv 16 Sos Cc 24vdcelektro Pneumatisch Mittelstellung Gespe
2I31014
121aa10050an Pneumatikzylinder
W0952025390 Sensor
113u250500cj
7040021100 Zufuhr Sov C5 Sos Oo
Z329999998 Ø=40mm, Hub=750mm
Cr2m8 Sensor
2800630025cp
121aa10300an Pneumatikzylinder
5610a700 Ventil Softstart (Ohne Gewinde)
7073030110
707303013
W 3604000004
W 3501000131
7020020200
0090630101
7020021200 Zufuhr Sov 35 Sob Oo
450.420-M
113u200050cj
1210800340an

Kom 1856/4
7010022100 5/3 Wegeventil 1/8 Sov 26 Pas Cc
1213400450cn
9001003? Fitting
W0950322020 Kopf Der Gabel-Mw Gk M M10x1.25
2152003
Ident.-Nr.6402001 Reg 400 G2 Customs Union
2f01011 Fitting
M3f40- Not Available
Msv 05 Sos 00
0227301253 Hdm Can Open Input 1
Kom 3298/4
4571906
7020021100 Wegeventil 5/2 1/4elektro Pneumatisch Monostabil,
9065016
7030020200 3/2 Wegeventil 1/2 Sov 43 Sos Ncelektro Pneumatisch Normal Geschlossen
Hdm O8-5/3-Wege-Ventil, Mittelstellung Gespert, Bistabil
7062040102 Wegeventilmach 16 5/2 Ventil 25 Msv Smp Oo 24vdc Elektro Pneumatisch Anschluss 1/8, Monos
9210003
2f01008 Fitting
7073030530 Hdm I8 Man. Monost. Valve
7071030530
7010021200
Sova5sosoo
9041002 In-Line Durchflussregler Rfl U Ig 1/8

0263905058 Ventilinsel Komplett (Ohne Kabel)	
W0952029504 Hall-Sensor Pnp, Hs Cr2m8 2-Polig M8 300mm Kabel	
5107003 Regler Mr Bit 1/8 8bar	
706202010	
Cil W121ka30350	
W4017004200	
7010021200 5/2 Wegeventil 1/8 Sov 25 Sob Ooelektro Pneumatisch Bistabil	
Sov 25 Sos Oo - 5/2	
0262807037	
Ident.-Nr.7020020100 Sov 33 Sob Oo - 3/2	
2l08006 Fitting	
Mr R1/4	
Pneumatic Luft-Block	
457001	
W0950000201	
W120za3g100 4160 Cil.D=160 C=100 Spec.Trasd.Lineare	
121a501400ap	
Zufuhr Msv Ds Sos-00 Metal Wovk. Steuerung 01311 Pv 01 Ho 11 N12 24 Vdc 1w 1404	
7020021100	
7010001300	
7072030531	
9065024	
0273802000	
9700103	
7030 0211 00	5/2 way solenoid valve 1/2 SOV 45 SOS 00 Series 70 valve, electropneumatic 1/2", external control air, monostable, spring return
0223000601	

W3501001100
2130250015cn - Such Model Is Not Available, You Can Choose Between Hub = 5,10, 25, 30, 40, 50
Ident.-Nr. W0952022180
7020021100 Ventil Magnetventil Sov 35 Sos Oo5/2-Wege-Magnetventil, 1/4", Ohne Spule
W0952022180 Reed-Sensor Tnut Cr22m Dsa2-C 2pol. 2,5m
W3120000021
W0950502020 Kopf
4480003
Cr22m W0952022180 Sensor
W4005001150
2101021 Fitting
7062020104
4482008 Filterregler 300 1/2 20 012 Rmsa
Nsvg5sesoo70690301
4480005
W0970530024 Muffler 3/8 Mwse
0090500502
2170800020ap
1213500400cn
Reg 200 1/2" Getriebe
Sov 25 Sos 00 Magnetventil
W095431
Rubber For 7020001400 - Not Available
W3501000100
121a400500cn
Z08ff55pt018050s1
5520500 M5 Regtronic

[7010020500 3/2 Wegeventil 1/8 Sov 23
Ses Nc](#)

[7010021200 5/2 Wegeventil 1/8 Sov 25
Sob Oo](#)

[7062020102](#)

[121a320075cp Pneumatikzylinder](#)

[Cy0006519 Solenoid Coil.24vdc3/0.3w0-
13bar](#)

[7010021200 Ventil Sov25 Sob Oo](#)

[4583004](#)

[W0215000001 Spule 22 D8 5w-
24vdc24v= , 5w , 100% Ed Ip 65- Din
40050](#)

[W0952025390](#)

[9025008?](#)

[7010021100 5/2 Wegeventil 1/8 Sov 25
Sos Oo](#)

[3402003a](#)

[707303011 Ventil K8hdm](#)

[2151005 Fitting](#)

[W1800400050](#)

[W0215000101](#)

[7070030132](#)

[7062040102](#)

[707303063](#)

[8825922](#)

[706903132 Wegeventil V6](#)

[9000500](#)

[514.144](#)

[115q40a550cp](#)

[7010020200](#)

[W1630253180 Drehmodul Mit Flansch
+stosdaempfer R3-25](#)

0090327001
W1630222180 Rotary Actuators Series R3, With Flange R3-180
W0511101101 Rotations-Verbindung Acc.Giunto Rtj-Osg-18-18
7010021100
W0950322020 Gabelkopf Gk-M M10x1,25
Sensoren Fur Die T-Nut Reed Sensor, M8-Stecker An 300 Mm Kabel
1210800250ap
W0950000201.
9450101 Reparatursatz
9041002
121a630100cp Reparatursatz Luftkappedurchmesser Zylinder: 63mm Hub: 100mm
7073030110 Hdm K8 Man. Monost. Valve
2101001 Fitting
Kom 3329/4
7070030112
W0950000222 Elektromagnetische Sensor
543211881300 Air Treatment Unit