



Midtronics, B.V., Emea

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Midtronics, B.V., Emea Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Midtronics, B.V., Emea T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Mdx 670 Hp	Only the cable from the device
MDX-655P	Midtronics Battery Tester MDX 655P START STOP Battery test and more sophisticated Voltage test for starting and charging system, with integrated printer Battery voltage: 6 V, 12 V and 24 V Battery types: lead-acid, gel, AGM, AGM Spiral and EFB Start / Stop batteries: Yes Battery diagnosis: No. System test: only voltage Heavy load test: No. Temperature sensor: no Cable length: 3.0 m
MDX-655P	Midtronics MDX 655P Battery Tester START STOP Battery test and more advanced Voltage test for starting and charging system, with integrated printer Battery voltage: 6 V, 12 V and 24 V Battery Types: Lead Acid, Gel, AGM, AGM Spiral and EFB Start/Stop Batteries: Yes Battery Diagnostics: No System test: voltage only Heavy Duty Test: No Temperature Sensor: No Cable Length: 3.0m
Exp 717	nur das Batterietesterkabel
EXP_1030	
EXP_925	OEM , no offer !!
Exp- 1625	
EXP-1050	

CPX 900-P HD EU	CPX-900 Battery & Electrical System with integrated printer Analyzer offers advanced diagnostics via Conductance Profiling™, a patented Midtronics technology that identifies batteries with low reserve capacity. This is a key capability essential to accurately assess batteries that must support the increasing electrical demands placed on modern vehicles. Cars, Motorbike, New Batteries and Trucks
A018	Midtronics amp clamp with RJ connection for EXP-1000 / EXP-1000HD /EST
EXP-1051	
EXP-813 FGA	Ersatzteil Zylinder (papier)
EXP-1000	Midtronics Battery Tester EXP-1000 Battery test, more advanced Voltage test with advanced diagnostics for Starting and loading system Battery Voltage: 6V & 12V Battery Types: Lead-Acid, Gel, and AGM AGM spiral Start/Stop Batteries: No Battery Diagnostics: Yes System test: Yes Heavy Duty Test: No Temperature Sensor: Yes Cable Length: 3.0m WEEE reg. No.: DE59358220
MDX-315P	
Spare cable for EXP1000	
Exp-717	
RS232 barcode reader cable +	rubber roller sprocket
40-209 / PRO Battery Tester	
CPX-930	
CPX-950	
Exp-1000	+ Kabel
CPX-900 EU	Conductance Profiling Battery and System Diagnostic Platform incl. 1.2 meter cable
CPX 900-P	CPX-900 Battery & Electrical System Analyzer offers advanced diagnostics via Conductance Profiling™, a patented Midtronics technology that identifies batteries with low reserve capacity. This is a key capability essential to accurately assess batteries that must support the increasing electrical demands placed on modern vehicles.
130-569	Kabel, MDX-600, 1,1 Meter
Extra Kabel	
MDX-655P CCA	
GR1-240	
	Midtronics Battery Conductance and System Tester CPX-900 The CPX-900 offers extended diagnostics via conductance Profiling that identifies batteries with low reserve capacity.

CPX-900	This is a key feature required for accurate assessment of batteries is required to cope with the increasing electrical To meet the requirements of modern vehicles. Battery voltage: 12V Battery types: Lead-acid, Gel, AGM, AGM Spiral and EFB Start/Stop batteries: Yes Battery diagnosis: Yes DMM mode: No Battery registration: Yes System test: Yes Heavy load test: No Temperature sensor: Yes Cable length: 1.2 m
A088 Midtronics Printer	
Exp 717	
Cpx-900p	Midtronics Battery Conductance and System Tester CPX-900P The CPX-900 offers an advanced Diagnosis via Conductance Profiling, the Batteries with low reserve capacity identified. This is a key function for an accurate assessment of Batteries are needed to keep up electrical requirements of modern To meet vehicles. Battery voltage: 12V Battery types: lead acid, gel, AGM, AGM Spiral u. EFB Start / Stop Batteries: Yes Battery diagnosis: Yes DMM mode: no Battery registration: Yes System test: Yes Heavy load test: no Temperature sensor: Yes Cable length: 1.2 m Printer: Yes
Exp 717 Hd	
Exp-1000	Midtronics battery tester EXP-1000 Battery test, more sophisticated Voltage test with extended diagnosis for Starting and charging system Battery voltage: 6 V and 12 V Battery types: lead-acid, gel, AGM and AGM spiral Start / Stop batteries: No. Battery diagnosis: yes System test: yes Heavy load test: No. Temperature sensor: yes Cable length: 3.0 m Protective case, robust hard-shell design
130-072 Cable 1.1mt	Midtronics replacement cable for EXP-1000 Short version 1,1mt
Art Nr. 130-078	Cable f. Midtronics battery tester EXP1000 3,0 m
Mcr 717	
Thermal Roller Printer Cage	