

Mircom

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Mircom Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Mircom T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Cr-135-2c	
Mtwpb-2475w-Nr	
43t-G10-115-S	
Dbb-W	
Ps-Exp-Retro	
Stwc-Na	
Rss-24mcwh-Fw	
Et70wp-24135w-Fr	
Echsg90-R	
Px62500283	XB11/DB425 UL X(70) RED SPEAKER/STROBE RED LENS,70 VRMS,25W TRANS,CL 1 DIV 2,RED
Ps-8e-B	

S8a-24mcc-Nw	
43t-G10-115-R	
Rssa-24mcc-Alw	
Rss-24mcw-Nr	
Spscwk-Clr-Alert	
B110lp	
En4	
Sth-2r24mcch-Fr	SPEAKER/STROBE CLUST,2 STH 15 SR,RSS 24MCCH,FIRE,RED
E90g-24mcc-Nw	
Stw-Na	
Cf-135-2	
R-24t	
E70-241575w-Nw	
Rsspa-24mcw-Alw	
Amt-12/24-R-Nyc	
Rsswp-2475w-Fw	
Mt-24mcw-Nw	
Cr-200	
Dhe2pc	
Wtp	
Uta-W h-Vps	
Pc4w	
Spmns-Mic	
2251rap	
Rssa-24mcch-Nw	
Px62500284	XB11/DB425 UL X(70) CLEAR RED SPEAKER/STROBE CLR LENS,70 VRMS,25W TRANS,CL 1 DIV 2,RED (CN109209-001
Et70wpa-2475w-Alr	
Nps-Y	
Sth-4r	
Mtwp-24mcch-Fr	

Lens-Ac	
Spbx-160	SAFEPATH SPB 160 REPLACEMENT MOTHER BOARED
E60-24mcc-Fw	
20/20-005	
Ewr	
Cr-135-2-Ewt	
Swhk-P	
Ch70-24mcwh-Fw	
Ft-2145	BATTERY TEST LAMP, INCLUDING UNIVERSAL CHARGER
E60-W	
Trw-Hs	
Et70wpa-2475w-Alw	
Et70wp-2475w-Fr	
Mt4-115-W h-Vns	
Px869111	DB1PULA024D1D2NNNR HORN MULTITONE,24VDC,93DBA,CL 1 DIV 1,RED
Strc-Na	
Nps-W	
Sti-9604	
Mix-M500ma	
Wtp-Sp	
Sth-15s	
Tr-Hs	
Ch90-24mcc-Fr	
P2wk-P	
Beamhk	
Cvx10-115-S	EXPL. PROOF,VIBRATING BELL,115 VAC,SLVR
Spscwk	
E50-24mcc-Fr	
Sprv	
Cf-200	

E70-24mcwh-Fn	
Swh	
E50a-24mcw-Nw	
Spswk-P	
Lens-G	
Beam1224s	CONVENTIONAL BEAM DETECTOR SINGLE ENDED C/W 8 REFLECTOR INTEGRAL SENSITIVITY TEST
Hs4-24mcc-Fw	
Mtwpb-24mcch-Nw	
5000-012	
Mix2251rap	
Stw-Nb	
Cxsq10-115-R	EXPL. PROOF, SINGLE STROKE BELL, OUTDOOR, 115 VAC, RED
Spwv	
Wg-152	
Scwhk	
Et70wp-24115c-Fr	
Et80-24mcw-Fr-Ulc	
Rssrp-W	
Hsr	
2151t	
P2wh-P	
Lens-B	
Cb500	
Px869210	XB11/DB3 UL 110V RED/RED MULTITONE STROBE RED LENS, 110VAC, CL 1 DIV 2, RED
Spscwv	
Nps-G	
Sp40se-B	SAFE PATH MULTIFUNCTION FACILITY COMMUN SYS, 220 VAC, BLK
Rssr-24mcc-Nw	
Mtwp-24mcwh-Fw	

P4rh	
Mr-101/C/R	
Et90-24mcch-Fn	
Spb-160	SP40S SUPERVISED AUDIO POWER BOOSTER,160W ,RED
Mb-G6-24-S	
Sth-2ms-R	
Smb600	
Cf-135-C	
43t-G6-115-R	
Echsg60-Fr	
Rsswpg-24mcch-Nw	
Ec-240	
Spb-80/4-B	SP SUPERV AUDIO POWER BOOSTER,80W ,4A STRB PWR,BLK
E70-24mcw-Alw	
Is-2000	
R-14e	
Wfpa-R	
Scw-Clr-Alert	
Et70wp-2475c-Fr	
Bl-6	
Et70wp-2475c-Alw	
Rssp-24mcw-Fw	
E90-24mcc-Fn	
Spsep-Bbsw	
Rms-6t-Exp-Kl-Lp	
Ch70-24-R	
Mta-121575w-Nw	
Et70-24mcw-Alw	
Cbb-8	
R-10e	

Trw	
Cf-200w	
Sw-Clr-Alert	
E50ssb-R	
Mix-M500ra	
Sth-2r24mcch-Nr	
Rss-24mcwh-Fr	
Echsg70-Fn	
Sg-210s	
Isp2-R	
Pam-3	
Et70wp-24115c-Fw	
Cvxg10-115-S	EXPL. PROOF,VIBRATING BELL,OUTDOOR,115 VAC,SLVR
E50-24mcw-Alr	
2d51	
Nps-B	
1000-021	
Cf-135w	
Sth-90-R24mcch-Fr	
E70-241575w-Fw	
E90a-24mcch-Alw	
Sth-3ms-R	
Et90-24mcc-Fn	
Et70-24mcw-Alr	
Rssg-24mcc-Nw	
Sprm-Gp	
Px869135	DB3UL110N2CNRZ HORN MULTITONE,110VAC,108DBA,CL 1 DIV 2,RED
Hs4-24mcch-Fr	
Ch70-24mcw-Fr	
Spswv	

Dpcvr	
Mtwp-2475w-Fw	
Ac-Max-R	
Echg50-W	
Dscvrw	
302-135	
Sti-8100	
Co1224tr	
Asrs-R-Dc	
Et80-24mcw-Fw	
5151	
Spb-160e	SP40S SUPERVISED AUDIO POWER BOOSTER,160W,RED, 220 VAC
Rsswp-2475c-Fr	
Ssv120-8	
Csx10-24-R	EXPL. PROOF,SINGLE STROKE BELL,24 VDC,RED
Spcw	
Px869171	XB11UL02406RNBNNNR STROBE RED LENS,24VDC,29CD,CLASS 1 DIV 2,RED
Swk-P	
Spsrk	
Psx-Pse	
Mt-12/24-R	
Mcmmix5251rap	
P2r	
Csx10-115-S	EXPL. PROOF,SINGLE STROKE BELL,115 VAC,SLVR
F-A3384-000	
Sp40se-D-B	SAFEPATH MULTIFUNCTION FACILITY COMMUN SYS, 220 VAC,BLK SYS W/ A 10-MIN TIMEOUT FEATURE
Px869190	XB11UL02406RNBNNNN STROBE RED LENS,24VDC,29CD,CLASS 1 DIV 2,BLK
Trcw-Hs	

Px869398	XB15UL02406RWBNN STROBE RED LENS,24VDC,330CD,CLASS 1 DIV 2,BLK
Strc-A	
Rts151	
Sp40se-D	SAFEPATH MULTIFUNCTION FACILITY COMMUN SYS, 220 VAC SYS W/ A 10-MIN TIMEOUT FEATURE
Et70-24mcwh-Fw	
Mb-G10-12-R	
Rsswpa-2475w-Alw	
Spswk-Clr-Alert	
Scw-P	
E70b-24mcc-Nw	
Et90-24mcch-Nw	
SpscrV	
Swh-P	
Hsrc-N	
Hsw-Al	
Mhr	
Px56201072	SM87HXBAUL024CN4L4RNNR STROBE CLEAR LENS,24VDC,29CD,CLASS 1 DIV 1,RED
Cr-135-2co	
Dhe3pc	
Ap-R	
Spsw-Clr-Alert	
Strc-N	
Pc4rk	
Ch70-24mcw-Fw	
Cf-200-2c	
Aswp-24mcwh-Fr	
30-3003	OPTICAL SMOKE DETECTOR, EXPLOSION PROOF, NOT FM OR ULC APPROVED
E90a-24mcc-Nw	
Cr-200-2c	

Wp-Kit	
Ps-6-Exp	
Swk	
Sa-H15-B	
Rssrp-Fw	
Rts2-Aos	
E90g-24mcch-Nw	
302-Epm-194	
Cr-200-C-Ewt	
P2whk-P	
E70-N	
Ms-401	
Sa-H5-B	
Sbb-W	
Rsswp-24mcwh-Fw	
Mids-R-Ac	
Am-Sp40s-Nbt	
Wfp-R	
Sti-1200	
30-2056b	EXPLOSION PROOF, IR, 24VDC, NOT FM OR ULC APPROVED
Sti-9605	
Mlp-Ar-Apw-Op-Sep	EXPLOSION PROOF INFRARED OPTICAL DETECTOR
Ps-6e-B	
E90-N	
Mix-2251ba	
Wpsbb-R	
Mdl3r	
Hsr-N	
Et70a-24mcwh-Nw	
Wfp-W	

Rsswpa-2475w-Nw	
Ap-W	
Mix5251b	
R-24e	
Sth-15sr-Ulc	
TI-2055	
E60-24mcc-Alw	
E50-24mcwh-Alw	
Ch70-24-W	
Px869408	
Beam1224	
Px869205	DB3/XB11UL 24V RED/RED MULTITONE STROBE RED LENS,24VDC,CL 1 DIV 2,RED
Hs4-24mcwh-Fw	
Px19900177	DB415ULXN2CRZ SPEAKER 70 VRMS,15W TRANSFORMER,CL 1,DIV 2,RED (CN109208-002)
Hs-24-W	
Mr-101/T	
E50a-24mcw-Alw	
Spb-80/4e	SP SUPERV AUDIO POWER BOOSTER,80W,4A STRB PWR,RED, 220 VAC
Ps-8-B	
Str-Nr	
Nps-Nc	
Sti-6535	
5000-014	
Csxg10-115-S	EXPL. PROOF,SINGLE STROKE BELL,OUTDOOR,115VAC,SLVR
Rsscwp-Fw	
Et80-241575w-Fw	
Et70wp-24185w-Fw	
Rssr-24mcch-Nw	
Sti-6525	

Px869174	XB11UL02406CNBNNNR STROBE CLEAR LENS,24VDC,29CD,CLASS 1 DIV 2,RED
Sth-3r	
Cf-135	
100ru	
Pc4rh	
Px28000043	PBUL4C6C4DSN7R PUSH BUTTON,CL 1 DIV 2,FIRE LABEL,RED
Pam-4	
Et-1010-R	
Rfpw	
Trc-Hs	
Sep-Spsw	
Px869115	DB1HPULA024D1D2NNNR HORN MULTITONE,24VDC,100DBA,CL 1 DIV 1,RED
Awp-24mcwh-Fw	
Sth-3r24mcch-Fr	
E70a-24mcc-Alw	
Et70wp-2475w-Alr	
Dc-Max-A	
E50-24mcwh-Fw	
Rsswpr-24mcch-Nw	
Mt-24mcw-Ar	
Sa-S90-W	
Sep-Bbsw	
Mb-G6-6-R	
Co-Plate	
Stw-Ab	
Sti-1230	
Cf-200-Mp	
E90-24mcch-Nw	
Co1224t	
Et70-24mcw-Nw	

Mtwpr-24mcch-Nw	
Pc2rhk	
E70a-24mcc-Nw	
E70-24mcw-Nr	
E90-24mcc-Alw	
E70-24mcwh-Alw	
Stw-Ala	
Min-Ta	
30-3003d	DUCT, OPTICAL SMOKE DETECTOR, EXPLOSION PROOF, NOT FM OR ULC APPROVED
20/20-003	
Hs4-24mcw-Fr	
Mt-24mcw-Fr	
Amt-241575w-Nw	
Srh	
Spb-80/4	SP SUPERV AUDIO POWER BOOSTER,80W,4A STRB PWR,RED
Px18800386	XB4ULB8D2E3E06ANCN1R STROBE CLEAR LENS,24VDC,355CD,CL 1 DIV 1,RED
P-Union	
E50-24mcc-Fw	
E70a-24mcw-Alw	
Rss-24mcc-Fw	
Echg70-R	
Amt-24mcw-Fw	
Ac-Max-C	
Swh-Alert	
Esbw	
Csx10-24-S	EXPL. PROOF,SINGLE STROKE BELL,24 VDC,SLVR
Spmns	SAFEPATH MNS CONTROL UNIT
Rtc100	
E70-24mcw-Fn	

Cf-135-Ewt	
Wbb-R	
Rssp-24mcw-Nr	
Mr-201/C/R	
Hswc-A	
Sti-6500	
Wpsbb-W	
Hw	
Beamsmk	
Cvx10-115-R	EXPL. PROOF,VIBRATING BELL,115 VAC,RED
E60-24mcch-Fw	
Ssm24-8	
Sym-Dc	
Ps-15a-Wpw	
Mtwp-24mcch-Fw	
Hs4-24mcwh-Fr	
608	
E50ssb-W	
D4s	
Et70wp-24185w-Nw	
Spb-160e-B	SP40S SUPERVISED AUDIO POWER BOOSTER,160W ,RED, 220 VAC,BLK
Ec-100	
Rssp-241575w-Fr	
Px869175	XB11UL11006RNBNNNR STROBE RED LENS,110VAC,29CD,CLASS 1 DIV 2,RED
Sbl2-R	
Sti-1221e	
Cf-200-2	
Px869176	XB11UL11006ANBNNNR STROBE AMBER LENS,110VAC,29CD,CLASS 1 DIV 2,RED
Llc	

Scrh	
Mt4-12/24-R	
Ss2-An	MULTI-SPECTRUM OPTICAL FLAME DETECTOR WITHOUT THE SELF-TEST FEATURE. EXPLOSION PROOF, ALUMINUM HOUSI
E70-24mcw-Alr	
Swhk	
Spcrv	
Spx40s	SAFEPATH SP40S REPLACEMENT MOTHER BOARED
Ps-6	
Psx-Log	
Sp-Svc	
Et70wpa-2475w-Nw	
D4120w	
Mt-121575w-Fw	
Mtwpa-24mcch-Nw	
Mr201c	
E90b-24mcc-Nw	
Rsspa-24mcc-Nw	
Spbps-X	
E90a-24mcc-Alw	
Spscwh-P	
P-Tee	
Px36200102	SM87PBLAUL3T3B3NNR PUSH BUTTON,CL 1 DIV 1,FIRE LABEL,RED
Stwc-Ala	
Rt	
Amt-241575w-Fw	
Spcwv	
Et70-24mcwh-Fn	
Beamlrk	
Et70a-24mcw-Alw	
E60-24mcwh-Fw	

Et70wp-24185w-Fr	
302-Aw-194	
Echg60-R	
Mix2251br	
Batc-R	
Sbl2-W	
Sa-S70-24mcw-Fw	
Str-N	
Sp40s-D-Pik	
31t-115-R	
E70g-24mcc-Nw	
Spb-320e	AUDIO POWER BOOSTER,320W ,E
2w-B	
F2000 Eexd	EXPLOSION PROOF PROJECTED BEAM TYPE SMOKE DETECTOR, 24 VDC, 4-WIRE (TRANSMITTER, RECEIVER AND CONTRO
E60-W-Ulc	
Rj71-C	
Px27600284	XB15UL02406CWBNR STROBE CLEAR LENS,24VDC,330CD,CLASS 1 DIV 2,RED
E70-24mcc-Fw	
Xr2b	
B114lp	
Mix5251ap	
Ec-140	
Px56201144	SM87HXBAUL024RN4L4RNNR STROBE RED LENS,24VDC,29CD, CLASS 1 DIV 1,RED
Awp-24mcch-Fw	
E50-R	
Sens-Rdr	
Rss-24mcwh-Nr	
	SM87HXBAUL110AN3R3LNNR STROBE AMBER

Px869166	LENS,110VAC,29CD,CLASS 1 DIV 1,RED
Sti-1100	
E70-24mcc-Alr	
Px19900178	DB425ULXN2CRZ SPEAKER 70 VRMS,25W TRANSFORMER,CL 1 DIV 2,RED (CN109208-001)
Rssrp-R	
Psx-Ps	
Rsswpa-2475c-Alw	
Bb-S	
Rssp-24mcw-Nw	
Pr-2	
23835	
Sr-P	
Wbb-R-1/2t-1/2b	
Aswp-2475w-Fr	
Ec-116	
E50-W-Ulc	
5604	
P-Elb-45	
Sti-1227	
Spscrh	
S8b-24mcch-Nw	
Dst10	
Et70a-24mcw-Nw	
Rsswp-2475c-Fw	
Rsswpb-24mcch-Nw	
Et70-241575w-Fr	
Hrk	
Cf-135-2-Mp	
Et70wp-2475w-Fw	
Beammmk	

Mrm-Rms6texp	
Apa151	
Vc-10	
Xal-53	
Et70-24mcch-Fw	
Iob-R	
Mtg-24mcch-Nw	
Echg90-W	
Pc4r	
Shmp-S	
Hs4-24mcch-Fw	
Srhk-P	
Dwhk	
Dc-Maxs-A	
Eps-2401	
Rssp-121575w-Fr	
Shbb-R	
P2rhk-P	
Amt-24mcw-Fr	
Rss-24mcc-Nw	
Bat-1265	
Spswh-P	
Cr-135-2-Mp	
Csx10-115-R	EXPL. PROOF,SINGLE STROKE BELL,115 VAC,RED
Str-Nb	
43t-G10-24-R	
Rssp-24mcwh-Fr	
E60-24mcch-Fr	
Rssrp-Fr	
Ps-8-Exp	

Cr-200-2-Mp	
Echg70-N	
302-Epm-135	
P2w-P	
Sth-4r24mcch-Fw	
Asb-24mcw-Nw	
Ch70-241575w-Fr	
M02-09-00	
Cf-135-2-Ewt	
Rsswp-2475w-Fr	
E60-24mcw-Fw	
Spscwvh	
Mt-241575w-Fr	
Px869121	XB4ULB8D2E3E06ANRN1R STROBE RED LENS,24VDC,355CD,CL 1 DIV 1,RED
Rfp	
Et90-24mcch-Fw	
Et70-24mcw-Fr	
2wt-B	
Rss-241575w-Fr	
Et70-24mcwh-Nw	
Cvxq10-115-R	EXPL. PROOF,VIBRATING BELL,OUTDOOR,115 VAC,RED
6500smk	
Ac-Max-A	
Sfp-S	
Lens-R	
Rss-24mcw-Nw	
Sa-S70-24mcw-Fr	
Rsswp-24mcwh-Fr	
Cr-135-2	
Stwc-Nr	

[Pc2wh-P](#)

[Dsm-12/24-R](#)

[Rss-24mcw-Alw](#)

[E90-24mcch-Alw](#)

[Sth-2r](#)

[E50-24mcw-Alw](#)

[E50-R-Ulc](#)

[P-Label-P](#)

[Dc-Max-B](#)

[Ec-103](#)

[Echsg50-Fw](#)

[Rssa-24mcw-Alw](#)

[Mb-G6-12-S](#)

[Sti-6505](#)

[Xr2](#)

[Spscw](#)

[Mtwp-2475c-Fw](#)

[Wbb-S](#)

[Beamhkr](#)

[Echsg70w-Fr](#)

[S8-24mcc-Fw](#)

[Aswp-24mcch-Fr](#)

[Sth-2g](#)

[43t-G6-24-S](#)

[Mtwpg-24mcch-Nw](#)

[Ac-Max-B](#)

[Spscw-Clr-Alert](#)

[43t-G6-115-S](#)

[Cf-200-2-Mp](#)

[Mr-204/T](#)

2wtr-B	
Fls-A-Dc	
Rsspa-24mcc-Alw	
Trcw	
Rssp-121575w-Fw	
R-10t	
Ma-771d	
Px22600456	XB12UL02406CNBNNR STROBE CLEAR LENS,24VDC,255CD,CLASS 1 DIV 2,RED
Fs24x-211-21	MULTI-SPECTRUM TRIPLE IR OPTICAL FLAME DETECTORS WITH THROUGH-THE-LENS TESTING, IP66 ALUMINUM ENCLOS
Aswp-2475c-Fr	
Dc-Maxs-B	
Rssg-24mcch-Nw	
1000-018	
5000-031	
Ssv120-6	
Lens-Gc	
Stwc-N	
Ms703u	
Spsw	
Lemd-M	
Spb-80/4e-B	SP SUPERV AUDIO POWER BOOSTER,80W,4A STRB PWR,RED, 220 VAC,BLK
Pc2rh	
Scwh	
Crt-T-40	
Lens-A	
Nps-R	
R-20t	
Sti-9610	

Sth-4r24mcch110b-Nr	
Rss-24mcch-Fw	
P-Samp-Kt	SAMPLING POINT KIT, FAAST. 10 EA
Px29600042	
Et70wp-24177c-Alr	
Sp40s	
Cr-200-Mp	
E60-R	
43t-G6-24-R	
Px62500274	XB11/DB3 UL 24VDC CLEAR/RED MULTITONE STROBE CLEAR LENS,24VDC,CL 1 DIV 2,RED (CN109209-002)
Ssb-4	
Ms403u	
Mth-24	
Fs24x-911-21	MULTI-SPECTRUM TRIPLE IR OPTICAL FLAME DETECTORS WITH THROUGH-THE-LENS TESTING, IP66 ALUMINUM ENCLOS
Et90-24mcc-Nw	
Bat-1212	
5000-103	FIRERAY 5000 REFLECTIVE BEAM SMOKE DETECTOR.ALLOWS UP TO 4 BEAM DETECTORS TO BE INSTALLED AS ONE SY
Coil400	
Lens-Bc	
Wtpw	
Scw	
Et90-24mcc-Fw	
Ssb-8	
Et80-24mcwh-Fr	
Echsg60-Fw	
Bb-210	
St-C8mv	
E50r-24mcwh-Nw	
Spsrv-P	

Strc-AI	
Px869396	XB15UL02406RWPNN STROBE RED LENS,PIPE MT,24VDC,330CD,CL 1 DIV 2,BLK
Wg-010	
Spb-320	
Evax	
Sp4z-A/B	
Srh-P	
E60-24mcc-Fr	
Aswp-2475w-Nr	
Cr-135-C-Mp	
Smb500	
Et70-N	
Tb-592	
Aswp-2475w-Fw	
Ap-S	
Csxg10-24-R	EXPL. PROOF,SINGLE STROKE BELL,OUTDOOR,24 VDC,RED
Ch90-24-R	
Strc-Ng	
Smk400	
Mixm500r	
Sp4-Loc-Kit	
Hnr	
Miz-24s-R	
Hs4-241575w-Fw	
E90-R	
2w-Mod2	
Et80-241575w-Fr	
Ss2-A	MULTI-SPECTRUM OPTICAL FLAME DETECTOR WITHOUT THE SELF-TEST FEATURE. EXPLOSION PROOF, ALUMINUM HOUSI
50ru	

E90-24mcc-Fw	
Rps-2406	
Mwbb	
Sa-Wbbc	
Nacim	
Rssb-24mcwh-Alw	
Mtwp-24mcwh-Fr	
Dbb-S	
Sfp-R	
Cf-285	
St-C8m	
Spscrvh	
Cr-135-Ewt	
Ec-300	
Pc2r-P	
302-194	
5601p	
Strc-Nb	
Rsswp-2475w-Alw	
Dst1.5	
Px869131	DB3UL048N2CNRZ HORN MULTITONE,24VDC,108DBA,CL 1 DIV 2,RED (CN109207-001)
Ah-24wp-R	
Pc4rhk	
Aswp-2475c-Fw	
Bbs-2	
302-Aw-135	
Cf-200-Ewt	