

Mirtone

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Mirtone Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Mirtone T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



| ¼r¼n | A¼ıklama |
|------------------------------|---|
| Vm-Elec | BASE ELECTRONICS, REPLACEMENT, VIGILANT |
| Gcwa-S7vmhc | |
| Anst28180 | |
| Lsra-Sb | |
| Slu-16r | |
| 403-Sb | |
| 12v10a | |
| SI20I5s | |
| Gsa-Sb4 | |
| Qsa-2-F | |
| Mg1f-Hdv1575 | |
| Sb4u | |

| | |
|--------------------------------|---|
| 6830-Ny-F4 | |
| Mgc-S7vm | |
| Mir2-Mcd | |
| Mir-Rqs1-Cpu-1 | |
| Gsa-Mp1 | |
| Mr104t | |
| Vs2-Gd | FACP, 1 INTELLIGENT LOOP SUPPORTING 125 DETECTORS/125 MODULES, 2ND LOOP OPTIONAL, 4 CLASS B NACS, |
| Gcwn-Vma | |
| 716020902 | |
| Int-8ar2 | |
| Ec-100r | REFLECTIVE BEAM DETECTOR (160-330FT) |
| 439dex-8aw | |
| 72401800 | |
| 4ms-5ar | |
| Sru-8 | |
| Progcable-1 | |
| Ms-8ar | |
| Lkw-8 | |
| Mgcf-Hdvm | |
| Trim-1r | |
| Wg4wa-Svmc | |
| 276b-1320 | |
| Mgcf-S7vm | |
| Cr135-2 | |
| Vm-Pmi | AUDIO SYSTEM CONTROL AND PAGING INTERFACE, INCLUDES AUDIO CONTROL UNIT, INTERCONNECT CABLES, MOUNTI |
| Aps6a | |
| Gcwn-S7vmha | |
| Mgc-S2 | |

| | |
|--------------------------------|--|
| 439d-6aw | |
| Trim-12 | |
| Ans50mdr | 50 WATT AMPLIFIER, DMR, TEMPORAL PATTERN, POWER SUPPLY AND BAT |
| G4wa-S7vma | |
| Lsra-Prog | |
| Fsp302gd | |
| Gsa-Mdm | |
| Mir2-3ann/D | |
| Zr8 | |
| Jalx11 | |
| 250-Coplt-5pkg | |
| Gsa-Io | |
| Sd-T18 | |
| Mir2-W b7dr | |
| Rlcd-C | |
| Gcwa-Vmhc | |
| Fsrzi-Sa | |
| 521ncrxt | |
| G4erf-C | |
| Mg4f-S7vm | |
| Wg4rf-Svmhc | |
| Fsp302r | |
| Mr704/T | |
| Sti-1200 | |
| Int-Wb | |
| Sti-1230 | |
| Wg4wts | |
| Vm-Slc | LOOP EXPANSION, VM SYSTEMS, 250 ANALOG ADDRESSABLE DEVICES TOTAL, 125 DETECTORS, 125 MODULES |
| Ans100xg | AUDIO EXPANDER PANEL 100W W/O DMR OR MIC. INCLUDES POWER SUPPLY AND BATTERY CHARGER. G |

| | |
|-------------------------------|--|
| 278b-2320 | |
| G4ewf-C | |
| G4wa-S2vmc | |
| Ts7-2t | |
| Mg1t-Fire | |
| Mg4f-S7 | |
| Mg1r-Hd | |
| Vm-1s | FACP, COMPLETE SYSTEM WITH USER INTERFACE, CPU, 1 LOOP W/ 2ND LOOP EXPANSION, 4 CLASS B NACS, UNIV |
| Ans50a | 50 WATT EXPANDER MODULE (NO MICROPHONE, NO DMR) CABINET NOT INCLUDED. |
| Sd-T78 | |
| Vm-Rlcm/B | |
| Mpsr2-S45w-Ge | |
| 6832-1 | |
| Mgc-S2vmh | |
| 403-8a-R | |
| Gsa-Ps | |
| Sa-Dact | |
| 6830-5a-4 | |
| G4ewa-A | |
| Qs-Cable12 | |
| Mir-Sra4 | |
| P-047546-0025 | |
| 12v65a | |
| Gcwa-S7vma | |
| 302-Aw-135 | |
| Bc-2r | |
| Fsp502r | |
| 276b-1420 | |
| C-Trim | |
| | |

| | |
|------------------------------|--|
| Int-8at | |
| Sd-Mag | |
| Ans100mdr | 100 WATT AMPLIFIER, DMR, TEMPORAL PATTERN, POWER SUPPLY AND BA |
| V-Hrd | |
| Gsa-Rb | |
| Vs1-Rd | |
| 282b-Pl | |
| Ans50xr | AUDIO EXPANDER PANEL 50W W/O DMR OR MIC. INCLUDES POWER SUPPLY AND BATTERY CHARGER. RE |
| Vs1-G | |
| Int-7atw | |
| Siga-Dgmf | |
| Slu-16y | |
| Ap-P | |
| Gsa-Crr | |
| Mr101/C | |
| Qsa-1-S-Vr | |
| Gsa-Ab4g | |
| Mg1r-Cvm | |
| Lkw-10 | |
| Csbu-3 | |
| Fsp1004gd | |
| 7160212-01 | |
| Int-8atw | |
| Gsa-Cr-Rp | |
| Fsra10c | |
| 116dexstc-Fj | STROBE, HAZARDOUS LOCATION, CLEAR |
| Cr200-2 | |
| Lkw-6 | |
| F-Trim10g | |
| 75317 | |

| | |
|-------------------------------|-----------------|
| Xgd | |
| 439d-10aw-R | |
| Wg4rn-S | |
| Mirbps6a | |
| Gcwn-S2vmhc | |
| Mgc-Vmh | |
| Mpsr1-Dhtw-Ge | |
| P-039250 | |
| Qse-011a | BATTERY CHARGER |
| Mr801/S | |
| Gsa-Mb4 | |
| 284b-PI | |
| Mr701/T | |
| Swu-8 | |
| Qsa-1-F-Vr | |
| Stonco27 | |
| Cdr-3 | |
| Vs1-Gd | |
| Mg1rf-Hdvm | |
| Bp-A | |
| Vm-Arm-S | |
| 73595u | |
| Fs-3dr | |
| Gcwa-Vma | |
| Sd-Gsk | |
| 4ms-7ar | |
| Qs-1-Vr | |
| 10ann/B | |
| Wg4wn-Svma | |
| Siga-Ts4 | |
| | |

| | |
|-----------------------------------|---|
| Ans25amd | 25 WATT AUDIO NOTIFICATION MODULE WITH DMR AND MICROPHONE. REQ. TRANSFORMER ORDERED SEPAR |
| Gsa-Uio6 | |
| 270a-Spo | |
| Amk-Rn | |
| Sdr-32k-C | |
| 4ms-7aw | |
| Gcwa-S7vmha | |
| Mgc-Hdvm | |
| Ans50amd | 50WATT AUDIO NOTIFICATION MODULE WITH DMR AND MICROPHONE. CABINET NOT INCLUDED. |
| Mr708/T | |
| Ans50am | 50 WATT EXPANDER MODULE WITH MICROPHONE. (NO DMR). CABINET NOT INCLUDED. |
| Mg1-Cvm | |
| 1501-Aqn5 | |
| Xal53 | |
| Mpsr2-Shtw-Ge | |
| Sd-Trk4 | |
| Gcix | |
| Mgc-Hdvmh | |
| 116ex-P | |
| C-Dts | |
| Mir2-Mcmn | NETWORK MAIN CONTROLLER MODULE. PROVIDES CONNECTION FOR ONE SIGNATURE DATA CIRCU |
| 278a-Rel | |
| Siga-Aa50 | |
| Gsa-Mab | |
| Mpsr2-S45w-Ge-Nyw | |
| 7160211-01 | |
| 0201-01-A | |
| Smxlo2 | |
| | AUDIO NOTIFICATION PANEL 25 WATT AMPLIFIER, INCLUDES |

| | |
|--------------------------------|--|
| Ans25mdg | DMR, TEMPORAL PATTERN, POWER SUPPLY |
| Ans100mdg | 100 WATT AMPLIFIER, DMR, TEMPORAL PATTERN, POWER SUPPLY AND BA |
| Int-7ar | |
| Sd-Rj15 | |
| Mg4rf-S2 | |
| Mirbps10a | |
| Crb4u-1 | |
| 6700-0061 | |
| G4wa-S2vma | |
| Gsa-St | |
| Mgc-Vm | |
| 6831-4 | |
| 6831-3 | |
| Fsat2 | |
| 1534-1 | |
| Mg1rt | |
| Qs-2-Vr | |
| Za8-2 | |
| Sti-3004 | |
| Ps10-4b | POWER SUPPLY, REPLACEMENT |
| 6830-3 | |
| Vm-Rlcm/B-S | |
| Mgcf-Vmh | |
| Vm-Noc | |
| Mg4f-S2vm | |
| 116ex-B | |
| Fs-3dg | |
| Gci | |
| Mir-Rqs4-Cpu-1 | |
| Gsa-Ct1 | |

| | |
|------------------------------|--|
| C-Pst | |
| Ansdmrcustom | |
| Mg1f-V1575 | |
| Sti-1130 | |
| Rlcd-R | |
| 277b-1110 | |
| Vm-Dact | |
| 702u | |
| G4wa-S7 | |
| Gsa-Sdpcb | |
| Gcwn-S2 | |
| Vs1-R | |
| Ec30du-3 | |
| Mc20rru-3 | |
| Gsa-Rel | |
| 23901-01 | |
| Ans100xr | AUDIO EXPANDER PANEL 100W W/O DMR OR MIC. INCLUDES POWER SUPPLY AND BATTERY CHARGER. R |
| P-027193 | |
| Gcwn-S7vma | |
| 79049 | |
| Trim-5r | |
| Mg1r-Vm | |
| 280a-PI | |
| Gsa-Cc1 | |
| Mgcfr-Hdvm | |
| 276b-1120 | |
| Sd-Rj5 | |
| Mg1rf-P | |
| Slic | |
| Gcwn-S2vmc | |

| | |
|------------------------------|-------------------------|
| Fsrsl | |
| Ec-Llt | |
| Qs-Scan | |
| Mir2-Mcm | |
| Ra-Led24zc | |
| Mgcf-S2 | |
| Mir2-W bdsr | |
| Mgc-S7vmh | |
| 74303 | |
| 79045-2 | |
| 4ms-8ar | |
| Mirbps6a-6 | 6.5 AMP 24VDC OUTPUT TO |
| G4erb | |
| 276b-1110 | |
| Gcwa-S2vma | |
| Mir2-6ann/D | |
| 1508-Aqn5 | |
| Gsa-Um | |
| Gcwn-S2vma | |
| Qsa-2-S-Vr | |
| 1206b | |
| Mg1rf-Vm | |
| Trim-5 | |
| Gcwa-S2 | |
| Qsh-2tu | |
| 439dex-10aw | |
| Gcwn-Vmc | |
| Qs-1-Vr-R | |
| 27193-21 | |
| Siga-Aa30 | |
| 757-8a-Ss70w | |

| | |
|-----------------------------|---|
| G4wn-S2vmc | |
| Ansbkup | |
| Gsa-Im | |
| 5520d-Aw | |
| 6833-4 | |
| Ans100amd | 100WATT AUDIO NOTIFICATION MODULE WITH DMR AND MICROPHONE. CABINET NOT INCLUDED. REQ. TRA |
| Mg4rf-S7vm | |
| Ec5000r | SELF ADJUSTING REFLECTIVE BEAM DETECTOR (160-330FT) |
| Int-7at | |
| 278b-1110 | |
| Ans25xr | AUDIO EXPANDER PANEL 25W W/O DMR OR MIC. INCLUDES POWER SUPPLY AND BATTERY CHARGER. RE |
| Sa-232 | |
| Mg1m-Rm | |
| Sd-2wpcb | |
| Wg4wa-Svmha | |
| 235196p | |
| Sa-Cla | |
| Mgc-S2vm | |
| Wg4rf-S | |
| Mgcf-Hdvmh | |
| Wg4wf-Svmhc | |
| Mg1f-Hd | |
| 302-Aw-194 | |
| Gcwa-S2vmhc | |
| Vm-Rlcm/D | |
| Anszs2a | |
| Vs2-Rd | FACP, 1 INTELLIGENT LOOP SUPPORTING 125 DETECTORS/125 MODULES, 2ND LOOP OPTIONAL, 4 CLASS B NACS, |
| Vs2-R | |

| | |
|-------------------------------|-----------------------------------|
| Mir2-Wb3dr | |
| Fsat4 | |
| Cf200-2 | |
| D16l-Vs | |
| Mg4-S7 | |
| 278b-1120 | |
| Sd-Sj | |
| G4ewn-A | |
| B4u | |
| Ts7-2 | |
| 73471 | |
| V-Hfd | |
| Qs-2-Vr-R | |
| 22310-18-01 | INCLUDES CONTROLLER AND REMOTE MO |
| Cf135-2 | |
| Ec-Led | |
| Fs-10dr | |
| 281b-Pl | |
| Wg4wn-S | |
| Gsa-Dmp | |
| Sm-Test | |
| 270-Spo | |
| Gsa-Mio | |
| Gsa-Led | |
| Mr104c | |
| Mpsr1-Shtw-Ge | |
| Mg4rb | |
| Siga-Dg | |
| Gcwa-Vmc | |
| Eol-47 | |
| Rb4u | |

| | |
|--------------------------------|--|
| Mir-Rqsc-Cpu-1 | |
| Rr-32rl | |
| 7300073 | |
| Sd-Cj | |
| Mir2-Wb7d | |
| Gcwn-S2vmha | |
| Gsa-Cr-Rc | |
| Lkc-7 | |
| Mr101/T | |
| Aps10a | |
| Ans50xg | AUDIO EXPANDER PANEL 50W W/O DMR OR MIC. INCLUDES POWER SUPPLY AND BATTERY CHARGER. GR |
| Bc-1 | |
| Mg1rt-Fire | |
| 73681-3 | |
| Gsa-Sb | |
| Ans50mdg | 50 WATT AMPLIFIER, DMR, TEMPORAL PATTERN, POWER SUPPLY AND BAT |
| Raccr | |
| 439d-8aw | |
| Ra-Led16zc | |
| 73494 | |
| Wg4rts | |
| Fsuim | |
| San-Cpu | |
| Mg4rf-S7 | |
| Lkc-9 | |
| 73681-2 | |
| Int-Wbw | |
| Sd-4wj | |
| Mr201/T | |

| | |
|--------------------------------|--|
| Gsa-Dts | |
| 12v50a | |
| Lkw-1 | |
| 270-Dpo | |
| 260097 | |
| Gsa-Sd | |
| 7160210-01 | |
| 7120313-02 | |
| Wg4rn-Svmhc | |
| Ansmike | |
| Cab6b | |
| Mg1-Hd | |
| Gcwa-S2vmc | |
| Fsp502g | |
| Sd-T36 | |
| Ans25mdr | AUDIO NOTIFICATION PANEL 25 WATT AMPLIFIER, INCLUDES DMR, TEMPORAL PATTERN, POWER SUPPLY |
| Qscbl-3 | |
| G4ewb | |
| Wg4wf-S | |
| 27193-16 | |
| Mg1rf-Hdv1575 | |
| 439dex-6aw | |
| 278b-1320 | |
| Sd-T8 | |
| Mir-Rqs4-Cpu-2 | |
| Ms-7ar | |
| Ansdmralt | |
| Mir-Prt/S | DESK TOP STYLE |
| G4wn-S2 | |
| Int-Sb | |

| | |
|-----------------------------|--|
| Vm-Nocf | |
| 12v4a | |
| Sa-Trim1 | |
| F-3elec | |
| Ans25xg | AUDIO EXPANDER PANEL 25W W/O DMR OR MIC. INCLUDES POWER SUPPLY AND BATTERY CHARGER. GR |
| 73401 | |
| Mir2-Raccdr | |
| Gsa-Cc2 | |
| Fsrm-S11 | |
| Anszsr | |
| 6831-2 | |
| Wg4wn-Svmc | |
| Ib4u | |
| Fsp502gd | |
| F-Trim35r | |
| Sdr-32k | |
| G4wn-S7vmc | |
| Fsra10 | |
| Gsa-Uio2r | |
| Ans25a | |
| G4wa-S2 | |
| Smk | |
| Mir2-Lcx | SIGNATURE DATA CIRCUIT EXPANDER. MOUNTS IN CONTROL PANEL, PROVIDES TWO NOTIFICAT |
| Gsa-Mcrr | |
| F-Trim10r | |
| Gsa-Cc1s | |
| Wg4wa-Svma | |
| Vm-1r | FACP, COMPLETE SYSTEM WITH USER INTERFACE, CPU, 1 LOOP W/ 2ND LOOP EXPANSION, 4 CLASS B NACS, UNIV |
| 74347u | |

| | |
|-----------------------------|---|
| Gsa-Wtm | |
| 283b-Pl | |
| Mgcf-S7 | |
| Mg1r-P | |
| Sd-T60 | |
| 276-Glr | |
| Mir2-Wbdr | |
| 27193-11-Ny | |
| Int-T | |
| Ans100am | 100 WATT EXPANDER MODULE WITH MICROPHONE. (NO DMR). CABINET NOT INCLUDED. REQ. TRANSFORME |
| 1505-Aqn5 | |
| Mg1f-Cvm | |
| 278b-2110 | |
| Sd-Vtk | |
| 403-5a-R | |
| Csb4u-1 | |
| Ansremr | |
| Int-7ar2 | |
| Mg1t | |
| Int-8ar | |
| Cs405-8a-T | |
| Mir2-Wb3d | |
| 302-Epm-135 | |
| Gcwa-S7vmc | |
| G4ern-A | |
| Int-7ar2w | |
| Rled24 | |
| Sd-Trm | |
| Fsrzi-A | |
| | |

| | |
|-----------------------------|---|
| Mgcf-S2vm | |
| Gcwn-S7vmc | |
| 73681-10 | |
| Rlcd | |
| Gcwn-Vmhc | |
| Mgcfr-S7vm | |
| Gsa-Rb4 | |
| Mg1r-Hdvm | |
| Gsa-Iphsb | |
| Sho-4 | |
| Ra-Enc3 | |
| 6ann/B-S | |
| Qsa-2-S | |
| Fsp1004g | |
| Gsa-Dh | |
| Trim6 | |
| Wg4rf-Svmc | |
| Mirbps10a-6 | 10 AMP 24VDC OUTPUT TO |
| Sti-3003 | |
| Mir2-W bd | |
| Gsa-Mm1 | |
| Gsa-Mcc1 | |
| Gsa-M270p | |
| Mr199x13/C | |
| Ans100a | 100 WATT EXPANDER MODULE (NO MICROPHONE, NO DMR). CABINET NOT INCLUDED. REQ. TRANSFORMER |
| Mg4r-S2vm | |
| 6263-Ec | |
| Mg1rf-Hd | |
| 439d-8aw-R | |
| Ps6 | |

| | |
|-------------------------------|--|
| 721ut | |
| Gsa-Mp2 | |
| Rela-Srv-1 | |
| Gsa-Ct2 | |
| Mr701/S | |
| 1509-Aqn5 | |
| 10ann/B-S | |
| Mc30u-3 | |
| Ab4g-Sb | |
| Fsp502rd | |
| Vm-Bf | |
| Vm-Remica | |
| Sa-Eth | |
| 27193-11 | |
| Mg4r-S7vm | |
| V-Slc | |
| Mg4rf-S2vm | |
| Smxhi2 | HIGH OUTPUT SINGLE MODE FIBER OPTIC TRANSCEIVER. PLUGS INTO 3-FIBMB2 OR NOCF. USES DUPLEX SC CONNEC |
| 1504-Aqn5 | |
| Fsrrm24 | |
| Ansaux | |
| 6ann/B | |
| Sa-Trim2 | |
| Mr604/T | |
| Eol-15 | |
| Sd-St | |
| Sd-T24 | |
| Mg1f-Vm | |
| G4era-A | |
| Mpsr1-D45w-Ge | |

| |
|----------------------------|
| Vmdr |
| 521ncsxt |
| Mr708/S |
| Lkw-9 |
| Rela-Eol |
| Rled24r |
| Eol3.6-1.1 |
| 79064-0000 |
| Sin-16-C |
| 276-K1 |