

## Mollet

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Mollet** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Mollet Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunulmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">MFB-EA</a>	MOLOSmembran membrane level indicator MFB limit switch for bulk goods >>> with a large measuring area <<< Housing cast aluminum, protection class IP65 Bulk material temperature Ts -20 ° C ... + 200 ° C Ambient temperature Ta -20 ° C ... + 80 ° C Contact 4 A / 250 V AC, potential-free changeover contact E membrane made of stainless steel A retaining ring made of aluminum
<a href="#">8481 80 87</a>	
<a href="#">9031 80 20</a>	
<a href="#">DF11A1 B1 C1 H5 G2A TD W0</a>	
<a href="#">DF11A1B0C5G3ATDW0</a>	
<a href="#">DF11A1-B1C1H5G1ATK</a>	
<a href="#">DF11A1C1G2AS1</a>	
<a href="#">DF11A1C1G2ATK</a>	
<a href="#">DF11A1C4G1ATKW0</a>	

<a href="#">DF21A1B1C1E1F1ER1S2V</a>
<a href="#">DF21A1B1C5F2AR1ZM2VLW070</a>
<a href="#">DF21A1B1C5F2AR1ZM2VWL075</a>
<a href="#">DF21A1C1G2AM1V</a>
<a href="#">DF21A1C5D1H2G1EM1VLW050U8</a>
<a href="#">DF21A1C5G1EM1V</a>
<a href="#">DF21A1C5G3EM1V</a>
<a href="#">DF23A1B3C5F2AR6AZM2V</a>
<a href="#">DF25A1B3C5D1E7F2ER1ZT1VLR400W00</a>
<a href="#">DF27A1B1C1G3AR1ZT1VLS2000</a>
<a href="#">DF27A1B3C5D1E7F2ER1ZT1VLS1500</a>
<a href="#">DF28A1B1C1F2AR1T2LE 0350KD</a>
<a href="#">DF28A1B1C1F2AR1ZT1LE 0350KD + C5</a>
<a href="#">DF28A1B1C1F2AR1ZT1LE0350KD</a>
<a href="#">FDF21 A1 C5 G2A S1 U5</a>
<a href="#">KE-XCM-A110-5</a>
<a href="#">KF-AMKI050-IG2-VA.</a>
<a href="#">KN-AVKI050-IG2-VA.</a>
<a href="#">LF20-A84A3AD1C2</a>
<a href="#">MFB-EA-B0</a>
<a href="#">MFB-EE-B0</a>
<a href="#">MFD-V-E-B0</a>
<a href="#">MFD-VN</a>
<a href="#">MFE-AEE</a>
<a href="#">MFE-AEE-B1</a>
<a href="#">MFEF-A-EE-B1</a>
<a href="#">MFE-NN-S</a>
<a href="#">QV050-FF-AA-NR</a>
<a href="#">QV-SM050-NRE</a>
<a href="#">RF11C1F1S1</a>

<a href="#">MFE-EE-B3</a>	
<a href="#">MTE-EE-B3</a>	
<a href="#">MFE-AEE-B1</a>	MOLOS membran membrane level indicator 20.00 MFE limit switch for bulk solids >>> for universal applications <<< A Aluminum housing, protection class IP66 Temperature range Ta -25 °C...+80 °C Contact 4 A / 250 V AC, changeover E Diaphragm made of stainless steel E Stainless steel retaining ring B1 DustEx II 1/2D Ex ta/tb IIIC T83 °C Da/Db for use in potentially explosive areas Weight 1.10kg Country of origin: Germany Not subject to the dual-use regulation
<a href="#">MFE-AEE-B1</a>	9031 80 20 MOLOSmembran membrane level indicator MFE limit switch for bulk solids >>> for universal applications <<< A Aluminum housing, protection class IP66 Temperature range Ta -25 °C...+80 °C Contact 4 A / 250 V AC, changeover E Diaphragm made of stainless steel E Stainless steel retaining ring B1 DustEx II 1/2D Ex ta/tb IIIC T83 °C Da/Db for use in potentially explosive areas
<a href="#">MFB-EA</a>	MOLOSmembran membrane level indicator MFB limit switch for bulk materials >>> with large measuring surface <<< Cast aluminum housing, protection class IP66 Bulk material temperature Ts -25 °C...+200 °C Ambient temperature Ta -20 °C...+80 °C Contact 4 A / 250 V AC, potential-free changeover E Membrane made of stainless steel A Retaining ring made of aluminum Weight 1.75 kg
<a href="#">MSD-070</a>	MOLOSpressdec for limiting the final surge, silo pressure and filter monitoring ABS housing gray, protection class IP65 with condensate protection SDK Contact 4 A at 250 V AC, potential-free changeover contact Response pressure 40 mbar = (400 mm WS) = 0.04 bar Bulk material temperature Ts -25 °C...+80 °C Ambient temperature Ta -20 °C...+70 °C 070 connection flange F70 made of aluminum, 70x110x15, LK 90, 4x9
<a href="#">F1a</a>	
<a href="#">Df23a2b1c7g2er6s2v</a>	
<a href="#">Df11</a>	
<a href="#">Df23a1b3c5e1g3er7zs2vu1x</a>	
<a href="#">Df27 A1 B3 C5 D1 E74x F2e R1 Z T1v Ls1500</a>	
<a href="#">Df11a1c5g3atd Grenzscharter Molosroto Df11</a>	
<a href="#">Ke2-Sz125ig5-Cn-Alo</a>	
<a href="#">Df28a1c1e4f2er8t1vle0200kd</a>	
<a href="#">Df28 A2 B1 C2 D1 G3e R1 Z M2v Le 0250 Kd</a>	
<a href="#">Me-Nn</a>	

<a href="#">Df28a1b1c1f2ar1zt1le 0350kd Sensor</a>
<a href="#">Df21a1c1e4g3m2vlw500</a>
<a href="#">?F?-??-?3</a>
<a href="#">Qv050-Ff-Ae-Nr</a>
<a href="#">Df22a1b0c5d0h0e0p0g1as2lp200</a>
<a href="#">Df21a1c1g2ax3lw150</a>
<a href="#">Df21a1b3c1h2f2as2u5</a>
<a href="#">Mfb-Ea Membrane Level Indicator</a>
<a href="#">Mfe-Ee-B3 Sensoren</a>
<a href="#">Vf12c8dg3e (90318038)</a>
<a href="#">Df21 A1 C5 G1a K1 Lw200</a>
<a href="#">F1e</a>
<a href="#">Df27a1b1c1g2et1ls2000</a>
<a href="#">Df25a1b3c5f9et3lr500w00</a>
<a href="#">Qv050-Ff-Aa-Nr Luftventil</a>
<a href="#">Kf-Amki050-Ig2-Va,</a>
<a href="#">D-C73</a>
<a href="#">Df21a1c5g3et2u5</a> <a href="#">Fullstandtechnikdf21a1c5g3et2u5</a>
<a href="#">Df21a1b1c1e1f1er1s2v Df 21</a> <a href="#">Grenzschalter</a>
<a href="#">Df26a1b0c5d0h0e0p0g3et2</a>
<a href="#">Df11-A1c5g3atd</a>
<a href="#">Df25a1c1h1f2er2zt1v1r250w00 Molosroto</a> <a href="#">Drehfl¼gel-F¼llstandanzeiger</a>
<a href="#">Mfb-Ee-B0 Membranedelstahl</a> <a href="#">1.4301edelstahl 1.4301atex</a>
<a href="#">Df21 A1b2c5d2g3et2u5 Ex Ii 1d</a>
<a href="#">Df28-A1b1cf2ar1zt1le0350kd</a>
<a href="#">Df21 A1 C5 G3e T2 U5</a>
<a href="#">9031 80 20 Df11a1c5g3atdmolosroto</a> <a href="#">Drehfluegel-Fuellstandanzeiger</a>
<a href="#">Df 21</a>

<a href="#">Mfe-Aee-B5</a>	
<a href="#">3019500 Oem</a>	
<a href="#">Mfb-Ea</a>	MOLOSmembrane membrane filler damper MFB limit switch for bulk materials with large measuring surface Fermented cast aluminum, protection class IP65 Bulkware temperature Ts-20 C ... + 200C Ambient temperature Ts-20C ... + 80C Contact 4 A / 250 V AC, floating changeover contact E membrane made of stainless steel A holder made of aluminum
<a href="#">Df21a1c5f2ar1zt2</a>	
<a href="#">Df28 Kd</a>	
<a href="#">Msd-070</a>	
<a href="#">Df21a1c5g3et2u5 Sensor Mollet Fullstandtechnik</a>	
<a href="#">3019500 Oem Motorized Type Level Sensors</a>	
<a href="#">Lf20-A84a1ad1b1</a>	
<a href="#">Ses-080-5</a>	
<a href="#">Mollet Mfe-Vn Membran-Grenzschalter</a>	
<a href="#">???-??-?3</a>	
<a href="#">Df25a1b3c5d1e74xf2er1zt1v1r400w00</a>	
<a href="#">90318091</a>	
<a href="#">Df22 A1 B1 C5 G3e R1 Z M2v Lp150 U5</a>	
<a href="#">Df21/A1/C5/E10/P2/G3/E/R1/Z/S2</a>	
<a href="#">Qv-Sm050-Nr</a>	
<a href="#">Mfef-A-Ee</a>	
<a href="#">Df27a1b1c1d0h0e0p0g3ak1ls2000</a>	
<a href="#">Df21a1c2g3am2v</a>	
<a href="#">Mfb-Ea Membran-F¼llstandanzeiger</a>	
<a href="#">Mfe-Nn</a>	
<a href="#">Df 11a 1c1g2atk</a>	
<a href="#">Df21 A1 B2 C1 D2 E0- G3e T2 U5</a>	
<a href="#">Df28a1b1cf2ar1zt1le0350kd</a>	
<a href="#">Mfd-Nn Mollet Membranas Limenia</a>	

<a href="#">Sledzis 20c...70c, Kontakts 4a/ 250vac</a>
<a href="#">Mfe-Ee-B3 Sensor</a>
<a href="#">Df25a1b3c5e7f2er1zt1v1r500w00</a>
<a href="#">Df11a1b1c1g2a</a>
<a href="#">Drehschieberniveauschalter Df28sn</a>
<a href="#">Msd-070 Pressure Switch</a>
<a href="#">Df21a1b1c5g3et2u5</a>
<a href="#">Df25a1c1f6em2v1r300w00vr</a>
<a href="#">Df27a1b3c5d1e7f2er1zt1v1s1500</a> <a href="#">Grenzschalter Df27a Mollet</a>
<a href="#">Df28a1b1c1f2ar1zt1le0350kd Sensor</a>
<a href="#">Df11a1-C5-G3a-Td</a>
<a href="#">Df21 A1 C5 G3e S2v Cx</a>
<a href="#">Df11a1c1g2atk Sensor</a>
<a href="#">Mfe-Ee-B3 Endschalter</a>
<a href="#">Df21a1 C4 G3a S2 Lw200</a>
<a href="#">Df21a1c5g2ax3lw150</a>
<a href="#">Df21a1b1c5g1as2v / Molosroto Df21</a>
<a href="#">Df25a1c5f2et1lr150w00</a>
<a href="#">Mfe-Aee-B1 Grenzschalter Membran</a>
<a href="#">Df11a1c4g2atk</a>
<a href="#">Df21 A1 C1 G2a M1v Sensor</a>
<a href="#">Df11a1-B1c1g1atkw0</a>
<a href="#">Mfe-Ee-B3</a>
<a href="#">Mfe-Nn-B3</a>
<a href="#">Kf-Amks050-050-Va..</a>
<a href="#">Df25a1b3c5d1e7f2er1zt1v1r400w00</a> <a href="#">Grenzschalter Df25a Mollet</a>
<a href="#">Df 28</a>
<a href="#">Qv050ffaenr Sinus-Quetschventil</a>
<a href="#">Df28a2b1c2d1g3er1zm2vle 0250kd</a>
<a href="#">8481 80 87 Qv050-Ff-Aa-Nrdn 50</a>

<a href="#">Mfd-Nn-B0</a>
<a href="#">Df21 A1 C1 G3e T2 U5</a>
<a href="#">Df21a1c1f5es2v</a>
<a href="#">Df25a1c1h1f2er2zt1v1r250w00</a>
<a href="#">Df23a 1b3c5e1g3er7zs2vu1x</a>
<a href="#">Mfb-Ea Molosmembran Membran- F¼llstandanzeiger</a>
<a href="#">Kn-Avki050-Ig2-Va.</a>
<a href="#">Df23a 1b3c5e1g3ed7zs2vu1x</a>
<a href="#">Msd-070 Silo Druckmelder</a>
<a href="#">Df11a1 B1 C1 H5 G2a Td W0 Sensor</a>
<a href="#">Mfd-Nn Sensor-Membran</a>
<a href="#">Df11a1c1g2as1 Sensor</a>
<a href="#">Mfe-Vn</a>
<a href="#">D-C73 Magnetic Sensor</a>
<a href="#">Df11a1c1h5g1atk</a>
<a href="#">Df28a1c5g3ezk11500kd</a>
<a href="#">Df21 A1 C5 F2a R1 Z T2</a>
<a href="#">Df21a1c5g3em2vlw065</a>
<a href="#">Mfd-Nn</a>