

Nanotec



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Nanotec Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Nanotec T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
ZST3,5-1-135,3-1 M3.5	LEAD SCREW MODIFIED (135,3mm)
LSNUT-AAAA-TDBA	
ST8918M4508-A	Stepper Motor - NEMA 34
As5918I4204-E24-Kima	
DB42L01 - BRUSHLESS DC MOTOR	
11537488	
946KA1	
AL4118L1804-KIMA (OEM)	
AP8918M6404	
AS4118L1804-ENM24B	
AS5918L4204-E24-KIM	
C5-E-1-09	
C5-E-1-81	
C5-E-1-81 2	
DB28-K2V34239	
DBL36M024048-A	
G210X	
LGA201S06-B-TDBA-019	

LSA201S06-B-TDBA-102	
LSNUT-AEAC-TDBA	
PD2-T5718L3204-KBRA 39-06, SN:105332	
PD4-C5918L4204-E-01	
SMCI33-1	
SMCI33-2	
SMCI35	
SMCI36	
ST4118L1206-B	
ST5718L2804-KFMS OEM	
ST5918L2008-A	
ST5918M3008-A	
ST5918X3008-A	
ST6018M3008-A	
ST6018X3008-A	
ST8918S4508-A	
ST8918S4508-B	
WEDS5541-A14	
ZK-JST-EHR-6-0.5M-S	
ZK-PD4-C-CAN-4-500-S	
ZK-VHR-6-300-4	
ZK-XHP2-500-S	
ZK-XHP4-300	
C5-01	Open loop stepper motor controller
Z-K4700/50	Kondensator
ZK-MICROUSB	Micro-USB-Kabel 1.5m
ST5918L3008-A	stepper motor NEMA23; 1.8 degrees Nanotec Drawing Rev.: 06
LA421S14-B-UIEV	Non-captive Linearaktuator – NEMA 17
ZK-JST-EHR-6-0.5M-S	Motor cable 0.5 m

SCREW-ABA-UIEV-200	Spindle with ACME thread
DF45M024053-A	BLDC flat motor 45mm; Hall sensors; Plug 0.084Nm; 50W; 24V; 2.36A; 5260rpm
CSL3-24	BLDC Motor Controller; 10-30V; 3/9A UART; 24V input
ZK-PHR-5-500	PHR5 socket with 500mm cable free cable ends Nanotec drawing Rev.: 00
ZK-GHR10-500-S-COM	GHR10 connector; L=0.5m; shielded free cable ends; PARP-06V or PAP-06V-S for COM Nanotec drawing Rev.: 00
ZK-RS232-USB-1	RS232-USB converter cable USBUART330TTLFTDI100 Nanotec drawing Rev.: 01
ZK-VHR-3-500	VHR3 socket with 500mm cable free cable ends Nanotec drawing Rev.: 01
ZK-VHR-2-500	VHR2 socket with 500mm cable free cable ends Nanotec drawing Rev.: 00
ZK-JST-PHR-6-0.3M	Motor cable for DF45 for Hall sensors; l=300mm Nanotec drawing Rev.: 00
ZK-JST-VHR-5N-0.3M	Motor cable for DF45 for phases U, V, W; l=300mm Nanotec drawing Rev.: 00
LA421S14-B-UIEV	Non-captive Linearaktuator – NEMA 17
SCREW-ABA-UIEV-300	Spindle with ACME thread
ZK-JST-EHR-6-0.5M-S	Motor cable 0.5 m
ST5918L3008-A	Stepper motor NEMA23; 1.8° Nanotec drawing Rev.: 06
SH4018S0506-KRAY11	
ZK-M12-5-2M-1-A-S-M	CABLE M12 CAN OUT STRAIGHT 5 POLES 2M STRAIGHT
ZK-M12-5-2M-1-B-S	POWER STRAIGHT KONNEKTÖR 2M
ZK-M12F-M8M-5-200-S	CABLE M12 CAN OUT STRAIGHT 5 POLES 0,2M STRAIGHT
ZK-M12-5-2M-1-AFF	DATA CONNECTION M12
ZK-M8-5-2M-1-PUR-S-F	POWER CONNECTION M8
ZK-M8-3-2M-1-AFF	DATA CONNECTION M8
As5918I4204-E24-Kima (Oem)	
WedI5541-A06	
As5918I4204-E24-Kim B902103 45/09-0072 Oem/Customized	
As5918I4204-Enm24	
St4018m1804-Kowl1 Customized	

As4118l1804	
4h4018s2008 (Obsolete)	
Sh4018l0806-A	
Pd4-N5918x4204	
Db42l01	
St8918l6708-B	
Zk-Rs485-Usb	
Cl4-E-2-12 Controller	
Gple80-2s-40-F87	
Brushless Motor With Outer Rotor	12-24-48VDC, 10-50 W, Bei einem Drehmoment von 90-120 mNm Die Scheibe hat einen Durchmesser von 45-50 mm und eine Lnge von 45-50 mm. Anhang beispiel bild
G210x Digitaler Schrittmotor Controller - Successor For G210	
Sh5618s1608-Kmem2	PLease see attached photo
As5918l4204-E24-Kim -	
Pd4-N5918l4204-İp-2	
St5918d4208-A	
St6018	
St4118m1804-L	
Zst3,5-1-500	
Db87m01-Keur1 Fa635441 10/13-0025	
284847	
Cl4-E-2-12	Motor controller for CANopen, Modbus RTU or USB
C5-E-1-81 Controller	
A85918l4204-E24-Kima B907030 03/11-0088	
St5918l2008-A Schrittmotor	
Al4118l1804-Kima (Oem)	
St8918m6708-A	
St8918s4508-B Schrittmotor	
St4118l1206-B Schrittmotor	

Df45I024048-A2 Fırçasız Yassı Motor	
Zd-D40	
St5918I2008-A Stepper Motor	
Noe2-05-K14	OPTICAL 3 CHANNEL ENCODER (5MM)
Smci47-S-2	
As5918I4204	
As6018I 4204-E24-Kıma	
L2018s0604-T3,5x1	
60015245-0	
St8918s4508-A Stepper Motor	
Pd4-N5918I4204	
Smc32-3	
L2018s0604-T3,5x1 T3.5x1 30 N Rohs-Konform	
Smci35	
Db87-K2v20765	
Weds5541-A14-Kit Endlosregler (5 Mm)	
St8918m6708-B (8-0004-001)	
C5-E-1-09 Controller	
As5978I4204-E24-Kıma	
Smc46-7 - Obsolete, Without Replacement	
Pd6-C8918I9504-E-09	
Db42c03 + Noe2-05-K14 (5 Mm) + Assembly Price	Brushless DC motor + Optical 3-channel encoder + Assembly
Ap8918m6404 Schrittmotorschutzart Ip65gple80-1s-3-F87 Planetengetriebe 1stufig	
Gple40-2s-20	Precision planetary gearboxes
Df45I024048-A2	
Db42m03	
St4118m0406-A	
St5918m3008-A 2.1v 3.0a Elektromotor	

[Db87l01-S](#)

[Imt 901q \(946ka1\) - Obsolete, No
Alternative](#)

[Zd-D28](#)