



Nec

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Nec** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Nec Trkiye Distribtr veya temsilcisi deĖildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

| rn | Aıklama |
|----------------------------|----------|
| D78010ag | |
| D65080s033 | |

| | |
|----------------------------------|--|
| D78c10a1 | |
| D444c-6514-1 | |
| 2sd571 | |
| Yeam1714g605 | |
| Ea2-12nu | |
| Dn20-1 | |
| Ic4574c | |
| D4fxaad1aa | |
| Aslcd72vmbk2 | |
| Ps20512 | |
| Kt-46un-Of2 | |
| Ps9714f3 | |
| NI6448bc3349 | |
| Hdpa30-2 | |
| Ic4570g2 | |
| 134-506790-738-4 | |
| Ic72068g | |
| D4trcp07aa | |
| Ic78c10agf | |
| Ic70116c10 | |
| Md242c2 | |
| Pa-Gt08 | |
| V552-Drd | |
| Upd4991acx | |
| Upd4704g | |
| -Concrea-001 | |
| Fc-9801-11 | |
| Upd4364c12l | |
| Tnetpc-Ion | NEC, SINGLE BOARD COMPUTER, 1.6 GHZ DUAL CORE ATOM EXTERNAL W/ 2GB RAM, 160 GB HDD, NVIDIA 9400 GPU AND WXP. COMPATIBLE WITH ALL NEC LARGE FORMAT DISP |
| Nec Fl15ad-70 | |
| D2101k-202 | |
| M3a1tub4aa | |
| Np05cy | |

| | |
|--|--|
| Np01ucm | |
| Np-Pa722x | |
| Np12lp | |
| Np-M300xs | NEC, PROJECTOR, 3000 LUMEN, XGA, LCD, SHORT THROW , 0.48 THROW DISTANCE, 10W SPEAKER, HDMI INPUT, USB DISPLAY/VIEWER CAPABILITY, CLOSED CAPTIONING AND |
| NI3224ac35-01 - Obsolete | |
| Np06lp | |
| Px750cm | |
| -164103 | |
| Ps2811-4-F3-A | |
| Fip20x1db | |
| Upd78c17qq36 | |
| Y0565a-V51a | |
| Nc-50ls21z | |
| Np-Pa500u | NEC, PROJECTOR, 5000 LUMEN INTEGRATION,WUXGA LCD, 2000:1 CONTRAST (WITH IRIS), CENTER LENS DESIGN, 10W SPEAKER, HDMI, 2 ANALOG RGB INPUTS, DISPLAYPORT |
| Pcu-02-D | |
| Upa1527h | |
| Upd30200gd100mbb | |
| Ic7004c | |
| Np-Um330w-Wk1 | |
| D21256-203 | |
| V651-Avt | |
| 2sd986 | |
| Tupa1527h | |
| Ps2019 | |
| Wm-46s-L | |
| Np-M260w | NEC, PROJECTOR, 2600 LUMEN, WXGA, LCD, W/2000:1 CONTRAST WITH IRIS, 10W SPEAKER, HDMI INPUT, USB INPUT(DISPLAY), USB VIEWER CAPABILITY(JPEG), CLOSED C |
| Ic43256bgu70ll | |
| 104pw191d | |
| M1000-155 | |
| Upd416c1 | |
| Np-Px602wl-B-36 | |
| Lcd2090uxi-Bk | |

| | |
|---|--|
| Ic1093j | |
| X554un-2 | |
| Ps24011 | |
| NI6448cc3330 | |
| NI3224bc3520r | |
| Ps2634 | |
| Upa80gr | |
| Upb121d | |
| Vt80lp | |
| Upc617c | |
| Lcd3090wqxi-Bk | NEC, MULTISYNC LCD3090WQXI-BK, 30 (29.5 VIS) LCD MONITOR, IPS, 2560X1600, WIDE COLOR GAMUT, W/AMBIX3 DIGITAL AND ANALOG TECHNOLOGY, X-LIGHT PRO, COL |
| -X551un-Tmx9p | |
| Ic25014 | |
| Upd72120l | |
| NI128102ac2801f | |
| Rmt-Pj02 | |
| St-5710 | |
| NI8060ac26-11 | |
| D43256bcz-85l | |
| Ic72001l11 | |
| M0411d-015 | |
| 104pw03f (25090025) | |
| NI10276bc26-11 | |
| Upd70236agd20 | |
| Nc1100cm | |
| Pn-8dlcp | |
| -29527 | |
| NI6448bc33-59 - By NI6448bc33-70 (22000017) | |
| Ic7011c | |
| C1505 | |
| St-65e | |
| 20125 | |
| Np-Um352w-Tm | |

| | |
|-------------------------------------|---|
| Hdpa212426 | |
| Upd71055c10 | |
| Kt-Tmx4c | |
| Upa1454h | |
| Np38lp | |
| Np25fl | |
| Lcd2170nx | |
| Lcd8205-Fsk | NEC, LCD8205 FLOOR STAND KIT W/ CASTORS, LANDSCAPE PORTRAIT |
| X555uns | |
| NI6448bc33-53 | |
| Ea273wm-Bk | |
| D8279c-2 | |
| Ps9113smd | |
| D431000agz-70II-Kkh | |
| NI8060bc26-15 | |
| B816 | |
| Npstgypsum | |
| Upc7815ahf | |
| Rmt-Pj05 | |
| Hbl015 | |
| Np4000cm | |
| Sp-Rm2 | |
| Ic334n | |
| Sb-08dc | |
| Ops-Pcia-H | |
| Lcd2490wuxi2-Bk | NEC, MULTISYNC LCD2490WUXI2-BK, 24 LCD MONITOR, IPS, 1920X1200, W/AMBIX3 DIGITAL AND ANALOG TECHNOLOGY, X-LIGHT PRO, COLORCOMP, TILEMATRIX, PIVOT, BL |
| Fe2111sb | |
| Dn20-20 | |
| Upd416c-3 | |
| V322-Avt | |
| Rmt-Pj13 | |
| Np04cv | |
| Lcd1990sxi | |

| | |
|-----------------------------------|--|
| Soundbar70 | |
| Vg3-Pb2430 | |
| 2sc3545-T2b | |
| Ps9114smd | |
| D4361c55l | |
| Lcd1860nx | |
| Np16fl | NEC, PROJECTOR LENS, 0.76:1 FIXED SHORT THROW LENS FOR THE NP-PX750U PROJECTOR |
| Lt60lpk | |
| NI8060bc3117d | |
| 104pw161 | Inverter for Siemens MP270 and TP270 MP270 TP270 16260891 |
| Np14zl | NEC, PROJECTOR LENS, 2.98-4.77:1 ZOOM LENS FOR THE NP-PA500X/PA500U/PA5520W/PA600X, NP1000/2000, NP1150/2150/3150/3151W, NP1250/2250/3250/3250W AND NP |
| Upc494c | |
| Dn40-U | |
| 700000 | |
| Adu-20f-2s | |
| Ps2501-1 | |
| D2489k-219 | |
| 136-456135-C-03 | |
| S461-Avt | NEC, S461, 46 PUBLIC DISPLAY MONITOR 1920X1080 (FHD) WITH AV FUNCTION AND ATSC TUNER, STANDARD BEZEL WIDTH, 3 YEAR WARRANTY, FEET OPTIONAL, CONTENT M |
| Fip16b13r | |
| Adp-Cv1e | |
| P403-Pc | |
| Ps2561a1a | |
| Rmt-Pj07 | |
| Lampprotect | |
| D7220ad | |
| Np4100-10zl | NEC, BUNDLE, NP4100 WITH NP10ZL, INCLUDES NP4100 PROJECTOR AND NP10ZL LENS |
| Dtp-32d | |
| Vt700 | |
| D7201ac 9746fd001 | |
| Pb2400-155 | GATEWAY HUB PHONE/MODEM/FAX TO BROADBAND NETWORK |
| | NEC, PROJECTOR, 3500 LUMEN ENTRY LEVEL INSTALL, WXGA LCD, |

| | |
|-------------------------------|---|
| Np-P350w | WITH 2000:1 CONTRAST (WITH IRIS), 10W SPEAKER, HDMI, 2 ANALOG RGB INPUTS, USB INPUT (DISPLAY |
| P402-Avt | NEC, P402, 40 LCD PUBLIC DISPLAY MONITOR 1920X1080 (FHD) NARROW BEZEL WITH FULL AV FUNCTION AND ATSC TUNER, OPTION SLOT (NEC OR OPS), 3/YR WARRANTY, |
| Upd4556bc | |
| Wm-46un-P | |
| Pa322uhd-Bk | |
| Pz-Dk224 | |
| S-11251a | |
| D75004c | |
| Soundbar90-Bk | |
| Pa-AI09 | |
| Np-V300w | NEC, NP-V300W, 3000 LUMEN PROJECTOR, W/7W SPEAKER, 3D READY, CLOSED CAPTIONING, RJ-45 (CTL) DUAL ANALOG RGB INPUTS, HDMI INPUT, MONITOR OUT, VARIABLE |
| Ic72001g11 | |
| Rmt-Pj09 | |
| Ic5201g | |
| Vt75lpe | |
| Spn-Iptb-A | |
| V423-Avt | |
| P242w-Bk-Sv | |
| Np4100w | NEC, NP4100W, PROJECTOR, WXGA DLP, 5500 LUMEN, DUAL LAMP LENSLESS INSTALL |
| D4dalq39ab | |
| P701-Avt | NEC, P701, 70 LCD PUBLIC DISPLAY MONITOR 1920 X 1080 (FHD) BLACK WITH FULL AV FUNCTION AND ATSC TUNER, STANDARD BEZEL, 3 YEAR WARRANTY, FEET OPTIONAL |
| Sp-57 | |
| Ic8212c | |
| 486 | |
| Nc-50la01 | |
| Ic7811g | |
| X554uns-Tmx4p | |
| NI6448ac20-02 | |
| Hdpa30 | |
| Ps71411a | |
| Pa272w-Bk | |

| | |
|--|--|
| Np40ata | |
| Lt10lp | |
| D71088c-10 | |
| X401s-Avt | |
| NI6448bc33-59 | |
| Fm20x2kb | |
| Ndr064rtp90y | |
| Np-M403h | |
| Nsg069915 | |
| Ps8602l | |
| Pa-4rstb-A | |
| NI6448bc3353r | |
| Upc624d | |
| D424256v-10 | |
| Np-P350x | NEC, PROJECTOR, 3500 LUMEN ENTRY LEVEL INSTALL, XGA LCD, WITH 2000:1 CONTRAST (WITH IRIS), 10W SPEAKER, HDMI, 2 ANALOG RGB INPUTS, USB INPUT (DISPLAY) |
| Sb-L007kk | NEC, INTERNAL CARD, PROVIDES AN HD-SDI LOOP WITHOUT USING ADDITIONAL SPACE OR POWER. DESIGNED FOR USE WITH NECS S AND P SERIES LARGE-SCREEN LCD DISPL |
| V321-2 | |
| Np-U321h-Wk | |
| N121pw181 | |
| Np-Ph1000u | |
| 2sc3571 | |
| Mdg5-Bndl1 | NEC, LCD DISPLAY BUNDLE, INCLUDES TWO (2) 21.3 GRAYSCALE LCD DISPLAYS, BLACK, 2560 X 2048 RES,BRIGHTNESS 1100 CD/M2, TRIPLE OUTPUT DVI-D GRAPHIC CARD |
| Ea244uhd-Bk | |
| NI-6448ac30-10 | |
| Np-P451x | |
| M3cpv611aa | |
| Upc2415ahf | |
| 9e02-P6-1mpa | |
| Lcd2190uxp-Bk | NEC, MULTISYNC LCD2190UXP-BK, 21.3 LCD MONITOR, VA, 1600X1200, W/AMBIX3 DIGITAL AND ANALOG TECHNOLOGY, XTRAVIEW+, TILEMATRIX, ULTRA-THIN FRAME DESIGN |
| 15hp 254t 4p (1800rpm) 460v (Is Good For 480v) 3ph 60hz Tefc Motor | |

| | |
|---------------------------------------|--|
| Np-Pa621x-13zl | |
| 424260-70 | |
| Np-M300w | NEC, PROJECTOR, 3000 LUMEN, WXGA, LCD, W/2000:1 CONTRAST WITH IRIS, 10W SPEAKER, HDMI INPUT, USB DISPLAY/VIEWER CAPABILITY, CLOSED CAPTIONING AND RJ-4 |
| Hwst-Ctrl-Sub | |
| Np-P420x | NEC, PROJECTOR, 4200 LUMEN ENTRY LEVEL INSTALL, XGA LCD, WITH 2000:1 CONTRAST (WITH IRIS), 10W SPEAKER, HDMI, 2 ANALOG RGB INPUTS, USB INPUT (DISPLAY) |
| Ic4557c | |
| L192r9 | |
| Mr331n12 | |
| Fd1137c | |
| V551-Avt | |
| 8404mk025 | |
| 134-506790-719-4 | |
| D43256ac-12l | |
| Upc494gs | |
| D71037cz-10 8948kp206 | |
| V551 | |
| P703-Avt | |
| Rmt-Pj17 | |
| Ph-Sw10 | |
| L2k-30zm | |
| Tabler For V552 | |
| Np-Pa550w-13zl | NEC, BUNDLE, NP-PA550W WITH NP13ZL, INCLUDES PA550W PROJECTOR AND NP13ZL LENS |
| As191wm-Bk | |
| OI-V323 | |
| St-58e | |
| Ic7201d | |
| Ic4364c15l | |
| Lcd2490w2-Bk-Sv | NEC, MULTISYNC LCD2490W UXI2-BK, 24 LCD MONITOR WITH SPECTRAVIEW II BUNDLE, IPS, 1920X1200, W/AMBIX3 DIGITAL AND ANALOG TECHNOLOGY, X-LIGHT PRO, COLOR |
| NI3224ac35-10 | |
| NI10276ac30-03a | |

| | |
|--------------------------------|--|
| Mphc3346 | |
| Np38zl | |
| E422 | NECE422LCD MONITOR42BUILT IN ATSC TUNER1920X1080 FHDRS-232 CONTROLTABLETOP STAND INCLUDED3 YEAR WARRANTYFREE NEC CMSFULL AV FUNCTION |
| Upc1230h2 | |
| NI64448bc2008e | DISPLAY |
| Hwst-Ctr2-Sub | |
| C2416d-204 | |
| 8222df437 | |
| Tnetpc-Af-Wh | |
| Lcd1990sxi-Bk | |
| NI10276ac2402 | |
| Installwg82 | NEC, LCD8205 SITE SURVEY, SHIPPING AND INSTALLATION (FOR CONTINENTAL USA ONLY) |
| Solarpanel06 | NEC, SPECIAL BUILT TO ORDER SKU ONLY, 90 WATTS SOLAR PANEL, 1000 COLD AMP SEALED BATTERY, 10 AMP BATTERY CHARGER, 150 WATTS 12 VOLTS TO 110 VOLT AC CO |
| P402 | NEC, P402, 40 LCD PUBLIC DISPLAY MONITOR 1920X1080 (FHD) NARROW BEZEL WITH FULL AV FUNCTION, OPTION SLOT (NEC OR OPS),HDMI DIGITAL CONNECTION, INTEGR |
| 2sd780dw5 | |
| NI6448bc3359dr | |
| D71054gb | |
| D1z11k-152 | |
| Upd70116d10 | |
| S401-Avt | NEC, S401, 40 PUBLIC DISPLAY MONITOR 1920X1080 (FHD) WITH AV FUNCTION AND ATSC TUNER, STANDARD BEZEL WIDTH, 3 YEAR WARRANTY, FEET OPTIONAL, CONTENT M |
| Np-Pa600x-13zl | NEC, BUNDLE, NP-PA600X WITH NP13ZL, INCLUDES PA600X PROJECTOR AND NP13ZL LENS |
| X0415c1v01b | |
| P551-Avt | NEC, P551, 55 LCD PUBLIC DISPLAY MONITOR 1920 X 1080 (FHD) BLACK WITH FULL AV FUNCTION AND ATSC TUNER, THIN BEZEL, 3 YEAR WARRANTY, FEET OPTIONAL, CO |
| Ic71055c10 | |
| Ps8101-F3-A | |
| Upa1522h | |
| Mdg5-Bnd12 | |
| D71055c | |

| | |
|---------------------------------------|---|
| Nl10276bc24-13 | NECCONTROL NODETHIS SOFTWARE ALLOWS FOR THE PROGRAMMING OF THE HIPERWALLUSED TO ORGANIZE CONTENT ON THE SCREENSET SCHEDULESAND COMMUNICATE WITH THE RE |
| Hwcntrl | |
| Fn1l4m | |
| Im-16lx | |
| D7225g | |
| D71037cz-10 8948kp201 | |
| 117-904-011 | |
| 134-500558-669 | |
| Ic4559c | |
| Np-9ls08zm1 | |
| B64-U30 | |
| Soundbar90 | |
| Np4100-09zl | NEC, BUNDLE, NP4100 WITH NP09ZL, INCLUDES NP4100 PROJECTOR AND NP09ZL LENS |
| Gt60lp | |
| L194rh-Black | |
| Pfa122bl | |
| Np15zl | NEC, PROJECTOR LENS, 4.62-7.02:1 ZOOM LENS FOR THE NP-PA500X/PA500U/PA5520W/PA600X, NP1000/2000, NP1150/2150/3150/3151W, NP1250/2250/3250/3250W AND NP |
| D445lc | |
| Np-V311x | |
| Pa301w-Bk | NEC, MULTISYNC, PA301W-BK, 30 LCD MONITOR, P-IPS, 2560X1600, W/ AMBIX4+, DUAL DVI-D, DUAL DISPLAYPOT, USB HUB, 14 BIT 3-D LUT, COLOR EMULATION, TILEM |
| D2815c | |
| Pa-16cotbe | |
| Ps8501l1-Ax | |
| Np-M260x | NEC, 2600 LUMEN PROJECTOR, XGA, LCD, W/2000:1 CONTRAST WITH IRIS, 10W SPEAKER, HDMI INPUT, USB INPUT (DISPLAY), USB VIEWER CABILITY (JPEG), CLOSED CAPT |
| Ng-84550-001 | |
| Ic5555c | |
| Np4100w-10zl | NEC, BUNDLE, NP4100W WITH NP10ZL, INCLUDES NP4100W PROJECTOR AND NP10ZL LENS |
| Mdrv10b5mp | |
| Hwsndr | NEC, SENDER NODE, THIS SOFTWARE ALLOWS FOR AN INDIVIDUAL DESKTOP TO BE REPLICATED AND SENT TO THE CONTROL NODE TO BE SHOWN AS CONTENT FOR THE HIPERWAL |

| | |
|---------------------------------|--|
| Np-Pa500u-13zl | NEC, BUNDLE, NP-PA500U WITH NP13ZL, INCLUDES PA500U PROJECTOR AND NP13ZL LENS |
| Ps7360l-1a-E3-A | |
| Upd71054l-10 | |
| D3146h | |
| Ndr064rtp918 | |
| Lcd2080ux-Bk | MULTISYNC F/P |
| Ea305wmi-Bk-Sv | |
| Bp-0220 | |
| Sb-03tm | |
| Ti-324a-05 | |
| Dn40-20 | |
| D726iad | |
| A1546 | |
| Np-Px750u-18zl | NEC, BUNDLE, NP-PX750U WITH NP18ZL, INCLUDES PX750U PROJECTOR AND NP18ZL LENS, CONTENT MANAGMENT SOFTWARE |
| Pa-Pc71 | |
| Np09zl | NEC, PROJECTOR LENS, 2.22-4.43:1 ZOOM LENS FOR THE NP4000, NP4001, NP4100 AND NP4100W PROJECTORS |
| Ea305wmi-Bk | |
| Kt-55un-Of | |
| Ep2f-B3g1st | |
| P462-Tmx4d | NEC, FOUR P462 BUNDLED WITH FOUR ONSITEON-46, 4 DVI LOOP-THROUGH CABLES, 4M DVI CABLE, THREE NULL MODEM CABLES, TRIPP LITE ISOBAR6 SURGE SUPPRESSOR, C |
| Vt45lpk | |
| C55a | |
| 2403 | |
| Md302c6 | |
| Sw8100 | |
| W m-46un-2x2 | |
| Pz-M606-A | |
| Np01fl | NEC, PROJECTOR LENS, 0.8:1 FIXED SHORT THROW LENS FOR THE NP1000, NP2000, NP1150, NP2150, NP3150, NP3151W, NP1250, NP2250, NP3250, NP3250W, NP1200 AND |
| U321h | |
| Np-M333xs | |
| Ic1701c | |

[Upd75116gf](#)

[D7201c](#)

[Ps2501l-1](#)

[Sp-4046pv](#)

[Fc128gx32aaaa](#)

[Upd431000acz85l](#)

[42s4260-80](#)

[2sc1008a](#)

[Icd8271](#)

[D78064gf144](#)

[E232wmt-Bk](#)

[X551uhd](#)

[D2110k-202](#)

[104pwcr1-B](#)

[Ops-Pcaeq-Ps](#)

[Dn10-1c](#)

[Y-Qb-Mini2-Ee](#)

[V462-Pc](#)

[Upd5201c](#)

[S7408](#)

[Upc4558g2](#)

[Ic1488h](#)

[Icd71054c](#)

[Rmt-Pj12](#)

[Itr-16d-3](#)

[P6z02m](#)

[V323-2-Drd](#)

[D75p216acw](#)

[Pcu-10](#)

[P232w-Bk](#)

[X554uns](#)

[Upd4722gs](#)

[Ic42426060](#)

[Svii-Ea-Kit](#)

[X554unv-Tmx4p](#)

| | |
|---|--|
| Ic4702g | |
| Ic71055I10 | |
| Avcage | |
| D70216I-10 | |
| Pa241w-Bk-Sv | NEC, MULTISYNC PA241W-BK, 24 LCD MONITOR WITH SPECTRAVIEW II BUNDLE, P-IPS, 1920X1200, W/AMBIX4, DUAL DVI-D, VGA, DISPLAYPORT, USB HUB, 14 BIT 3-D LU |
| Lcd2090uxi-Bk-1 | NEC, MULTISYNC LCD2090UXI-BK-1, 20 LCD MONITOR, IPS, 1600X1200, W/AMBIX3 DIGITAL AND ANALOG TECHNOLOGY, XTRAVIEW+, TILEMATRIX, ULTRA-THIN FRAME DESIG |
| Lh02lp | |
| Ch2410-155 | COMMUNICATION HUB |
| 6200120 / NI3224bc35-20 | |
| Ps2602 | |
| E585 | |
| Px602st-Cm | |
| Ea241wm-Bk | |
| Mdg3mp-Bndl | NEC, TWO FULLY MATCHED 21 GRAY SCALE 3 MP MEDICAL MONITORS BUNDLED WITH A 3 MP VIDEO CARD (MDN-FX380) WITH GAMMACOMPMD SOFTWARE,5 YEAR OVERNIGHT EXCH |
| C393c | |
| C15m | |
| NI3224bc35-20 | |
| Ic27051 | |
| V651-Pc | |
| D8039hlc | |
| Ub54255led6420x1 | |
| Rmt-Pj29 | |
| Upd80c42c | |
| 121pw111-B | |
| Jc2141uma | |
| X462un | |
| Upc1216v | |
| Fe791sb | |
| Np02zl | NEC, PROJECTOR LENS, 1.18-1.54:1 ZOOM LENS FOR THE NP1000, NP2000, NP1150, NP2150, NP3150, NP3151W, NP1250, NP2250, NP3250, NP3250W, NP1200 AND NP2200 |
| Np01mr | |

| | |
|----------------------------------|--|
| E223w-Bk | |
| Np-Px602wl-W-36 | |
| 309-00225 | |
| Np-Px602wl-Wh | |
| P462 | NEC, P462, 46 LCD PUBLIC DISPLAY MONITOR 1920X1080 NARROW BEZEL WITH FULL AV FUNCTION, OPTION SLOT, DISPLAYPORT LOOP-THROUGH, RJ-45, HDMI DIGITAL CON |
| X555unv | |
| P702-Avt | NEC, P702-AVT, 70 PROFESSIONAL-GRADE LARGE SCREEN DISPLAY, 1920X1080 FHD, BEZEL FULL AV FUNCTION, OPTION SLOT, RS-232 LOOP, DVI-LOOP THROUGH, RJ-45-R |
| Hwdsply | NEC, DISPLAY NODE, THIS SOFTWARE ALLOWS FOR THE COMMUNICATION AND PLAYBACK OF CONTENT ON THE SCREENS WITHIN A HIPERWALL |
| 2017sc | |
| Pa271w-Bk-Sv | NEC, MULTISYNC PA271W-BK, 27 LCD MONITOR WITH SPECTRAVIEW II BUNDLE, P-IPS, 2560X1440, W/AMBIX4, DUAL DVI-D, VGA, DISPLAYPORT, USB HUB, 14 BIT 3-D LU |
| D7001c | |
| Np-Px602ul-B-35 | |
| D4564163g5a809jf | |
| Ic70325l10 | |
| Np-M300x | NEC, PROJECTOR, 3000 LUMEN, XGA, LCD, W/2000:1 CONTRAST WITH IRIS, 10W SPEAKER, HDMI INPUT, USB INPUT(DISPLAY), USB VIEWER CAPABILITY(JPEG), CLOSED CA |
| Upc1397c | |
| Np-Px700w | NEC, PROJECTOR, INSTALLATION, WXGA DLP DUAL LAMP, 7000 LUMEN INTEGRATION PROJECTOR (SHIPS WITHOUT A LENS), VGA, COMPOSITE, S-VIDEO, USB VIEWER CAPABIL |
| 2sk3294s | |
| M3cpv611ac | |
| Kt-Rc | |
| Ic71054gb3b4 | |
| Ops-Pcafq-H | NEC, OPS PC, OPEN PLUGGABLE SPECIFICATION COMPLIANT, AMD QUAD-CORE FUSION APU, INTEGRATED HD 6620 GPU, NO OPERATING SYSTEM, 250GB HDD, 3 YR WARRANTY |
| Upd71055gb | |
| Md212mc | NEC, MEDICAL MONITOR WITH FORNT SENSOR, 21 COLOR HIGH-BRIGHT 2MP GAMMCOMPMD SOFTWARE, 12BIT LUT, 1600 X 1200, 5 YEAR LIMITED OVERNIGHT EXCHANGE WARRA |
| Np25lp | |
| 73499284 | |

| | |
|-----------------------------------|---|
| Np510 | PROJECTOR 100/240V 50/60HZ 3.2-1.4AMP |
| Bncacable | |
| Ea273wmi-Bk | |
| Np32zl | |
| Ic8155c2 | |
| E245wmi-Bk | |
| Np-9ls12zm1 | |
| D7201d | |
| Ps9711f3 | |
| D71055c-10 | |
| Np09lp | |
| Sp-Rm1 | |
| D8749hc | |
| Pa302w-Sv | |
| Upc78m10ahf | |
| Mdc3mp-Bndl | NEC, TWO 21 COLOR 3 MP MEDICAL MONITORS BUNDLED WITH A 3 MP VIDEO CARD (MDN-FX380) WITH GAMMACOMPMD SOFTWARE, 2048X1536, 4096 SHADES OF GRAY, 5 YEAR |
| Pa301w-Bk-Sv | NEC, MULTISYNC PA301W-BK, 30 LCD MONITOR WITH SPECTRAVIEW II BUNDLE, P-IPS, 2560X1600, W/AMBIX4+, DUAL DVI-D, DUAL DISPLAYPORT, USB HUB, 14 BIT 3-D L |
| Np4100w-08zl | NEC, BUNDLE, NP4100W WITH NP08ZL, INCLUDES NP4100W PROJECTOR AND NP08ZL LENS |
| Np-U310w-Wk1 | NEC, PROJECTOR, 3100 LUMEN ULTRA SHORT THROW, WXGA, DLP, W/10W SPEAKER, CLOSED CAPTIONING AND RJ-45, 14.3 POUNDS, INCLUDES NP01WK1 |
| D71059c 0023ldw01 | |
| 45096001 | |
| Sp-3215 | |
| Fip20x4aa | |
| 2sd800 | |
| 2sk2484 | |
| Ea274wmi-Bk-Sv | |
| P462-Avt | NEC, P462, 46 LCD PUBLIC DISPLAY MONITOR 1920X1080 NARROW BEZEL WITH FULL AV FUNCTION, ATSC TUNER, OPTION SLOT, DISPLAYPORT LOOP-THROUGH, RJ-45, HDMI |
| NI8060bc31-27 | |
| Maus-C0005-X1 | |
| D2403k-214 | |

| | |
|--------------------------------|---|
| Upd70116g8 | |
| Pa-24dtr | |
| Rd13fb1 | |
| Ic2604 | |
| N8000-8830 | NEC, OPS PC WITH INTEL CORE I5, 320GB HARD DRIVE, WINDOWS EMBEDDED STANDARD 7 |
| Np19zl | NEC, PROJECTOR LENS, 2.22-3.67:1 MEDIUM THROW ZOOM LENS FOR THE NP-PX750U PROJECTOR |
| B9760qa-0 | |
| 2sb1094 | |
| Lcd1990sx-Bk | LCD1990SX-BK 19IN LCD 1280X1024 1500:1 |
| 283402 | |
| As231wm-Bk | |
| Rmt-Pj28 | |
| E552 | NEC, E552, 55, LCD PUBLIC DISPLAY MONITOR W BUILT IN ATSC TUNER, 1920X1080 (FHD) NATIVE RESOLUTION, RS-232 CONTROL, FULL AV FUNCTION, BUILT IN SPEAKE |
| Soundbar20w-Bk | |
| -40320 | |
| Upc7912ahf | |
| 2sk2364 | |
| Ea304wmi-Bk | |
| X464unv-Tmx4p | |
| Ic8155hc2 | |
| Lcd-1970nx-Bk | |
| NI6448bc2008er | |
| Pa231w-Bk-Sv | NEC, MULTISYNC PA231W-BK, 23 LCD MONITOR WITH SPECTRAVIEW II BUNDLE, IPS, 1920X1080, W/AMBIX4, DUAL DVI-D, VGA, DISPLAYPORT, USB HUB, 14 BIT 3-D LUT, |
| X5251a-V01ab | |
| Fm20x2ac | |
| Ua78h05asc | |
| Amk-Pxx3 | |
| Np-V311w | |
| Mdm-Xenpro | TRIPPLE HEAD VIDEO CARD PCIE X 16 TRIPLE DVI-I VIDEO CARD WITH 1024 MB OF RAM |
| Npstctl | |
| Cr10u50 | |

| | |
|----------------------------------|--|
| Np17zl | NEC, PROJECTOR LENS, 1.25-1.79:1 SHORT THROW ZOOM LENS FOR THE NP-PX750U PROJECTOR |
| Pa-8elca | |
| Ic70116c8 | |
| D71051c | |
| D852 | |
| D21076-202 | |
| E324 | |
| 104pwbj1-C | |
| Lcd8205 | NEC, LCD8205 82 LCD DISPLAY MONITOR, 1920 X 1080 (1080P, FHD), BLACK WITH FULL AV FUNCTION, 3 YEAR WARRANTY, CONTENT MANAGEMENT SOFTWARE (CMS) |
| 134-506790-603-4 | |
| As203wmi-Bk | |
| Sp-5220 | |
| Fl15ad/70 | |
| Ic70236gd16 | |
| Mt860 | |
| Lcd2090uxi | |
| X555uns-Tmx9p | |
| Np-Um352w-Wk | |
| Up-D416c | |
| Md211g5 | |
| Np-L50w | |
| X7139a1v02bb | |
| D7032018 | |
| D21196-202 | |
| Ps9117a-F3-Ax | |
| Nrd106k25r12 | |
| 134-506790-440-4 | |
| D8085ac | |
| 193230635001 | |
| Hwcntrl2 | |
| Np-U321hi-Tm | |
| Upa54ha | |
| 65pwb31 | |

| | |
|---------------------------------------|--|
| Pa322uhd-Bk-Sv | |
| Np-Px750u2 | |
| Np01ba | |
| Ic358c | |
| M322-6adt | |
| E462 | NEC, 462, LCD MONITOR, 46, BUILT IN ATSC TUNER, 1920X1080 FHD, RS-232 CONTROL, FULL AV FUNCTION, TABLETOP STAND INCLUDED, 3 YEAR WARRANTY, FREE NEC CM |
| NI3224ac35-01 | |
| -0vs60012a | |
| Np43 | NEC, XGA, DLP, 2300 LUMEN PROJECTOR, 3.5LB, AUTOMATIC FOCUS, BUILT-IN LENS COVER |
| NI8060bc26-17s2 | |
| 50p4sg | |
| Np-Pa622u-13zl | |
| Np05zl | NEC, PROJECTOR LENS, 4.62-7.02:1 ZOOM LENS FOR THE NP1000, NP2000, NP1150, NP2150, NP3150, NP3151W, NP1250, NP2250, NP3250, NP3250W, NP1200 AND NP2200 |
| P402-Tmx4d | NEC, FOUR P402 BUNDLED WITH FOUR ONSITEON-46, 4 DVI LOOP-THROUGH CABLES, 4M DVI CABLE, THREE NULL MODEM CABLES, TRIPP LITE ISOBAR6 SURGE SUPPRESSOR, C |
| P403 | |
| Ic78c10g | |
| Fd1165-A | |
| Upd1709ct | |
| Np4100w-09zl | NEC, BUNDLE, NP4100W WITH NP09ZL, INCLUDES NP4100W PROJECTOR AND NP09ZL LENS |
| D71037cz-10 8948kp200 | |
| 40000342-T | |
| Np20zl | NEC, PROJECTOR LENS, 3.60-5.40:1 LONG THROW ZOOM LENS FOR THE NP-PX750U PROJECTOR |
| Ph-I024 | |
| Np-P502w | |
| Fd1231m | |
| Dtp-8d-1-Wh | |
| Fd1238h | |
| 910056 | |
| E553 | |
| Rmt-Pj26 | |

| | |
|--|--|
| C1883act | |
| P552-Tmx4d | |
| M3a1tu14aa | |
| -Kt-Lfd-Cc | |
| 104pw161 / Power Karte | |
| V422 | NEC, COMMERCIAL DISPLAY,V SERIES,V422,42,LCD,1920X1080 FHD,BLACK,RS232 LOOP,RJ-45,HDMI DIGITAL CONNECTION,INTEGRATED SPEAKERS,3 YEAR STANDARD WARRANTY |
| Np4100-08zl | NEC, BUNDLE, NP4100 WITH NP08ZL, INCLUDES NP4100 PROJECTOR AND NP08ZL LENS |
| Ic8251ac | |
| X555unv-Tmx9p | |
| 7p3j002630 | |
| NI6448ac33-13 | |
| Np09cv | |
| Np-U310w | NEC, PROJECTOR, 3100 LUMEN ULTRA SHORT THROW WXGA, DLP, W/10W SPEAKER, CLOSED CAPTIONING AND RJ-45 |
| Np30zl | |
| P463-Avt | |
| As1603 | STRAIN AMPLIFIERD 6VAMP10-30VDC/9VAMP 180-264VAC |
| NI6448ac33-18 | |
| Mt1030 | |
| 2sd985 | |
| Pa622-St | |
| M-677455 | |
| Hdpa32 | |
| Pa-16elcd | |
| D71011g | |
| X464unv-2 | |
| D71037cz-10 8948kp202 | |
| D70136l-16 | |
| Dtl-24d-1p | |
| D8748hd | |
| Ic2003c | |
| Np12zl | NEC, PROJECTOR LENS, 1.18-1.54:1 ZOOM LENS FOR THE NP-PA500X/PA500U/PA5520W/PA600X, NP1000/2000, NP1150/2150/3150/3151W, NP1250/2250/3250/3250W AND NP |

| | |
|-----------------------------------|--|
| Mr6224s | |
| Pa-16lcg-B | |
| Np11fl | NEC, PROJECTOR LENS, 0.8:1 FIXED SHORT THROW LENS FOR THE NP-PA500X/PA500U/PA550W/PA600X, NP1000/2000, NP1150/2150/3150/3151W, NP1250/2250/3250/3250W |
| Vt85lp | |
| Np01pi | |
| Np-Ve303x | |
| Np-Um351wi-Tm | |
| -X463un-Tmx9p | |
| Upd4712c | |
| Upc824c | |
| Mt1075 | |
| Md211c2 | |
| NI6448bc33-64d | |
| Ps2503-2 | |
| Ops-Pcafq-Ws | NEC, OPS PC, OPEN PLUGGABLE SPECIFICATION COMPLIANT, AMD QUAD-CORE FUSION APU, INTEGRATED HD 6620 GPU, WINDOWS EMBEDDED STANDARD 7, 32GB HDD, 3 YEAR W |
| Amk-V422 | |
| NI-10276bc20-04 | |
| Upb8212c | |
| D1392 | |
| D43256agu10l | |
| NI10276ac3003lr | |
| -Kt-Rc | |
| Np35lp | |
| S-11251b | |
| P551 | NEC, P551, 55 LCD PUBLIC DISPLAY MONITOR 1920 X 1080 (FHD) BLACK WITH FULL AV FUNCTION, OPTION SLOT, THIN BEZEL, 3 YEAR WARRANTY, FEET OPTIONAL, CONT |
| NI-6448bc33-31 | |
| Np-Px602ul-W-35 | |
| Upd72069gf | |
| 134-506790-250-3 | |
| Np03zl | NEC, PROJECTOR LENS, 1.94-3.07:1 ZOOM LENS FOR THE NP1000, NP2000, NP1150, NP2150, NP3150, NP3151W, NP1250, NP2250, NP3250, NP3250W, NP1200 AND NP2200 |
| D71059c 0244lha05 | |

| | |
|----------------------------------|--|
| Np-Pa550w | NEC, PROJECTOR, 5500 LUMEN INTEGRATION, WXGA LCD, 2000:1 CONTRAST (WITH IRIS), CENTER LENS DESIGN, 10W SPEAKER, HDMI, 2 ANALOG RGB INPUTS, DISPLAYPORT |
| X0416e1v01b | |
| C-526 | HARD DRIVE 21 MEGABYTES |
| Mdg3-Bndn1 | |
| P552 | NEC, P552, LCD MONITOR, 55, 1920X1080, NARROW BEZEL WITH FULL AV FUNCTION, OPTION SLOT (NEC OR OPS) RS-232/DVI/DISPLAY PORT LOOP THROUGH, RJ-45, INT |
| Lcd175vx | |
| P702 | NEC, P702, 70 PROFESSIONAL-GRADE LCD LARGE SCREEN DISPLAY, 1920X1080 FHD, STANDARD BEZEL WITH FULL AV FUNCTION, OPTION SLOT, RS-232, DVI-LOOP, DISPLA |
| Md301c4 | NEC, 4MP MEDICAL MONITOR, GAMMACOMPMD SOFTWARE, 30 (29.8 VIS) P-IPS, 2560X1600, AMBIX4+, DUAL DVI-D, DUAL DISPLAYPORT, USB HUB, 5 YEAR WARRANTY |
| Upc2581v | |
| 2sb601 | |
| OI-V552 | |
| Sc-163-266095 | |
| Ps2001 | |
| Ic8251afc | |
| Pa-16lcbj-A | |
| 134-500537-070-0 | |
| Rmt-Pj14 | |
| V652 | |
| Ops-Pcib-Ph | |
| Np4100w-06fl | NEC, BUNDLE, NP4100W WITH NP06FL, INCLUDES NP4100W PROJECTOR AND NP06FL LENS |
| Rmt-Pj35 | |
| Np-Px750u2-18zl | |
| Pc1031h2 | |
| Ic2041 | |
| Pwrcrd-Np40 | |
| Cdr-273 | |
| V322 | |
| Np-Px750u | NEC, PROJECTOR, 7500 LUMEN INTEGRATION, WUXGA DLP DUAL LAMP, 2100:1 CONTRAST (DYNAMIC CONTRAST), CENTER LENS DESIGN, HDMI, 2 ANALOG RGB INPUTS, 5 BNC |
| V552 | |

| | |
|--|---|
| D8085ahc-2 9516md005 | |
| NI6448bc33-70 (22000017) | |
| Ic7002c | |
| 1394p3 | |
| X461s-Pc | |
| Ps2603 | |
| Ic78310al | |
| Ef2-5nu | |
| D2475k-218 | |
| X551s-Avt | |
| Mtlamp600800 | |
| D71059c 0041ldw02 | |
| Np-Um361xi-Tm | |
| Ic2501I4 | |
| Upd72001gc11 | |
| Mrii-N175 | |
| D7291ac 9627fd007 | |
| Nc-50Is12z | |
| 2sj626t1ba | |
| Bu1201m | |
| Yeam1708g513 | |
| Xt90lh | |
| Md213mc | NEC, MEDICAL MONITOR WITH FORNT SENSOR, 21 COLOR HIGH-BRIGHT 3MP (1536 X 2048) GANMCOMPMD SOFTWARE, 12BIT LUT, 5 YEAR LIMITED OVERNIGHT EXCHANGE WARR |
| Ic71051gb | |
| Rmt-Pj24 | |
| D43256ac-10l | |
| 43x340 | Dukane Network Controller MultiPlexer 93893 |
| Hes-Aca-01 | |
| Np-Pa600x | NEC, PROJECTOR, 6000 LUMEN INTEGRATION, XGA LCD, 2000:1 CONTRAST (WITH IRIS), CENTER LENS DESIGN, 10W SPEAKER, HDMI, 2 ANALOG RGB INPUTS, DISPLAYPORT |
| Ctp21c | |
| Mis513 | |
| Nr-575678-000 | |

| | |
|----------------------------------|--|
| D8253c-2 | |
| Wm-46un-L2 | |
| Ic7220ad | |
| Ops-Pcafq-W h | NEC, OPS PC, OPEN PLUGGABLE SPECIFICATION COMPLIANT, AMD QUAD-CORE FUSION APU, INTEGRATED HD 6620 GPU, WINDOWS EMBEDDED STANDARD 7, 250GB HDD, 3 YEAR |
| Rmt-Pj18 | |
| D24286-217 | |
| NI2432hc22-41k | |
| Np64 | NEC, XGA, DLP, 3000 LUMEN PROJECTOR, USB CONNECTIVITY, 3.7LB., AUTOMATIC FOCUS, BUILT-IN LENS COVER |
| D4364c12l | |
| D78c10agf | |
| Ps2044 | |
| V462-Tm | |
| A1395 | |
| Hpc-1314c | |
| Lcd2090uxi-1 | NEC, MULTISYNC LCD2090UXI-1, 20 LCD MONITOR, IPS, 1600X1200, W/AMBIX3 DIGITAL AND ANALOG TECHNOLOGY, XTRAVIEW+, TILEMATRIX, ULTRA-THIN FRAME DESIGN, |
| Np-Px800x | NEC, PROJECTOR, INSTALLATION, 8000 LUMENS, THIS PRODUCT SHIPS WITHOUT A LENS, VGA, COMPOSITE, S-VIDEO, WIRED/WIRELESS (OPTIONAL) NETWORKING, 3 YEAR WA |
| Np-9ls13zm1 | |
| 55pw131 | |
| Phcase-01 | |
| Fd1157c | |
| P703-Pc | |
| Np-Pa500x-13zl | NEC, BUNDLE, NP-PA500X WITH NP13ZL, INCLUDES PA500X PROJECTOR AND NP13ZL LENS |
| 193-250-494-C-03 | |
| Md211g5-N1 | |
| Sp4020-4620 | |
| D2120k-203 | |
| 134-500558-531 | |
| Pz-M371 | |
| Np18zl | NEC, PROJECTOR LENS, 1.73-2.27:1 STANDARD THROW ZOOM LENS FOR THE NP-PX750U PROJECTOR |
| Np4000ata | |

| | |
|----------------------------------|--|
| Np02lm1 | |
| D65022l110 | |
| 134-506790-269-3 | |
| E705-Avt | |
| Upc7805ahf | |
| Pa242w-Bk-Sv | |
| Np03ft | |
| Eb2-24nu | |
| Lcd2080uxi-Bk | MONITOR 20IN PROFESSIONAL LCD MULTISYNC 1600X1200 |
| Vbx-Ch2410 | |
| -40323 | |
| Dn10-20 | |
| Upd71101gd10 | |
| Bz-M14 | |
| V323-2-Pc | |
| NI6448ac3310cabl | |
| X554hb | |
| Ops-Pcia-Ws | NEC, OPS PC, OPEN PLUGGABLE SPECIFICATION COMPLIANT, INTEL DUAL CORE ATOM CPU (D525), NVIDIA ION2 GPU (GT218A), 32 GB SOLID STATE DRIVE, WINDOWS EMBED |
| Vt 57 / Vt80lp | |
| Upa1601gs | |
| C1555c | |
| 750266 | |
| D4464c-12l | |
| Ps9634 | |
| Np06fl | NEC, PROJECTOR LENS, 0.77:1 FIXED SHORT THROW LENS FOR THE NP4000, NP4001, NP4100 AND NP4100W PROJECTORS |
| Upd431232l9f-A8 | |
| W m-46s-P | |
| Ic451c | |
| Ops-Pcaf-Wh | NEC, PC, OPS PC WITH AMD DUAL CORE FUSION APU, 160GB HARD DRIVE DISK, WINDOWS 7, PROFESSIONAL LICENSE |
| Pa-16lcbe | |
| Sb3-Ab1 | |
| OI-E705 | |

| | |
|----------------------------------|--|
| 2sj329 | |
| Np04zl | NEC, PROJECTOR LENS, 2.98-4.77:1 ZOOM LENS FOR THE NP1000, NP2000, NP1150, NP2150, NP3150, NP3151W, NP1250, NP2250, NP3250, NP3250W, NP1200 AND NP2200 |
| Sb-06wc | |
| Np-Um330x-Wk1 | |
| Upd4516161bg5a80 | |
| 163-236570 | |
| Fd 235hf-C891 | |
| V801-Tm | |
| Np10zl | NEC, PROJECTOR LENS, 4.43-8.3:1 ZOOM LENS FOR THE NP4000, NP4001, NP4100 AND NP4100W PROJECTORS |
| Np4100-06fl | NEC, BUNDLE, NP4100 WITH NP06FL, INCLUDES NP4100 PROJECTOR AND NP06FL LENS |
| Ua324pc | |
| Np07zl | NEC, PROJECTOR LENS, 1.33-1.79:1 ZOOM LENS FOR THE NP4000, NP4001, NP4100 AND NP4100W PROJECTORS |
| Icd446c | |
| Net-Sbc-02 | |
| NI10276bc30-10 | |
| 1341006780040 | |
| Np04wi | |
| D2382k-214 | |
| Np4100-07zl | NEC, BUNDLE, NP4100 WITH NP07ZL, INCLUDES NP4100 PROJECTOR AND NP07ZL LENS |
| 2sc4001l | |
| Md302c4 | |
| NI6448ac3329 | |
| Hc244a | |
| D2764d | |
| X554un-Tmx4p | |
| NI3224ac35-13 No | |
| NI6448ac33 | |
| Pa-24dtg | |
| Upc458c | |
| -Ds-Vw765-Land | |
| Ic7805ahf | |

| | |
|----------------------------------|---|
| Bux30 | |
| D4701ac | |
| V652-Avt | |
| Ea275wmi-Bk | |
| Upd8039hlc | |
| Np4100w-07zl | NEC, BUNDLE, NP4100W WITH NP07ZL, INCLUDES NP4100W PROJECTOR AND NP07ZL LENS |
| Bca1080 | |
| Ic53c | |
| Lcd175m-Bk | |
| D1z51k-202 | |
| Np01tk | |
| D8255ac-2 | |
| Pa-Pw36 | |
| Fd3238h | |
| E222w-Bk | |
| VI-Pad-933 | |
| D4fxdad1aa | |
| 130-100390-556-0 | DISK DRIVE 8INCH FLOPPY |
| Pa-16lcg-G | |
| Hpc1314c | |
| Np-P451w | |
| Upc648c | |
| Hwstrm | NEC, STREAMER NODE, THE SOFTWARE ALLOWS FOR CERTAIN FILE FORMATS AND DEVICES (VIDEO CONFERENCING CAMERAS, TV TUNER CAPTURE CARDS, ETC.) TO BE SENT TO |
| Nd4e | |
| V651 | |
| Upd4558g2 | |
| N17005a | |
| 133-856810-B-02 | |
| Upa67c | |
| As241w-Bk | |
| Np08lp | |
| Rmt-Pj08 | |
| Np-Pa672w-13zl | |
| D43256c-10l | |

| | |
|--------------------------------|--|
| Md210c3 | |
| Lt70lp | |
| Np-U300x-Wk1 | NEC, PROJECTOR, 3000 LUMEN ULTRA SHORT THROW, XGA, DLP, W/10W SPEAKER, CLOSED CAPTIONING AND RJ-45, INCLUDES NP01WK1 |
| Ic78310agg | |
| Np-V300x | |
| Wpa001 | |
| Upd78cp14l | |
| 4p-2p-Pwr-Ca-A | |
| P552-Avt | NEC, P552-AVT, LCD MONITOR, 55, 1920X1080, NARROW BEZEL WITH FULL AV FUNCTION ATSC TUNER, OPTION SLOT (NEC OR OTHER) RS-232 LOOP THROUGH, DVI LOOP |
| Pz-Me18 | |
| Wm-46un-L | |
| Mp300cm | |
| Np-P452w | |
| Np-U300x | NEC, PROJECTOR, 3000 LUMEN ULTRA SHORT THROW, XGA, DLP, W/10W SPEAKER, CLOSED CAPTIONING AND RJ-45 |
| 163-237520 | |
| Ops-Pcib-Ps | |
| D3142 | |
| Upd1709ct-114 | |
| Pw-Psh4-01 | |
| P701 | |
| X5262a | |
| Ic1379c | |
| Pa-16cot-Ah | |
| D30550agd350 | |
| Ic4082c | |
| Np4100 | NEC, NP4100 XGA DLP, 6200 LUMEN, DUAL LAMP LENSLESS INSTALL PROJECTOR |
| Ic617g2 | |
| D8085ahc2 | |
| Sa120a-2775u-S | |
| Fip40a5x | |
| Nt8b30 | |

| | |
|---|---|
| Pa271w-Bk | NEC, MULTISYNC PA271W-BK, 27 LCD MONITOR, P-IPS, 2560X1440, W/AMBIX4, DUAL DVI-D, VGA, DISPLAYPORT, USB HUB, 14 BIT 3-D LUT, COLOR EMULATION, TILEMAT |
| X551s | |
| 3p-Pwr-Ca-A | |
| Np31zl | |
| Pc-Vp-Bu12/0p-260-76101 | |
| Ph1000cm | |
| Ti-324a Camera Lens | |
| 8219a9200 | |
| Cd-3002a | |
| Md213mg | NEC, MEDICAL MONITOR WITH FRONT SENSOR, 21 GRAYSCALE HIGH-BRIGHT 3MP (1536 X 2048) GAMMCOMPMD SOFTWARE, 12BIT LUT, 5 YEAR LIMITED OVERNIGHT EXCHANGE |
| V463-Avt | |
| D416c-2 | |
| Np22lp | |
| L174f1 | |
| Ps2801c-4-F3-A | |
| 163-236630 | |
| D416c-1 | |
| Upc824q2 | |
| 9e01-L31-10k | |
| Pa-16lcq | |
| 8701 | |
| D8085ahc 9513md002 | |
| Np-M271x | |
| St-4620 | |
| Upd4712cgt | |
| E171m-Bk | |
| Md211g3 | |
| X981uhd-2 | |
| Np-Pa500x | NEC, PROJECTOR, 5000 LUMEN INTEGRATION, XGA LCD, 2000:1 CONTRAST, 10W SPEAKER, HDMI, 2 ANALOG RGB INPUTS, DISPLAYPORT INPUT,CLSD CAPTIONING, ADVANCED |
| Np-Um352w | |
| Np215case | |
| Np-Ph1202hl | |

| | |
|--|---|
| Ps9114a | |
| Ic1099cx | |
| D78010agq | |
| Ps25034 | |
| Upc324c | |
| D2109k-202 | |
| Ps2801c4 | |
| X551un | |
| Np-Px800x-08zl | NEC, PROJECTOR, BUNDLE, LUMENS, INCLUDES PX800X PROJECTOR AND NP08ZL LENS, 8000 LUMENS, HDMI, 2 VGA, COMPOSITE, S-VIDEO, DISPLAYPORT, 3 YEAR WARRANTY |
| X464uns | |
| 134-506790-240-3 | |
| Vt50lp | |
| 2sj303 | |
| Ic780c2 | |
| Np03wi | |
| NI128102ac31-02 - Obsolete | |
| Np30lp | |
| 020180103a | |
| Ca03de | |
| Ic177c | |
| C741c | |
| Hdpa27 | |
| Ops-Pcaf-Ws | |
| 2sk3116 | |
| M3chbld1aa | |
| Ic1458c | |
| Pa-24prtb-A | |
| A1601 | |
| Pa241w-Bk | NEC, MULTISYNC PA241W-BK, 24 LCD MONITOR, P-IPS, 1920X1200, W/AMBIX4, DUAL DVI-D, VGA, DISPLAYPORT, USB HUB, 14 BIT 3-D LUT, COLOR EMULATION, TILEMAT |
| Np35zl | |
| X461s | |
| 2sj143 | |

| | |
|---|--|
| Md215mg-S5 | NEC, MEDICAL MONITOR WITH FRONT LUMINANCE SENSOR, 21.3 GRAY SCALE 5 MP WITH DUAL LINK DVI INPUT, 2048X2560, PROTECTIVE GLASS, 5 YEAR OVERNIGHT EXCHAN |
| Fl10-W | |
| Np-M300ws | NEC, PROJECTOR, 3000 LUMEN, WXGA, LCD, SHORT THROW, 0.48 THROW DISTANCE, 10W SPEAKER, HDMI INPUT, USB DISPLAY/VIEWER CAPABILITY, CLOSED CAPTIONING AND |
| Pn-Cp24-C Sc-3385 K1 3.11 | CARD COMMUNICATION CARD |
| Np21zl | NEC, PROJECTOR LENS, 5.30-8.30:1 LONG ZOOM LENS FOR THE NP-PX750U PROJECTOR |
| Jc1401p3a | |
| D8259ac2 | |
| Ea243wm-Bk | |
| Asmnl6448bc3364r | |
| Dtp-32d-1-Wh | |
| Ic70208I8 | |
| Ops-Pcafq-S | NEC, OPS PC, OPEN PLUGGABLE SPECIFICATION COMPLIANT, AMD QUAD-CORE FUSION APU, INTEGRATED HD 6620 GPU, NO OPERATING SYSTEM, 32GB HDD, 3 YR WARRANTY |
| Fip16a5r | |
| Ic71059c | |
| Ic271c | |
| Pa272w-Bk-Sv | |
| 7-Clrs-232-2ds | |
| Lcd8205-Hc | NEC, LCD8205 HARD SHIPPING CASE W/ CASTERS |
| 134-100390-556-0 | DISK DRIVE 8INCH FLOPPY |
| Upb131d | |
| Ic842g2 | |
| Mpd-Dti | |
| Rep-D5146-15799-226 | |
| D4364c12II | |
| Lcd2190uxp-Bk - Obsolete, No Successor. | |
| P553-Drd | |
| J449 | |
| Dn40-1c | |
| S461 | NEC, S461, 46 PUBLIC DISPLAY MONITOR 1920X1080 (FHD) WITH AV FUNCTION, OPTION SLOT, STANDARD BEZEL WIDTH, 3 YEAR WARRANTY, FEET OPTIONAL, CONTENT MAN |
| Ps2041 | |

| | |
|-----------------------------------|--|
| V422-Avt | NEC, V422-AVT, LCD MONITOR, 42, 1920X1080, FULL AV FUCNTION WITH ATSC TUNER, OPTOIN SLOT (NEC OR OPS), RS-232/DVI LOOP THROUGHGS, RJ-45, INTEGRATED SP |
| D71059c 0039ldw05 | |
| Ops-Pcia-Wh | NEC, OPS PC, OPEN PLUGGABLE SPECIFICATION COMPLIANT, INTEL DUAL-CORE ATOM CPU (D525), NVIDIA ION2 GPU (GT218A), 250GB HARD DRIVE DISK, WINDOWS EMBEDDE |
| Mc5800 | |
| Ic71054I10 | |