



Nematron Corp

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Nematron Corp Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Nematron Corp Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
1200-I7-4gb-160ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-B
1700-I7-2gb-80ss-Xpss	
Iws-102	
1900-Cp45-4gb-160ss-W7udcss	
1900t-I5-2gb-Hd-Nosnl	
1200t-I5-4gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-
1200t-I5-4gb-Hd-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INS

1200-Cp45-2gb-160ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (6
1200t-Cp45-4gb-Hd-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYS
1700-I7-2gb-300ss-Nosdcss	
1700-I5-4gb-Hd-W7	
1200-I5-4gb-Hd-W7urm	
1900-I7-4gb-80ss-Xprm	
1500-I5-4gb-80ss-W7rm	
1500-Cp45-4gb-Hd-Xpnl	
1500-I7-2gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT),
1900t-I5-2gb-Hd-W7dcss	
1200-Cp45-4gb-Hd-W7rm	
54313	
W4740t-64820101	OPERATOR INTERFACE WORKSTATION 8AMP 90-250V 50/60H
1500-I5-4gb-Hd-W7u	
1700-Cp45-4gb-Hd-W7nl	
1900t-I7-2gb-Hd-W7urm	
1500t-I5-4gb-Hd-Nosrm	
1200t-I7-2gb-300ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPER
1900-Cp45-2gb-Hd-W7ss	
1500-I5-2gb-80ss-Xprm	
M1502t	
Kbd-2202	KEYBOARD
1500t-I7-2gb-160ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS

1200-I7-2gb-300ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT)
1200-I7-4gb-Hd-Xpdcrm	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRAT
1200t-I5-4gb-80ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 U
Ic5036-82310000	OPERATOR INTERACE PANEL
1900t-I7-2gb-Hd-Nosnl	
1700-I7-2gb-Hd-W7uss	
1700-I5-2gb-80ss-W7rm	
Dc94f8gdd05041	
1200-I5-4gb-Hd-W7uss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 100
1700t-I7-4gb-Hd-W7rm	
1200-I5-2gb-Hd-W7dcnl	
Ic5511-33410501	OPERATOR INTERFACE
1200-I5-2gb-80ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-B
1700-I5-4gb-Hd-W7dcnl	
1500-I5-4gb-80ss-Xprm	
1900t-I5-4gb-Hd-W7dcss	
1500-Cp45-2gb-80ss-Xpdcss	
1500-I7-4gb-Hd-W7	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
1500-I7-2gb-Hd-Xpdcnl	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRA
1900t-I7-4gb-300ss-W7udcss	

1500-I5-4gb-Hd-W7nl	
Iws-1023	IND WORKSTATION
1200-I5-2gb-Hd-W7ss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRAT
1900-I5-4gb-80ss-Xp	
1200t-I7-4gb-Hd-W7unl	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64
Icc-7I6-Ho1	INDUSTRIAL COMPUTER 90/250V 8AMP 50/60HZ
1900t-I7-2gb-160ss-Nosdcss	
1900-Cp45-2gb-Hd-Xp	
1500-I5-2gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT),
1200t-I5-2gb-Hd-W7u	
Iws-30m Obsolete No Replacement	
1200t-I7-4gb-Hd-W7urm	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64
1500-Cp45-4gb-Hd-W7	
1200-I5-4gb-Hd-W7	
1200-I7-4gb-Hd-W7rm	
1900t-I5-4gb-Hd-Xprm	
1500-I7-4gb-Hd-Xpss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRATE
1500-Cp45-4gb-80ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BI
1700-I5-4gb-300ss-Xpdcss	
1200-I7-2gb-Hd-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID

	DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATE
1200-I7-2gb-80ss-W7nl	
1500t-I5-4gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-B
1500-I5-2gb-Hd-Nosss	
Icc-8I6-Cnc	CNC FRONT END OEM
1900t-I7-4gb-Hd-W7urm	
1500t-I7-2gb-300ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERA
1500-I7-2gb-Hd-W7dcrm	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRAT
Mem-Pma	
1200t-I7-4gb-160ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS X
1500t-I7-2gb-80ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERAT
1200-I5-4gb-Hd-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED 2
1200t-I5-2gb-Hd-W7nl	
1200-I7-4gb-80ss-W7	
1500t-I7-2gb-Hd-W7ss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONA
1200-I5-4gb-300ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT), I
Iws-120-Ec	IND WORKSTATION
1700-I7-4gb-Hd-W7ss	

1900t-I5-2gb-80ss-Xpdcss	
1700-I5-2gb-Hd-Nosdcss	
Mon4504	
1700-I7-2gb-80ss-W7udcss	
1500t-I7-4gb-80ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATIN
1500-I5-4gb-80ss-Xpss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BIT)
1200t-I7-2gb-Hd-Xprm	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIO
Icc-7100-Nab1	INDUSTRIAL CONTROL COMPUTER 50/60HZ 13.5IN SCREEN
1500-I5-2gb-Hd-Nosnl	
1500-I7-4gb-80ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BIT)
1200t-I7-4gb-80ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATI
1500-I7-4gb-Hd-Xpnl	
1500t-I7-2gb-Hd-Nosrm	
Ic64a1wf910100	
1700-I5-2gb-80ss-Xpnl	
1500-I5-4gb-80ss-W7	
1700t-I5-4gb-Hd-W7ss	
1200t-I5-4gb-Hd-W7ss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
M1900trmnl	MODULE
	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4

1500t-I5-4gb-Hd-W7unl	GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-B
1200-I5-4gb-Hd-Xpdcnl	
1700t-I5-2gb-Hd-Xpnl	
1200t-I7-4gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64
1900t-I5-2gb-Hd-Xpdcss	
1200t-I7-2gb-Hd-W7uss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (
1200-I7-2gb-300ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALL
1500-I5-2gb-Hd-W7dcrm	
1900t-I7-2gb-80ss-Xpdcss	
Iws-30m	
1500-I7-4gb-300ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BI
1500-Cp45-2gb-Hd-W7dcss	
1500t-I7-4gb-Hd-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL
Iws-117	IND WORKSTATION
338a0004	
1200-I5-4gb-160ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BI
Iws-120	
1500t-I7-4gb-Hd-W7unl	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-

1900-I5-4gb-Hd-W7dcnl	
110a0395g	
1500t-I5-4gb-Hd-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (
M1700t	
1500t-I5-2gb-80ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP
1700-I5-2gb-Hd-W7ss	
110a0013	
1900-I7-4gb-160ss-Nosdcss	
1900t-I7-2gb-Hd-Nosrm	
1700-I5-2gb-Hd-Nosss	
1700-I5-4gb-160ss-Nosdcss	
Iws-1511	
Em60304	
1200t-I5-2gb-Hd-W7uss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (6
1500-I7-2gb-160ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-
1700-I5-4gb-Hd-Xpdc	
1200t-I7-4gb-Hd-Nos	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM IN
1700-Cp45-2gb-80ss-Nosdcss	IPC FLAT PANEL 17.0 SXGA (1280X1024), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM I
Iws-1020	
1700t-I7-2gb-Hd-Nosss	
Iws-1000	IND WORKSTATION

1200t-Cp45-4gb-80ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WIND
1200-I5-2gb-Hd-W7nl	
1500-Cp45-2gb-Hd-Nosdcss	
1200t-Cp45-4gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMA
1900-I5-2gb-Hd-Nosrm	
1900-I5-4gb-Hd-W7unl	
1200t-I5-2gb-Hd-W7urm	
1200-I5-2gb-Hd-Nosss	
1200t-I7-2gb-80ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
1200-I7-2gb-Hd-W7dc	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRA
1900t-I5-2gb-Hd-Nosrm	
1500-I7-4gb-80ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED,
1200-I7-2gb-Hd-W7nl	
1200t-I5-4gb-Hd-Xpnl	
1500t-I5-4gb-80ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 UL
1500-I7-2gb-Hd-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRAT
Ics-4820	
1500t-I7-2gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (6

1500-I5-4gb-160ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BIT
1200-I5-2gb-Hd-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED
1700-I5-2gb-80ss-W7ss	
1500t-I7-2gb-Hd-Nosss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM I
1200t-I7-2gb-Hd-W7nl	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSION
Kbd2202004	
1500-I7-4gb-80ss-Xprm	
1900-I7-2gb-80ss-W7dcss	
1700t-I5-2gb-Hd-Xprm	
Iws-2511	
1700-I5-4gb-80ss-Xpdcss	
1200t-I5-2gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (6
1700-I5-4gb-Hd-W7dcss	
1500-I7-2gb-80ss-W7rm	
Pv-606s-B00	
1700-I7-4gb-Hd-W7unl	
1700-I7-4gb-80ss-W7nl	
1900t-I7-4gb-Hd-Nosdcss	
1200-I7-4gb-Hd-W7uss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 10
Iws-113	
	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4

1500t-I5-4gb-Hd-W7u	GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-B
1500t-I5-2gb-160ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS X
1700t-I7-2gb-160ss-Xpdcss	
Kp6141-31w10a00	
1200-I5-2gb-Hd-W7urm	
817a0081	
Iws-1011t	
1900-Cp45-4gb-Hd-W7udcss	
1500t-I7-4gb-Hd-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
1500-I7-2gb-Hd-W7dcnl	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRAT
1200-I7-4gb-Hd-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED
Iws-123/E	
1700t-I5-4gb-Hd-Xprm	
1200t-Cp45-2gb-160ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , W
1200t-I7-2gb-Hd-W7	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSION
1200t-I5-2gb-Hd-W7rm	
Iws1634r4	
1900t-I7-2gb-Hd-Nos	
1500-Cp45-2gb-Hd-W7nl	

1700-Cp45-2gb-300ss-W7udcss	IPC FLAT PANEL 17.0 SXGA (1280X1024), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (
1500t-I5-2gb-Hd-Xp	
1200-I7-4gb-160ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED
1200-I5-2gb-80ss-W7nl	
1500t-I7-2gb-Hd-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONA
1700t-I5-2gb-Hd-W7rm	
1500-I7-2gb-80ss-Xprm	
1700-I5-2gb-Hd-W7urm	
Iws30se	
1500-I7-4gb-Hd-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRATE
1700-I7-2gb-80ss-Xpnl	
1700t-I5-2gb-Hd-Nos	
1500t-I7-4gb-Hd-W7ss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
1900-I5-2gb-Hd-W7	
1500-I5-4gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT), IN
1900t-I5-4gb-Hd-Nosdcss	
1200-Cp45-2gb-Hd-Xpnl	
1700-Cp45-4gb-Hd-W7dcss	
Iws-1011	
200a0844c	
1500-I5-4gb-Hd-Xpdcrm	

110a0381	
1900t-I7-2gb-Hd-W7udcss	
1900-I7-2gb-Hd-Xpdcnl	
516a0005d	
Iws-1513	
1200-I7-4gb-Hd-W7dc	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATE
1900-I7-4gb-Hd-Nosnl	
1200t-I5-4gb-Hd-W7	
1200t-I7-2gb-Hd-Nosrm	
1200-I5-4gb-80ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BIT
1900-Cp45-2gb-Hd-Xpnl	
Bcx590	
1900t-I7-2gb-160ss-W7udcss	
1500-I5-4gb-80ss-W7nl	
1200t-I7-2gb-80ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
Ici535011084300	
1500t-I5-4gb-160ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATIN
1900-I7-2gb-Hd-W7dcrm	
1500-I5-4gb-Hd-W7urm	
1900-I5-2gb-Hd-Xpdcss	
1500t-Cp45-2gb-80ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WIN
1700t-I7-2gb-300ss-W7udcss	

1700t-I7-2gb-Hd-Nosrm	
1700-I5-2gb-300ss-Xpdcss	
1500t-I7-2gb-Hd-W7rm	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONA
1200-I5-2gb-160ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-
1700t-I7-2gb-Hd-W7urm	
1200-I7-4gb-Hd-W7ss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATE
1200-I7-2gb-Hd-Xpdcrm	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGR
Pv870whv2	
1200t-I5-2gb-300ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERA
1700-I7-4gb-Hd-Xpdcss	
1900t-I5-4gb-Hd-W7uss	
1200t-I5-2gb-160ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
1200-I5-4gb-Hd-Xpnl	
1900-I7-2gb-300ss-Nosdcss	
1200-I5-2gb-300ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLE
1500-I7-2gb-80ss-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BI
1500t-I7-4gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-

1500t-I7-2gb-Hd-Xpnl	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSION
1700-I7-4gb-Hd-W7uss	
1700-Cp45-2gb-Hd-W7rm	
1200-I7-2gb-Hd-W7uss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED
1200-I7-4gb-Hd-W7nl	
1500-I7-2gb-Hd-Xpss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRA
1900-I5-2gb-Hd-W7rm	
1700t-I7-4gb-300ss-Nosdcss	
1200t-I7-2gb-160ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPER
1900-I5-2gb-160ss-W7udcss	
1900-I7-2gb-Hd-W7rm	
1700-I5-2gb-80ss-Xp	
1700-Cp45-2gb-Hd-W7ss	IPC FLAT PANEL 17.0 SXGA (1280X1024), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT),
Icc-5000-01	
1700t-I5-4gb-300ss-W7udcss	
1200t-I5-2gb-160ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERA
1500-Cp45-2gb-80ss-Nosdcss	
1700t-I7-2gb-300ss-Xpdcss	
1700t-I5-4gb-Hd-W7rm	
Iws-4624/35-026	OPERATOR INTERFACE
	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN,

1200-I7-4gb-Hd-Xpss	INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRAT
1200t-I7-4gb-Hd-W7nl	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
1700t-I5-2gb-Hd-W7ss	
1500t-I5-2gb-Hd-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONA
1900-I7-2gb-300ss-Xpdcss	
100a1030	FRONT PANEL ASSEMBLY FOR INDUSTRIAL COMPUTER
1500t-I5-2gb-Hd-Xpss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONA
1200-I7-4gb-80ss-W7rm	
1900t-I5-2gb-Hd-W7rm	
1500t-I7-4gb-80ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP
1900-I7-2gb-80ss-Xpnl	
1700-I7-4gb-160ss-Xpdcss	
1200-I7-4gb-80ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BI
1700-I5-2gb-80ss-W7	
1500t-I5-4gb-Hd-Nos	
1500t-I5-4gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 U
1900-I5-2gb-Hd-W7nl	
O12208	
	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG

1500t-I5-2gb-80ss-Nosdcss	RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATI
1200t-I7-4gb-Hd-Nosrm	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM IN
1700t-Cp45-4gb-300ss-W7udcss	
1200t-I5-2gb-Hd-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM I
1500t-I7-2gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
1900-I5-4gb-80ss-W7rm	
Iws-1834	OPERATOR INTERFACE 4 TFT DISPLAY CLR FP 90-250V 1A
1500-I5-4gb-Hd-Nos	
1900t-I7-2gb-Hd-Xp	
1500t-I7-2gb-Hd-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM I
1700-I7-4gb-Hd-Xpdcrm	
1900-Cp45-4gb-Hd-W7rm	
Ic74f6-W4g1a041	
1200t-I5-2gb-80ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERAT
1900t-I5-4gb-160ss-Nosdcss	
1500-I7-4gb-Hd-W7dcrm	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
1200-I7-2gb-80ss-W7rm	
Kp6141-A1w10a00	
Iws110v4	WORK STATION
1900-I7-2gb-Hd-W7urm	

1500t-I7-2gb-80ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
331a0612	
1900-Cp45-4gb-300ss-W7udcss	
1700-I7-4gb-80ss-W7udcss	
1900-I7-2gb-Hd-W7	
1500-I7-2gb-80ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-B
Iws-2513t	
1500-I7-4gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT), I
M2200wt-Ww	OPERATOR INTERFACE 22INCH TOUCHSCREEN 100-240 VAC
1700t-I5-4gb-Hd-Nosdcss	
1500t-I7-4gb-160ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATI
110a0363	
1700-I5-4gb-Hd-Xpnl	
1200t-I5-4gb-Hd-W7urm	
1700-I7-2gb-Hd-Nosrm	
1200t-I5-2gb-Hd-Nosrm	
1500t-I7-2gb-Hd-W7uss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (6
1200-I5-4gb-Hd-Xpdc	
1700t-I7-2gb-80ss-Xpdcss	
1900-I7-4gb-Hd-W7urm	
Cbl-C1	
1500t-I5-4gb-Hd-W7uss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB

	(MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-B
1500-Cp45-4gb-80ss-Xpdcss	
1900-I5-2gb-Hd-Xpss	
1500t-I7-4gb-300ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATI
1900-I5-2gb-Hd-Nosnl	
1500t-I7-2gb-Hd-Nos	
1200-I5-2gb-80ss-Xprm	
1700t-Cp45-4gb-Hd-Nosdcss	
1900t-I5-2gb-Hd-W7udcss	
1500-I7-2gb-160ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLE
1700-I5-4gb-80ss-Xp	
331a0025	
1900-Cp45-2gb-80ss-W7udcss	
1700-I5-2gb-Hd-Xpdcss	
Iws-2513	IND WORKSTATION
Iws-103	
1200t-I5-4gb-Hd-W7rm	
1200-I5-4gb-Hd-Nos	
1500t-I5-2gb-Hd-W7urm	
1700t-I5-4gb-Hd-Xpdcss	
100a0496	PANEL
1900-Cp45-2gb-Hd-W7udcss	
1200-I5-4gb-80ss-Xpnl	
Iws127se	OPERATOR PANEL
1500-I5-4gb-Hd-Xpss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRATED
1900-I7-2gb-Hd-Xp	

1700t-I5-4gb-Hd-W7uss	
1900t-I5-4gb-Hd-Nosnl	
1200-Cp45-4gb-Hd-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INT
1500-I7-2gb-300ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-
1500t-I7-4gb-Hd-Xp	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL
1200-I7-2gb-Hd-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRA
Ic5031-783101000	OPERATOR INTERFACE TFT P100 32MB 1HD FDD DOS
Iw53005t	
1900-I5-4gb-80ss-Xpnl	
1500t-I7-2gb-Hd-W7unl	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (6
1200t-I5-4gb-80ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP
1700-I5-2gb-Hd-W7dc	
Iws4504b	
1900-I7-2gb-160ss-W7udcss	
Iws-4624/33	INTERFACE DRIVE 3.0/1.5AMP 115/230VAC 50/60HZ
1900t-I5-4gb-80ss-W7udcss	
1200-I7-4gb-Hd-W7dcnl	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATE
1500-I7-2gb-80ss-W7nl	
1700t-I5-4gb-160ss-Xpdcss	

Pv-1040tv4	OPERATOR INTERFACE 10.4INCH
1700t-I7-4gb-Hd-Xpnl	
Iws1013x	
1500t-I7-2gb-300ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
110a0394g	
Pv-570I	
Kbd2202p006	
1700t-I5-2gb-Hd-W7	
1700-I5-2gb-160ss-Xpdcss	
1200t-I7-2gb-Hd-Xpss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIO
1900-I5-2gb-160ss-Xpdcss	
Pvl420-51001	
1200-I5-2gb-Hd-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRAT
1500t-I7-4gb-300ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP
1500t-I7-2gb-Hd-W7nl	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONA
1900-I7-2gb-80ss-W7rm	
1500t-I5-4gb-300ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATIN
1700t-I5-2gb-Hd-Xpdcss	
1700t-I5-4gb-Hd-Xpss	
1700t-I7-4gb-Hd-W7dcss	
Iws-4604-Ics	OPERATOR INTERFACE

1500t-I5-2gb-Hd-W7uss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64
1700-Cp45-4gb-Hd-Xpnl	
1700-I7-4gb-300ss-Xpdcss	
1700t-I5-2gb-Hd-W7nl	
Iws-1623	
1700t-I5-4gb-Hd-W7urm	
1700-I7-4gb-80ss-W7	
1200-I7-2gb-80ss-W7	
1500-I7-2gb-Hd-W7urm	
1700t-I5-4gb-160ss-Nosdcss	
1200t-I7-4gb-Hd-Xpss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONA
Iws-1013-Ge	
1500-I5-2gb-160ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED
1200t-I7-4gb-160ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
1500t-I5-2gb-Hd-W7nl	
1700-I7-2gb-80ss-W7nl	
1900-Cp45-4gb-Hd-Nosdcss	
1700-I7-4gb-80ss-Xpdcss	
1500t-I5-4gb-Hd-Xprm	
1200t-I7-4gb-Hd-Xp	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONA
1500t-I7-4gb-Hd-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB

	(MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INS
1500-I7-4gb-Hd-W7rm	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
Icc-5000-Pc1	
1900t-I7-2gb-300ss-Nosdcss	
1700t-Cp45-4gb-80ss-W7udcss	
100a0237b	
Iws-4924t/35-003	
Iws-3005	
1900-Cp45-4gb-Hd-W7	
1900-I5-4gb-Hd-Xpdcrm	
1900-Cp45-2gb-Hd-Xpss	
1200-I5-2gb-Hd-Xp	
1700t-I7-2gb-Hd-W7dcss	
Iws-3033-Rm-004	
Mi-Kp61-001	
817a0059	
1500-Cp45-4gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRAT
1200t-I5-4gb-80ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATIN
1700-I7-4gb-Hd-W7dcrm	
1200-Cp45-2gb-Hd-Xprm	
1700t-I5-2gb-80ss-Xpdcss	
1200-I5-2gb-80ss-W7	
Pv-570s	
1200-I5-2gb-Hd-W7u	
1200t-Cp45-2gb-300ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 300

1700-I7-4gb-Hd-W7	GB SATA EASILY REMOVABLE SOLID STATE DRIVE , W
Icc-5I6-Hs2	OPERATOR INTERFACE 2.5AMP 90-250VAC 50/60HZ
1200t-I7-4gb-Hd-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM IN
1200-I7-2gb-Hd-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGR
1900-Cp45-2gb-Hd-W7rm	
1900-I7-4gb-Hd-W7u	
1900t-I5-2gb-Hd-W7u	
1900-I7-2gb-160ss-Nosdcss	
1200t-I7-2gb-300ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
Ic5511-84910100	OPERATOR INTERFACE 10.4 TFT 850MHZ P3 60MB HD FLOP
1900t-I5-4gb-Hd-Xpnl	
1700t-I5-4gb-Hd-W7u	
1900-I5-2gb-Hd-Nosdcss	
1200-I7-4gb-Hd-Xp	
1900-I5-2gb-Hd-Xpdcrm	
1900-I7-4gb-Hd-W7uss	
1900t-I5-2gb-Hd-W7	
1500-I5-2gb-80ss-Xpss	
1500t-I7-2gb-Hd-Xp	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSION
1900-I7-2gb-Hd-Nosss	
1700t-Cp45-4gb-Hd-W7udcss	
1500t-I5-2gb-Hd-Nos	
1200-I5-2gb-Hd-W7dcrm	
	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG

1200t-I7-2gb-Hd-W7urm	RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (
Icc-8I6-Hc1-433	INDUSTRIAL COMPUTER
1900t-I7-2gb-300ss-Xpdcss	
1200t-I7-4gb-160ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERAT
1200-I5-4gb-Hd-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRATE
1700t-I5-4gb-300ss-Xpdcss	
Epc12t-N2a0can0-Cu49	
1200t-I7-2gb-Hd-Nosnl	
1200-I5-4gb-Hd-Xpdcrm	
100a0969	
Iws-2023	IND WORKSTATION
1900t-I5-2gb-160ss-W7udcss	
1700t-I7-2gb-Hd-W7uss	
N118501	
1500t-I5-4gb-Hd-W7	
1900t-Cp45-4gb-Hd-Xpdcss	
1500-I7-2gb-80ss-W7	
1500-I7-4gb-Hd-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
1500-I7-4gb-80ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT), IN
Iws-3015t-011	IND WORKSTATION
1700t-I7-4gb-Hd-W7urm	
1700t-I7-4gb-Hd-W7udcss	
Iws-4524	

1500-I5-2gb-Hd-Xpss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRAT
1500t-I5-4gb-Hd-W7nl	
1500-I7-4gb-Hd-W7urm	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 100
Com-Abs-2000m	
1500-I5-2gb-80ss-W7	
1200t-Cp45-2gb-80ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WI
1200t-I5-2gb-Hd-W7unl	
135a1020	
1500t-I7-4gb-160ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP
1500t-I7-4gb-Hd-Xprm	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL
1500-I7-2gb-80ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT),
1500-I7-2gb-Hd-Xpdc	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRA
1700t-I5-4gb-160ss-W7udcss	
1500-I7-2gb-Hd-W7u	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 1
1700t-Cp45-2gb-Hd-Nosdcss	
1900t-Cp45-4gb-300ss-W7udcss	
Iws4924	

1200t-I5-2gb-Hd-Nosss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM I
1900-I5-2gb-80ss-Xprm	
1900-I5-2gb-Hd-W7dc	
1900-I7-2gb-Hd-W7nl	
1900t-I5-2gb-Hd-W7unl	
1200t-I5-4gb-Hd-W7uss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-
110a0452b	
1500t-Cp45-2gb-Hd-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SY
1700-Cp45-2gb-Hd-Xp	
1900-Cp45-2gb-Hd-W7	
1900-I7-4gb-Hd-W7udcss	
1900t-Cp45-4gb-Hd-W7udcss	
1700-I5-4gb-160ss-W7udcss	
1500-I5-4gb-Hd-W7dcnl	
Kdb-2202p-006	
1200t-I5-4gb-160ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP
1200t-I5-4gb-Hd-Nosss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INS
Iws-1503	IND WORKSTATION
1500t-I5-4gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 U
1500-I5-4gb-80ss-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BIT),

1700-I5-2gb-Hd-W7dcnl	
1200-I7-4gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 24
1900t-I5-4gb-80ss-Xpdcss	
1700t-I5-4gb-Hd-W7nl	
1200-Cp45-2gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEG
1700-I5-2gb-Hd-Xpdcnl	
1700-Cp45-2gb-Hd-W7dcss	IPC FLAT PANEL 17.0 SXGA (1280X1024), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT),
Iws-120-Se	IND WORKSTATION
1200-I5-2gb-80ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT),
1200-I7-4gb-Hd-W7u	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 10
1700-Cp45-4gb-Hd-W7ss	
1200-I5-2gb-Hd-W7dc	
338a0001	
1500-I5-4gb-Hd-Xpnl	
1900t-I5-2gb-160ss-Xpdcss	
1200-I5-4gb-Hd-W7dcrm	
Iws-127-Cf	IND WORKSTATION
Fdd-4030	
1500t-I7-4gb-Hd-Nosrm	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INS
1700-I5-4gb-Hd-Nosdcss	
1700-I7-2gb-Hd-W7rm	

1500-I5-4gb-Hd-Xprm	
1500-I7-4gb-80ss-Xp	
1500-I7-2gb-Hd-Xpdcrm	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRA
1200-Cp45-4gb-Hd-Xprm	
1500t-I5-2gb-Hd-Nosnl	
1200-I7-2gb-80ss-Xprm	
1900t-I5-2gb-Hd-W7urm	
1500t-I5-2gb-160ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERAT
1700-I7-2gb-80ss-W7rm	
1700-I7-4gb-Hd-W7dcss	
1200-I5-4gb-Hd-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
1200-I7-4gb-80ss-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BIT
1900-I5-4gb-160ss-Xpdcss	
1900-I5-4gb-Hd-W7rm	
W4740t-64420101	OPERATOR INTERFACE WORKSTATION 90-260VAC 1.0AMP
1200t-I7-2gb-80ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERA
1500t-Cp45-4gb-80ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDO
1500-Cp45-2gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGR
1700t-I5-2gb-Hd-W7udcss	
	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4

1200-I5-4gb-160ss-W7udcss	THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT), I
Mn503	
1500t-I7-4gb-Hd-Nos	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INS
Icc535-52210-200	
Pv-570sn	
1500-I7-4gb-Hd-Nosss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED 1
100a0262e	
1500t-Cp45-4gb-Hd-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYST
1200t-I7-2gb-Hd-W7unl	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (
1200t-I7-4gb-Hd-Xpnl	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONA
M1900t24ww	
1500-I7-2gb-Hd-W7unl	
1500-I7-2gb-80ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED
1700-I7-2gb-Hd-W7udcss	
1500t-I5-4gb-80ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP P
1500-I7-4gb-Hd-W7ss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
1900-I5-2gb-80ss-Nosdcss	

1200t-I5-2gb-300ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
1900t-I7-2gb-Hd-W7	
1700t-I7-4gb-80ss-Nosdcss	
1900t-I7-2gb-Hd-W7dcss	
1900t-I7-4gb-160ss-Xpdcss	
1700-Cp45-2gb-Hd-W7udcss	IPC FLAT PANEL 17.0 SXGA (1280X1024), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTE
1700-I5-4gb-Hd-W7rm	
1200-I7-2gb-Hd-W7u	
1500t-I5-2gb-Hd-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
1200-I5-4gb-80ss-W7ss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BIT)
1200-Cp45-4gb-160ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-
1700-I5-4gb-80ss-W7ss	
1900t-I7-2gb-Hd-Xpss	
Iws-3005t-Ge	
1700t-I5-2gb-Hd-W7unl	
1500t-I7-4gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
Iws3015t001	
1200-I5-2gb-Hd-W7uss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 1
1900-I7-4gb-80ss-W7udcss	

1200t-Cp45-4gb-Hd-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFF
1500-Cp45-4gb-Hd-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTE
1700-I7-2gb-Hd-Xpdc	
1200t-I5-2gb-Hd-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONA
1900t-I5-4gb-Hd-W7unl	
1900-I5-2gb-Hd-Xp	
Pvs535-52004000	
1900-Cp45-4gb-Hd-W7ss	
1900-I5-2gb-Hd-Xpdc	
Iws-2623	IND WORKSTATION
1500-I5-2gb-Hd-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATE
Icc-8l6-Hs2	OPERATOR INTERFACE 2.5AMP 90-250V 50/60HZ
Iws5826	
Ic503172310100	
1200-Cp45-4gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRA
1700-I7-2gb-300ss-W7udcss	
1500t-I7-4gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
Mon-4604	
1700t-I7-4gb-Hd-Xpss	
1200-I5-2gb-Hd-W7	
Iws3005t011	

1500t-I5-4gb-300ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP
Icc-8l6-Hs1-850	INDUSTRIAL COMPUTER 90/265VAC 8AMP 50/60HZ
Pv1040t	TOUCH SCREEN
1500t-I5-4gb-Hd-Xp	
1200-Cp45-4gb-Hd-W 7	
1700-I5-4gb-80ss-Nosdcss	
Iwt1623	INTERFACE
W4740t6442010v	OPER STATION
1900-I7-4gb-Hd-Nos	
1900-I5-4gb-Hd-Xpnl	
1900t-I7-2gb-80ss-W7udcss	
1200t-I7-2gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (
1700-Cp45-4gb-Hd-W 7	
1500t-I5-4gb-160ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP
1200-I7-2gb-Hd-W7ss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRA
1500-I7-2gb-80ss-Xpss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-B
1200-I7-4gb-Hd-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATE
1700-I5-4gb-Hd-Nos	
1700-I7-2gb-80ss-Nosdcss	
1500t-I5-2gb-300ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERAT

1500-Cp45-4gb-Hd-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INT
1500-Cp45-2gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64
Ipc1500ti54gbhdw	
1700t-I5-4gb-80ss-Nosdcss	
Iws-2513-Ge	
1700-I7-4gb-160ss-Nosdcss	
1700-I5-4gb-Hd-Xpdcss	
1200t-I7-4gb-Hd-W7ss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
1900-I7-4gb-Hd-Xprm	
1200-I7-2gb-Hd-Nos	
1200-I7-4gb-160ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT),
1500-I5-2gb-160ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-B
1200-Cp45-4gb-Hd-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), IN
1200-I5-2gb-Hd-Xpdcnl	
1500-I7-4gb-80ss-W7ss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BIT)
1900t-I7-2gb-Hd-Xpnl	
1200-Cp45-4gb-300ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-

1200-I7-2gb-Hd-Xpdcnl	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGR
Icc-535-52210	
1200-I7-2gb-160ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT)
1500t-Cp45-4gb-Hd-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFES
1900-I7-4gb-300ss-W7udcss	
1500-I7-4gb-Hd-Xp	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRATE
1200-I5-4gb-80ss-Xpss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BIT)
1200-I5-4gb-80ss-W7nl	
338a0005	
Pvs320-54001000	
1500t-I5-2gb-Hd-W7	
1900t-I5-2gb-300ss-W7udcss	
1500t-I5-2gb-Hd-Xpnl	
1700-Cp45-4gb-Hd-Nosdcss	
1200t-I5-2gb-80ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
1700-I5-2gb-Hd-W7rm	
1700t-I7-4gb-Hd-Xp	
338a0003	
Iws-4625/33	INTERFACE DRIVE 115/230VAC 3.0/1.5AMP 50/60HZ
1500t-I5-2gb-Hd-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM IN

1900t-I7-4gb-Hd-W7uss	
Iws117v4	INTERFACE
1500-I5-4gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT), IN
1700-I5-4gb-Hd-Nosss	
Ic5031-74310100	OPERATOR INTERFACE FLOPPY DRIVE TFT 16MB 1GB DOS
1200t-I7-4gb-Hd-Nosss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM IN
1500t-I5-4gb-Hd-W7urm	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-B
1900t-Cp45-2gb-160ss-W7udcss	
330a0022	
1500t-I7-4gb-Hd-W7uss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-
1500-I5-2gb-80ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BI
Iws-110	
1700-I5-4gb-Hd-W7ss	
1700-I5-2gb-Hd-W7unl	
1200t-I7-4gb-Hd-W7	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
1500t-I7-4gb-Hd-W7	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
1200-I7-2gb-Hd-W7unl	
	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG

1500t-I7-4gb-Hd-Nosss	RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INS
1900-I5-2gb-80ss-W7udcss	
1900-I5-4gb-300ss-Nosdcss	
1500-Cp45-4gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-B
1500t-I5-4gb-Hd-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INST
1700-Cp45-2gb-Hd-Xpss	
1500-I7-4gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT), I
1200t-I7-2gb-300ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
1200t-I5-4gb-Hd-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
1200-I5-2gb-160ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLE
1200t-I5-2gb-300ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
1900-I5-4gb-Hd-Xpdcss	
1900t-I5-4gb-Hd-Xpss	
1900-I5-4gb-Hd-W7dcrm	
1700-Cp45-2gb-Hd-Nosdcss	IPC FLAT PANEL 17.0 SXGA (1280X1024), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, IN
	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN,

1200-I7-4gb-Hd-W7dcrm	INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATE
1200-Cp45-2gb-Hd-Xpdcss	
1500-I5-2gb-80ss-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BIT)
1700-I5-2gb-160ss-Nosdcss	
1500-I5-2gb-Hd-Xpnl	
1500-I7-4gb-160ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BI
Npc100-N270-2gb-40ss-Xp-Ww	INDUSTRIAL PC 2GB DRAM ATOM N270 WINDOWS XP
Iws-2523	IND WORKSTATION
1500-I5-4gb-Hd-W7ss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
Ic63a6-J8b1f4af	
Kp6141-81w10a00	
1200t-I7-4gb-300ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
1200-I5-2gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 2
1700-I7-4gb-Hd-Xpdcnl	
1900-I5-2gb-80ss-Xpnl	
Iws-30-Cp	
1900-I7-4gb-Hd-W7dcnl	
1200-I7-4gb-300ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED
1900-I7-4gb-Hd-W7dcss	
	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4

1200-I7-4gb-Hd-Xpdcss	THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRAT
1500t-Cp45-2gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WI
1700-I5-4gb-Hd-Xpss	
1700t-I7-2gb-Hd-W7nl	
1200t-I5-4gb-Hd-W7unl	
Iws4874	
1700-I7-4gb-Hd-Nosss	
1200-I7-2gb-Hd-Xpss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGR
1900t-I5-2gb-Hd-Xpnl	
1900-I5-4gb-Hd-Xpdc	
1200-I7-2gb-Hd-Xpdc	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGR
1700-I7-4gb-Hd-W7udcss	
1500t-Cp45-4gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WIND
GI-5pv8-Cnc	
1500-I5-2gb-Hd-Xp	
1700t-I7-4gb-Hd-W7u	
1500-I7-2gb-Hd-W7dc	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRAT
Mon-1503-004	I/T TERMINAL
1200-Cp45-2gb-300ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (6
1700-I5-4gb-Hd-Nosrm	
	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN,

1500-I7-2gb-Hd-W7ss	INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRAT
1200-I5-2gb-80ss-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BI
Iws-2021	
1500-I7-4gb-Hd-W7dcnl	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
Iws-113-V4	
Ic5031-7431030s	
1900-I7-2gb-160ss-Xpdcss	
Iws3015	OPERATOR INTERFACE 90-250VAC 10AMP 50/60HZ
1500-I7-2gb-Hd-Xprm	
1900t-I5-2gb-Hd-Xpss	
Iws-4824	
1700-I7-2gb-Hd-Xpdcnl	
Ic5031-743103a0	OPERATOR INTERFACE W/FLOPPY DRIVE TFT 16MB
Epcp15t-T2101xaa0c45	
1200t-I7-4gb-Hd-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONA
1200-I7-2gb-Hd-Nosss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATE
1900t-I5-2gb-Hd-W7nl	
1500-I5-2gb-Hd-Nos	
1200t-I7-2gb-Hd-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSION
Iws-1013	
	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG

1200t-I7-2gb-Hd-W7ss	RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSION
1200t-Cp45-2gb-Hd-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING S
Kbd3035	
1900t-I7-4gb-Hd-Xpnl	
1900t-I5-4gb-300ss-Nosdcss	
1500-I5-2gb-Hd-W7ss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATE
Mon-1503-002	
1200t-I5-4gb-160ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
Mem-C128	
1500-I5-2gb-Hd-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED
1500-I5-4gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 24V
1700t-I7-2gb-Hd-Nosnl	
1900t-I7-4gb-Hd-W7udcss	
Iws-1513-Ge	
1700-I7-2gb-300ss-Xpdcss	
Iws-200	IND WORKSTATION
1900-I7-4gb-Hd-Xpdcrm	
Ipc1500ti52gb80s	
Ic86f6-B4c1a041	
330a0054	
1200t-I7-2gb-Hd-Xpnl	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIO

1500t-Cp45-2gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WI
Iws-2510	IND WORKSTATION
1700-I5-2gb-Hd-Nos	
1500-I7-4gb-Hd-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED 2
1700-I7-4gb-Hd-W7dcnl	
1200t-I7-4gb-Hd-W7u	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64
1700t-I5-4gb-Hd-W7unl	
1500t-I7-2gb-Hd-Xpss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSION
1200-I5-2gb-300ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT),
Ic6056-743103e0	INDUSTRIAL COMPUTER 90-264V 50-60HZ
1500-I5-2gb-300ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED
1900-Cp45-4gb-Hd-Xpss	
Iws-127-V4	OPERATOR INTERFACE FLOURESC 0.5A 24VAC 50/60HZ
1500-I5-2gb-80ss-W7rm	
1200t-I7-4gb-Hd-Nosnl	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM IN
1500t-I5-2gb-Hd-W7u	
1200t-I5-4gb-Hd-Nosrm	
1200t-I7-4gb-300ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERAT

1900t-I5-2gb-80ss-Nosdcss	
Iws-120-V4	INDUSTRIAL WORK STATION 30K MEM 24VDC
1500-Cp45-4gb-Hd-W7nl	
1700t-I7-4gb-Hd-Nosdcss	
1700-I5-2gb-Hd-Xp	
1900-I7-4gb-300ss-Xpdcss	
1700-I5-4gb-Hd-W7nl	
1900-I7-2gb-Hd-Xprm	
1900-I7-2gb-Hd-Xpdc	
1900-I7-2gb-80ss-W7nl	
1900-Cp45-2gb-Hd-W7nl	
1200t-Cp45-2gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTI
1700t-I7-4gb-Hd-Nosnl	
Pv-510tv4	
1200-Cp45-4gb-80ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-B
1200-I5-4gb-80ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED,
1200-I5-4gb-Hd-Xprm	
Icc-310	INDUSTRIAL CONTROL COMPUTER
1200t-I5-2gb-Hd-Xpss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSION
Ic61a1-Cb5105f0	INDUSTRIAL COMPUTER PROFIBUS 200PENTIUM
Ic6056-78310400	INDUSTRIAL COMPUTER 32MB PROFIBUS
1200t-I5-4gb-300ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATI

Iws-1001	
1900t-I5-2gb-300ss-Nosdcss	
1500-I5-2gb-80ss-W7nl	
1200t-I7-2gb-Hd-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIO
1900-I7-4gb-80ss-Xp	
1500-I5-4gb-80ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BIT)
1500t-I7-2gb-80ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS X
1200-I5-4gb-Hd-W7ss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
1200-Cp45-4gb-Hd-W7nl	
1200t-I5-2gb-Hd-Xp	
1900-I5-2gb-Hd-Xpdcnl	
Iws110ec	PLC
1500-Cp45-4gb-Hd-W7rm	
1500t-I7-4gb-Hd-W7nl	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
1200-I5-4gb-300ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BI
1500-I7-4gb-80ss-W7nl	
1900-Cp45-4gb-Hd-Xprm	
1200t-I5-2gb-Hd-Nosnl	
1500-I5-4gb-80ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED, I

1200t-I7-2gb-160ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
1200-I7-4gb-Hd-W7unl	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 10
Icc-8l6-H01-850	INDUSTRIAL COMPUTER 850MHZ PENTIUM HARDWARE ONLY
Iws-4624/20	INTERFACE DRIVE 90-132/198-250VAC 50/60HZ
1200-Cp45-2gb-Hd-W7rm	
1200t-Cp45-4gb-160ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WIN
1500t-I5-2gb-Hd-W7unl	
1900t-I7-4gb-Hd-Xp	
1700t-I5-4gb-Hd-Nosnl	
Mon-1021	MONITOR 12IN 720X350RES .5/.25A 90/250VAC 50/60HZ
1900-I7-2gb-Hd-Nosdcss	
Iws-101	
Cos-Xxx3-34pad	
1500-Cp45-4gb-Hd-Xprm	
1500t-I7-2gb-Hd-Nosnl	
110a0258	
Dp8006-51220800	OPERATOR INTERFACE 15INCH
Iws-1021	IND WORKSTATION
1200t-I7-4gb-Hd-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
1900-I7-4gb-Hd-Xpdcnl	
1200t-I7-4gb-80ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP
1700t-I7-2gb-Hd-Xpdcss	

817a0082	
1900-I7-2gb-300ss-W7udcss	
M1502t-Ss	IND MONITOR
1500-I7-4gb-Hd-Xpdcrm	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRATE
1200-I7-2gb-Hd-Xprm	
Fdd-4000	
1200-I7-4gb-Hd-Xpdcnl	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRAT
1500-I7-2gb-Hd-W7uss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 1
Iws-1013-016	
1500-I5-2gb-Hd-Xpdcnl	
110a0391	
1900t-I5-2gb-Hd-Nosdcss	
1500-I5-4gb-300ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED,
1900-I7-2gb-Hd-W7dcnl	
1500-I5-4gb-Hd-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED 24
1200t-I7-4gb-80ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
1200-Cp45-4gb-Hd-Xpss	
1200t-I7-4gb-300ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS X
Iws-4604/20	
1700t-I7-2gb-Hd-Nos	

1700-Cp45-4gb-80ss-W7udcss	
Iws-1013-Hw	
Iws-1103	IND WORKSTATION
1900-I5-4gb-80ss-Xpdcss	
1500t-I5-4gb-Hd-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL
1500-I7-4gb-80ss-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BIT)
1500-I5-2gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT),
1700t-I5-4gb-Hd-Nosss	
1500t-I7-4gb-Hd-Xpss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL
1200t-I7-2gb-Hd-Nosss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM
1700-I5-2gb-80ss-W7dcss	
1500t-I7-2gb-Hd-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSION
1900-I5-2gb-Hd-W7unl	
110a0141-A	
1900-I7-2gb-Hd-Xpss	
1500-I5-4gb-Hd-Nosnl	
1500-I7-2gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 2
1900-I5-2gb-80ss-W7rm	

1700t-I7-2gb-80ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WIN
1200t-Cp45-4gb-300ss-W7udcss	
1500t-I7-4gb-Hd-Xpnl	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL
1500-I7-4gb-Hd-W7u	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 100
1700t-I7-2gb-Hd-W7ss	
1200-I7-4gb-300ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-B
1ws4924t35003	
1500-I5-4gb-160ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED,
1700t-I7-4gb-80ss-W7udcss	
1200-I7-4gb-Hd-W7urm	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 10
1200-I5-4gb-Hd-W7unl	
1900-Cp45-4gb-80ss-W7udcss	
1900t-Cp45-2gb-Hd-Nosdcss	
1700-I5-4gb-80ss-W7	
1500-I5-2gb-80ss-Xpnl	
1700-I7-4gb-80ss-Xpss	
1200-I5-2gb-80ss-Xp	
1900-I5-2gb-Hd-W7dcrm	
Om640	
1200-I7-4gb-80ss-W7ss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE

110a0169	SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BIT)
1700-Cp45-2gb-80ss-W7udcss	IPC FLAT PANEL 17.0 SXGA (1280X1024), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (6
1500-I5-4gb-Hd-W7dc	
1900-I5-2gb-80ss-W7	
1200-I7-2gb-80ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT),
1200-I7-2gb-80ss-W7ss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-B
1900-I5-2gb-300ss-Xpdcss	
1700-I5-2gb-Hd-W7nl	
1500-I5-4gb-Hd-Xpdc	
1200t-I7-2gb-Hd-W7u	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (
1700-I7-2gb-160ss-W7udcss	
1700-I5-2gb-Hd-Xpss	
1900t-I7-2gb-Hd-Nosss	
1900-I5-4gb-Hd-Xpss	
1700-I5-2gb-80ss-Xprm	
1200-I7-2gb-Hd-W7	
1500-I5-2gb-Hd-W7nl	
1700-I5-2gb-Hd-W7dcss	
1200-I7-2gb-Hd-W7dcrm	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRA
1700-I5-4gb-80ss-Xpss	
1500-I5-4gb-Hd-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID

1500-I7-4gb-Hd-W7nl	DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRATED IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
1900-I5-4gb-Hd-W7ss	
1700-I5-2gb-Hd-W7	
1500-Cp45-2gb-Hd-W7	
1700t-I7-4gb-Hd-Nosrm	
1900-I7-4gb-Hd-Xpss	
1200t-I7-2gb-Hd-Xp	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIO
W4740n64320101	OPER STATION
Pvs535	
Iws-3005t-001	OPERATOR INTERFACE WRKSTN .5AMP 115VAC 50/60HZ
1500-I5-4gb-Hd-W7dcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
1900-I7-2gb-Hd-Nosrm	
1700t-Cp45-2gb-80ss-W7udcss	
1500-I5-4gb-80ss-W7ss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BIT),
Epc19t-N2a0uaa0-Wwb	OPERATOR INTERFACE 19INCH TOUCHSCREEN 2GB DRAM
Iws-1934	
Pv-800tv45	
1700-I5-4gb-80ss-W7nl	
1500-I7-2gb-Hd-W7rm	
Ic63a1-Jbb1f1af	
1200-I5-4gb-80ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT), IN
	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN,

1500-I5-4gb-Hd-W7uss	INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 100-
1700-I5-4gb-80ss-Xpnl	
1700-I5-2gb-Hd-Xpnl	
Ic85f685g1e041	
1200t-I5-2gb-160ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
1900t-I5-4gb-Hd-Nos	
1200-I7-4gb-Hd-Xprm	
1700-I7-4gb-Hd-Xpnl	
1500t-I5-4gb-Hd-W7ss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (
1900t-Cp45-2gb-300ss-W7udcss	
1900-I5-4gb-300ss-Xpdcss	
1900t-I7-4gb-80ss-Nosdcss	
1900t-Cp45-2gb-80ss-W7udcss	
1500t-I7-4gb-80ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 U
1500-I5-4gb-Hd-Nosss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED 10
Ic6051-B8310400	
1700-Cp45-2gb-Hd-Xprm	
Iws-2013-Ge	
Iwssetup120	
1500-I7-2gb-Hd-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRA
	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66

1500t-I7-2gb-Hd-W7	GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONA
1700-I7-4gb-Hd-W7rm	
1500-I7-4gb-Hd-Xpdcnl	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRATE
1500-I7-2gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT),
Iws-4645	OPERATOR INTERFACE/WORKSTATION 3.0/1.5A 115/230VAC
1500-I7-4gb-Hd-Nosnl	
1900t-I7-4gb-160ss-Nosdcss	
1200t-I7-2gb-Hd-W7rm	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSION
1700-I5-2gb-300ss-Nosdcss	
1200-I7-2gb-300ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32
331a0086	
1200-I7-2gb-160ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALL
1500t-Cp45-4gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WIND
1200-I7-4gb-300ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT),
1700t-I5-4gb-Hd-Xpnl	
1500t-I5-4gb-Hd-Nosnl	
1700t-I7-4gb-Hd-Xpdcss	
1200-I7-2gb-Hd-Nosrm	
	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4

1200t-I5-4gb-Hd-Xpss	GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL
1900-I7-4gb-Hd-Nosdcss	
1200-I5-2gb-Hd-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRA
1500-I5-4gb-Hd-W7rm	
1900-I7-4gb-Hd-Xpdc	
1900-Cp45-4gb-80ss-Xpdcss	
1500-Cp45-4gb-Hd-Xp	
1500-I7-4gb-160ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED,
1500-I5-2gb-Hd-W7uss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 10
1700-Cp45-2gb-Hd-W7nl	
1500-I5-2gb-Hd-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRAT
1500t-I5-4gb-80ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING
1200-I5-4gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 24V
1200-I7-4gb-Hd-Xpdc	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRAT
1200-I5-2gb-Hd-Xpdcrm	
1900-I7-4gb-Hd-Xpnl	
1200t-I5-4gb-Hd-Xprm	
1700-I5-2gb-300ss-W7udcss	
	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG

1500t-I7-2gb-Hd-W7urm	RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-
1500t-Cp45-4gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMAT
1200t-I5-4gb-Hd-Nosnl	
1700-I5-4gb-80ss-W7dcss	
1900t-Cp45-4gb-Hd-Nosdcss	
1700-I5-2gb-80ss-Xpss	
1700t-I5-2gb-Hd-W7uss	
1500t-I5-2gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
1200-I7-2gb-80ss-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-B
1200t-I5-4gb-Hd-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL
1700-Cp45-2gb-80ss-Xpdcss	IPC FLAT PANEL 17.0 SXGA (1280X1024), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSION
1200-Cp45-2gb-Hd-Nosdcss	
110a0142	
1900t-I7-4gb-Hd-Nosss	
1700-I7-4gb-80ss-Xprm	
1200-I5-2gb-Hd-Nosnl	
1900t-I7-2gb-Hd-W7u	
1900-I5-2gb-Hd-Xprm	
1700-I5-4gb-Hd-W7u	
1500t-I7-4gb-Hd-W7u	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-

1500-I7-4gb-80ss-Xpss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BIT
1500t-I7-4gb-Hd-W7rm	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
Icc420-542102e0	
1200t-Cp45-2gb-Hd-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PRO
1900t-I5-4gb-Hd-W7rm	
1500t-I7-2gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
1900t-I7-2gb-Hd-W7unl	
M1700t-NI	
1500-Cp45-4gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-B
Npc1-N2a0xa00-Ww	
Pvs535-52210300	
1200t-I5-2gb-80ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS X
Iws-1501	IND WORKSTATION
1900-I5-4gb-160ss-Nosdcss	
1700-Cp45-2gb-160ss-W7udcss	IPC FLAT PANEL 17.0 SXGA (1280X1024), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (
1700-I7-2gb-Hd-W7u	
1500-I7-4gb-Hd-W7unl	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 100
Iws-3025t	

1700-Cp45-4gb-Hd-W7udcss	
Icc420-52210	INDUSTRIAL COMPUTER DX/66 W/SOFTWARE
1900-I7-4gb-Hd-W7rm	
1200-I7-4gb-80ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT), I
1200t-I5-2gb-Hd-W7ss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONA
1500t-I5-2gb-300ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS X
1200-I7-4gb-Hd-Nosnl	
1200-I7-4gb-Hd-Nosss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED
1500-I5-2gb-300ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-B
110a0175	
1900t-I7-4gb-Hd-Xpdcss	
1200-I5-2gb-300ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-
1500-I5-2gb-Hd-W7	
1700-Cp45-4gb-80ss-Nosdcss	
1700t-I7-4gb-160ss-Nosdcss	
300a0013	
Coskybd12x	
1900-I5-4gb-80ss-Xprm	
1700-Cp45-2gb-Hd-Xpnl	
1500-I5-2gb-80ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4

	THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED,
1500-I5-2gb-80ss-W7ss	
1500-I5-2gb-Hd-Xprm	
1700-I7-2gb-Hd-Xpdcrm	
1900-I7-4gb-Hd-Xpdcss	
1200-I7-4gb-80ss-Xp	
1700-I5-4gb-80ss-W7rm	
52469	
1500-I7-2gb-300ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLE
1900-I5-2gb-Hd-W7u	
1500-I7-2gb-Hd-Nosrm	
1200t-I5-4gb-300ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP
Icc-525-74210300	
1500t-I5-2gb-80ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
1900-I7-4gb-160ss-W7udcss	
1900t-I5-2gb-Hd-W7uss	
1500t-I5-4gb-Hd-Xpss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL
1200t-I7-4gb-Hd-W7rm	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
M1900t	
1700t-I5-4gb-Hd-W7dcss	
547a0005	

1200-I5-2gb-80ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED
1900t-I7-4gb-300ss-Nosdcss	
100a0127	
1700-I7-4gb-Hd-Nosrm	
1200-I5-2gb-Hd-Xpnl	
1200-Cp45-2gb-80ss-Xpdcss	
1500t-I7-4gb-Hd-Nosnl	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INS
1900-Cp45-4gb-Hd-Xpnl	
1200-I5-4gb-Hd-Xpss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRATE
1200-I7-2gb-Hd-W7dcnl	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRA
1200t-I5-2gb-Hd-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSION
1700t-Cp45-4gb-Hd-Xpdcss	
1500-I7-4gb-300ss-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED,
1700-I7-2gb-80ss-W7dcss	
1900t-I5-4gb-160ss-Xpdcss	
1900t-I5-4gb-Hd-Nosrm	
Iws-2623-001	
1500t-I5-2gb-300ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
5106f3h01004	OPER STATION
1900t-I7-2gb-Hd-W7uss	

1200-I7-4gb-80ss-Xpss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BI
1700-I7-4gb-300ss-W7udcss	
1500-I7-4gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 24V
1500-I7-2gb-Hd-Nosss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED
1200-I5-2gb-80ss-W7ss	
118a0172	
Npc100-N270-2gb-40ss-Xp-Dc-Ww	INDUSTRIAL PC 2GB DRAM ATOM N270 WINDOWS XP
1500t-I5-2gb-Hd-W7ss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL
110a0144	
Iws-3015t	
1500t-Cp45-2gb-Hd-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROF
1500t-I7-2gb-Hd-Xprm	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSION
1700t-I7-2gb-80ss-W7udcss	
1900-I5-4gb-Hd-W7nl	
Iws-1623-Ge	
1500t-I5-2gb-Hd-Nosss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM IN
1900t-I7-4gb-Hd-Xprm	
1700t-Cp45-2gb-Hd-W7udcss	
	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN,

1500-I5-2gb-80ss-W7udcss	INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT), I
1500t-I5-2gb-Hd-Xprm	
1900t-I7-4gb-160ss-W7udcss	
Ici5350120d8100	OPERATOR INTERFACE 10.4INCH 90-264 VAC 2.5 AMP
Epc1900t-N270-2gb-40ss-W7u-Wwb	OPERATOR INTERFACE 19INCH TOUCHSCREEN 2GB DRAM
1200-Cp45-2gb-80ss-Nosdcss	
1700-I7-2gb-Hd-Xpnl	
1200-I7-4gb-Hd-W7	
1500-I7-4gb-Hd-W7dc	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 PROFESSIONAL (32-BIT), INTEGRATED
1500t-I7-4gb-Hd-W7urm	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-
1500-I5-4gb-300ss-Xpdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-BIT
1200t-I5-4gb-300ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7
1200-I5-2gb-160ss-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT),
1900t-I7-4gb-300ss-Xpdcss	
Icc-716-Cnc	INDUSTRIAL COMPUTER 90/250V 2.5AMP 50/60HZ
1200-I7-2gb-160ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32
1500-I7-2gb-Hd-W7nl	
1900-Cp45-2gb-80ss-Nosdcss	
1700-Cp45-4gb-Hd-Xp	
1700t-I5-2gb-300ss-Xpdcss	

1200-I5-2gb-Hd-Xprm	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONA
1200t-I7-4gb-Hd-Xprm	
1500-Cp45-2gb-160ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64
1500-I7-2gb-Hd-Nosdcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED
1700t-I7-4gb-Hd-W7nl	
1700t-I7-2gb-Hd-Xprm	
1700-I5-4gb-Hd-W7udcss	
1700t-I5-4gb-300ss-Nosdcss	
1500t-I5-4gb-Hd-Nosss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INST
1500-I5-4gb-Hd-W7unl	
1900-Cp45-4gb-Hd-Xpdcss	
1700-I5-2gb-160ss-W7udcss	
1500t-Cp45-2gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL DUAL CORE CELERON P4500 (1.86 GHZ, 2 M CACHE, 2 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIM
1200-I5-4gb-80ss-Xprm	
1700-I5-4gb-Hd-Xpdcrm	
Iws-3005t-008	
1700-I7-2gb-Hd-Nosdcss	
118a0200	
1900-I7-4gb-Hd-W7dc	
1200-I7-2gb-Hd-W7udcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED
	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG

1500t-I7-2gb-160ss-Nosdcss	RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERA
1900-I5-4gb-80ss-W7udcss	
1500-I5-4gb-Hd-W7dcrm	
1700-I7-2gb-Hd-W7ss	
1500-I5-4gb-Hd-Xp	
1200-I5-4gb-Hd-Nosss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM INSTALLED, INTEGRATED 1
1500t-I7-2gb-Hd-W7u	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (6
1500-I7-4gb-Hd-Xpdc	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRATE
1500-I5-2gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 24
1700t-I5-2gb-160ss-W7udcss	
1200-I5-4gb-160ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED,
1500-I5-4gb-80ss-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 ULTIMATE (64-BIT), INT
1700-I5-4gb-300ss-W7udcss	
1900-I5-4gb-Hd-Nos	
1200t-I7-2gb-Hd-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, NO OPERATING SYSTEM
1200-Cp45-2gb-Hd-Xpss	
1900-I7-4gb-80ss-Xpss	
Icc-6I6-Hs2	INDUSTRIAL COMPUTER
	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG

1200t-I5-4gb-160ss-Nosdcss	RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATI
1200-I5-4gb-80ss-W7dcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BIT)
1500t-I5-2gb-Hd-W7udcss	IPC FLAT PANEL 15.0 XGA (1024X768), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64
1200-I7-2gb-80ss-Xpss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-
1200-I7-2gb-80ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS XP PROFESSIONAL (32-
Iws-4655	OPERATOR INTERFACE 2M/FLASH 4M/RAM
1700-I5-4gb-Hd-Nosnl	
1200t-I5-2gb-Hd-Xprm	
Ic5031723101a0	
1700-I7-4gb-80ss-Nosdcss	
1900-I5-4gb-160ss-W7udcss	
1200t-I5-2gb-Hd-W7	
1500-Cp45-4gb-80ss-Nosdcss	
Mon-4814pt	
1200-I7-2gb-80ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLE
1200-I7-4gb-80ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED,
1500-I5-2gb-Hd-Xpdc	
Iws4525	OPERATOR PANEL
Iws90013328	
1200-I5-4gb-Hd-Xp	

Npc100-N2a0xd00-Ww	INDUSTRIAL PC 2GB DRAM ATOM N270 WINDOWS XP
Ic5031-743001e0	
1200t-I7-4gb-Hd-W7uss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64
1500-I7-4gb-Hd-W7uss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 4GB DRAM, 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS 7 ULTIMATE (64-BIT), INTEGRATED 100
1900-I7-4gb-80ss-Xpdcss	
1200t-I7-2gb-160ss-Xpdcss	IPC FLAT PANEL 12.1" SVGA (800X600), 5-WIRE ANALOG RESISTIVE TOUCHSCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 160 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS
1700-I5-4gb-Hd-W7uss	
Epc1550t-Mc550-1gb-Hd-Dvd-Xp-Dc	INDUSTRIAL PC ENCLOSED
1200-I5-4gb-300ss-Nosdcss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 4GB DRAM, 300 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , NO OPERATING SYSTEM INSTALLED,
1900-I5-4gb-80ss-Xpss	
Mem-Ema	
1200t-I5-4gb-Hd-Xp	
1700-I7-2gb-Hd-W7dcss	
1200-I5-4gb-80ss-W7	
1900-I5-2gb-Hd-Xpnl	
1500-I7-4gb-80ss-W7	
Iws-1523	
1500-I7-2gb-80ss-W7ss	IPC FLAT PANEL 15.0 XGA (1024X768), NO TOUCH SCREEN, INTEL I7 DUAL CORE 620M (2.66 GHZ, 4 M CACHE, 4 THREADS), 2 GB DRAM , 80 GB SATA EASILY REMOVABLE SOLID STATE DRIVE , WINDOWS 7 PROFESSIONAL (32-BI
1200-I5-2gb-Hd-Xpss	IPC FLAT PANEL 12.1" SVGA (800X600), NO TOUCH SCREEN, INTEL I5 DUAL CORE 520M (2.4 GHZ, 3 M CACHE, 4 THREADS), 2 GB DRAM , 500 GB (MINIMUM) SATA HYBRID DRIVE, WINDOWS XP PROFESSIONAL (32-BIT), INTEGRA