

Nikki Denso

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Nikki Denso Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Nikki Denso T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



| ¼r¼n | A¼ıklama |
|---|-------------|
| Heavy Duty Relay (061700-3771) | 061700-3771 |
| 47161011 | |
| 764 5300 603 | |
| 76453000604 | |
| HD140-160LS | |
| KM102FAGKX-10 OEM | |
| KOM764530064I | |
| LF-500BM-C05DA | |
| NA20-180F-10 | |
| NA70-20NAMSS-PRF-M90A2 | |
| NA70-40NAMKS-PRF-M46A1 +VIG040- | |
| NA70-80NAMKS-M76 | |

| | |
|---|--|
| NA8202-402NDM UL | |
| NCR-CAC3A2C-402-UL | |
| NDS-501B | |
| 16617-63012 1,4kW, 24V | |
| Na70-40namks-Prf-M46 | |
| STARTING MOTOR - Denso 16617-63012 1.4kW, 24V | |
| Denso 19883-63012 9 Diő, 1,4kW, 24V | |
| 764530064i | |
| Npsa-Zmta-201ae | SERVO DRIVE INPUT 3PHASE 200WATT 220VAC 50HZ |
| Ncr-Dac0a2c-153 | SERVO MOTOR AMPLIFIER 200-230VAC 62.6-125.2AMP |
| Na5005zknn | SERVO MOTOR |
| Sp-07063 S/N 92011030 | |
| E2-11-1200 | |
| 10310gs00b | |
| 496300-4733 | DENSO, BHT-710BB, MOBILE COMPUTER, LARGE SCREEN, BATCH/BT PDT |
| Mkr 18x1,5p | |
| Kom764530064i ((Na70-40namks-Prf-M46a) | |
| 496300-5801 | DENSO, BHT-1261BWB-CE, HANDY TERMINAL |
| Ncs-Ze1mda-601a | |
| 8144205500 | |
| Npsa_Zmta_751a | |
| Adj03742 | |
| Bht-1361qwb-Ce | DENSO, TERMINAL WINDOWS OS, BHT-1361QWB-CE, WIN EC7, 802.11B/G/N, BLUETOOTH, POCKET SIZE, 2.4IN QVGA COLOR TOUCH SCREEN, 2D ADVANCED AREA IMAGER, SQRC |
| Motor For Npsa-5nn-55 | |
| Na70-20namks-Prf-M90 | |
| Na70-60namkn | |
| Npsa-2.5nn-70a | SERVO CONTROL AC |
| 410110-0190 | TEACH PENDANT |

| | |
|--|--|
| Tp3-410100 | SERVO TEACH PENDANT 10PIN MALE CONNECT |
| Npsa10n40 | SERVO DRIVE |
| Na70-40namks | |
| Nmr-Fufba2b-252a-U27 | |
| Npsfima401 | DRIVER |
| Bht-904bb | DENSO, TERMINAL BASIC OS, BHT-904BB, BATCH/IRDA, USB, BLUETOOTH, 1D LINEAR IMAGER CCD WITH ADVANCED SCAN PLUS, COMPACT SIZE, BLACK, 28 KEYS, 1.6IN SCR |
| Vm-6083dm-V | ROBOT ARM 130MM WIDE ARM 1000-1300MM REACH |
| Hdc1m Na70-40namks-M89-Prfa, 400w 200v 3.3 A, 3000 Rpm | |
| Na70-20namss-Prf-M90a3 Oem | |
| Nd250-55-F | |
| Npsa-10nn-50 | SERVO CONTROL AC |
| Bht-1261qwb-Ce | DENSO, TERMINAL WINDOWS OS, BHT-1261QWB-CE, WIN CE 6.0 R3, 802.11B/G/N, BLUETOOTH 2.1+EDR, 3.5IN HVGA COLOR TOUCH SCREEN, 2D ADVANCED AREA IMAGER, 5 M |
| Kom7645300541 | |
| Na70-40namks-Prf-M46a1 +vig040- | |
| Msma8a2t5v2 | SERVO MOTOR 12.20MM SHAFT |
| Npst-E | POWER PACK |
| On-Sv403 Servo Amp | |
| Bht-1306q | DENSO, TERMINAL BASIC OS, BHT-1306Q, BATCH/IRDA, USB, POCKET SIZE, 2.4IN QVGA COLOR SCREEN, 2D ADVANCED AREA IMAGER, SQRC ENCRYPTED CODE SCANNING, 28 |
| Kom7644104306 | |
| Na2075f-X10 | SERVO MOTOR AC |
| 496300-391x | DENSO, BHT-303BW, SCANNER, 1D RF TERMINAL, 28 KEYS, 9MB, IEEE802.11B RADIO MODULE, ONE BATTERY PACK BT-20L, INCLUDES HAND STRAP AND OPERATORS GUIDE |
| Npsazmtb500a | DRIVE |
| Ild2300-100 | |
| Ncr-Xaa1d1b | |
| Na70-40namks-Prf-M46 | |
| 764.5300.604 Motor Mit Getriebe | |

| | |
|--|---|
| Npsa-Zmtb-751a | |
| Kom8144205500 | |
| Rp440z | PULSE GENERATR |
| Na5040namknn | POWER PACK |
| Nps-Zq Ncr-Dba1a1a2b-401-So2 | |
| Npsagmda162zzu18 | POWER SUPPLY |
| Nmr-Fdfba2c-701apz-Uc-T68 | |
| Na50-10namknn-Ce | |
| Na7020namss | |
| Npsa ? Tmta ? 401 | |
| Na70-40namks-Prf-46a1 | |
| Na20-180f10 | |
| 7646208502 | |
| Bht-420b-Ce | DENSO, MOBILE DATA TERMINAL, 1 BATCH BATTERY |
| Kom764530064i Motor Only For 76453000604 | |
| Na70-20namss-Prf-M90a Code: 323-5000-602 | |
| Npse-Io/40 | POWER PACK 100-400W 7A 220V 50/60HZ |
| Mj02230 ?? 5m / Sn - I 3840 / Na70 - 20namss - Prf / Servo Motor | |
| Ncr-Xab7d1a-801 | |
| Na70-20namsn | |
| Cu-611 | DENSO, COMM CHARGE, CU-611, CRADLE FOR BHT600, SINGLE SLOT, ETHERNET, COMMUNICATION AND CHARGING, ETHERNET CABLE AND AC ADAPTER (AD2) NOT INCLUDED, |
| Npsa-2.5nf-60a-E2 | AC SERVO CONTROL 1.65A CONT. 6.32A MAX 200/220VAC |
| Kom7644002700 | |
| Npsa-5-Nn-55-E1 | SERVO CONTROLLER |
| Na50-10namknn | |
| 496983-005x | DENSO, SOFTWARE, QR MAKER PRO WIN95/NT VERSION, APPLICATION PROGRAM |
| | DENSO, SCANNER, HANDHELD, WIRED, GT10Q-HR, 2D HIGH |

| | |
|---|--|
| Gt10q-Hr | DENSITY AREA IMAGER, RS-232C INTERFACE, 3-COLOR LED, BUZZER (WITH VOLUME CONTROL), VIBRATION, IP54. |
| Npsa10n70e1 | SERVO DRIVE |
| Npsa-20-54 | SERVO POWER AMPLIFIER 60.6A 200/220VAC 50/60HZ |
| Na50a-40namknn | |
| Npsa-Zmta-101ae-Ce(, By Npsa-Zmtb-101a) | |
| Sp-02130 | |
| Art.-Nr. Kom8144205500 | |
| 496800-089x | DENSOQT-10Q-SBSCANNER2D SCANNER STANDARD RANGEBLUETOOTHINCLUDES 1 BATTERY |
| Km102fagkx-10 | |
| Ncs-F110ma-113a | |
| Bht-1170bwb-Ce | DENSO, TERMINAL WINDOWS OS, BHT-1170BWB-CE, WIN CE 6.0 R3, 802.11B/G/N, BLUETOOTH 2.1+EDR, 3.5IN HVGA COLOR TOUCH SCREEN, 1D LINEAR IMAGER CCD WITH AD |
| Na21-3f-Ek30-PI5 | SERVO MOTOR W/ENCODER 3000RPM 1.1AMP 105V |
| Na70-20namss-Prf | |
| Na100-180f-10 | |
| Npsa-Ztmdc-601a | |
| Na70-80namks-M76 Komaa98563400 | |
| Npsa-Tmta-222 | |
| Bht-304qw | DENSO, TERMINAL BASIC OS, BHT-304QW, 802.11B, IRDA, SERIAL, 2D IMAGER, 2.0IN SCREEN, 28 KEY, BUZZER, VIBRATION, 2-COLOR LED, 18MB ROM, IP54. INCLUDES |
| Npsa-Tmta-752 | POWER SUPPLY |
| Npsa-Zqgk | AC Servo Driver Unit |
| Na70-40namks-Prf-M46, 764 5300 603, 764.5300.604 Motor Mit Getriebe | |
| Bht-904bb-Wh | DENSO, TERMINAL BASIC OS, BHT-904BB-WH, BATCH/IRDA, USB, BLUETOOTH, 1D LINEAR IMAGER CCD WITH ADVANCED SCAN PLUS, COMPACT SIZE, WHITE, 28 KEYS, 1.6IN |
| Na70-20namss-Prf-M90a3 For Komori Corp. | |
| 104969-0321 | DENSO, HANDHELD 2D BATCH TERMINAL, SH3 (133 MHZ) PROCESSOR, 28KEYS, 18MB (USER AREA APPROX 12.5MB), BATCH, INCLUDES ONE BATTERY PACK BT-20L, HAND STRA |

| | |
|--|--|
| Npsa-5nn-55 | |
| Npsa-Zmta-101ae | SERVO DRIVE INPUT 200V 50/60HZ OUTPUT 100W 3000R/M |
| 496300-5412 | DENSO, BHT-805BW, BASICOS, WITH BATTERY |
| Nps-Fima-402 | SERVO DRIVER |
| Bht-904b | DENSO, TERMINAL BASIC OS, BHT-904B, BATCH/IRDA, USB, 1D LINEAR IMAGER CCD WITH ADVANCED SCAN PLUS, COMPACT SIZE, BLACK, 28 KEYS, 1.6IN SCREEN, SPEAKER |
| Sp-07092 S/N 94014016 | |
| Npst-4hd | SERVO POWER PACK |
| Npsa-Zmta-401ae-Ce | |
| Repair Kit Npsa-5nn-50 | |
| 5aa0013096 | |
| Bht-420bw-Ce | DENSO, MOBILE DATA TERMINAL, WIRELESS, BATTERY |
| Bht-1261bwb-Ce | DENSO, TERMINAL WINDOWS OS, BHT-1261BWB-CE, WIN CE 6.0 R3, 802.11B/G/N, BLUETOOTH 2.1+EDR, 3.5IN HVGA COLOR TOUCH SCREEN, 1D LINEAR IMAGER CCD WITH AD |
| Aec00866 | |
| Bht-1306qwb | DENSO, TERMINAL BASIC OS, BHT-1306QWB, 802.11B/G/N, BLUETOOTH, IRDA, USB, POCKET SIZE, 2.4IN QVGA COLOR SCREEN, 2D ADVANCED AREA IMAGER, SQRC ENCRYPTED |
| Msm5azq2q | SERVO MOTOR ASSEMBLY |
| Prc-Tr-Unit-C | POWER SUPPLY/CONTROL MODULE 200/220VAC 50/60HZ |
| Ztb-400 | |
| Na50-40namknn(, By Na50a-40namknn) | |
| 496300-4490 | FIRESALEDENSO STRAIGHT MAKER MOBILE COMPUTER PXA270 520 MHZ PROCESSOR WIN CE 5.0 128 MB RAM ALPH-NUMERIC KEYPAD INFRARED IRDA 1.2 IEEE 802.11 AND SERIAL INTER |
| Npsatmta801 | SERVO CONTROLLER AC 6.4AMP 3PHASE 200/220VAC |
| It08-30-18-B | SERVO DRIVE 200-220VAC 50/60HZ 1.9KVA |
| 5ik90gu-St2f | |
| Ncs-F110ma-153a | |
| Npse-10/40 | POWER PACK 100-400W 7A 220V 50/60HZ |
| Ncr-Aba2a-020 | |
| Kom764530064i | |

| | |
|---|---|
| Qs20p-A11 | DENSO, COMPACT PEN TYPE 2D SCANNER |
| Na80-40namks-M127 | |
| Bht-304q | DENSO, TERMINAL BASIC OS, BHT-304Q, BATCH/IRDA, SERIAL, 2D IMAGER, 2IN SCREEN, 28 KEY, BUZZER, VIBRATION, 2-COLOR LED, 18MB ROM, IP54. INCLUDES BATTER |
| Bht-805bw | DENSO, TERMINAL BASIC OS, BHT-805BW, 802.11B/G, IRDA, 1D LINEAR IMAGER CCD WITH ADVANCED SCAN PLUS, 2.6IN COLOR SCREEN, 27 KEY, SPEAKER, VIBRATOR, 3-C |
| 496300-5410 | DENSO, BHT-805BW, MOBILE COMPUTER, WIRELESS HAND TERMINAL |
| Npsa-Zmta-101ae-Ce | SERVO DRIVE |
| Magnet For Na70-20namss-Prf-M90a2 | |
| Npsa-15nn-50 | SERVO CONTROL AC |
| Na70-40namks-M90-Prfa | |
| Na70-40namss-Prf-M46a | |
| Ncr-Xbe4a-050 | |
| Na70-20namss-Prf -M90a | |
| 20namss Prf M90a3 | |
| Bht-825q | NOT FOR US/CANADA- 27 KEY, SPEAKER, VIBRATION, 3-COLO |
| Ncr-Xab4a | |
| Lzc-030 | |
| 3235000602 | |
| Xx-A-Ap | |
| 5aa.0013.095 Driver Amplifier | Amplifier NPS-VPZQ401-KMY replaced: 5AA.0000.494 Driver Amplifier (NRC-DBA1A2B401) Unit C.P. Parts List AM-WM Machine type: LS 29 Customs tariff number: 85011093 |
| Motor Only For 7645300604 (Na70-40namks-Prf-M46a) | |
| Bht-710bwb-Ce | DENSO, TERMINAL WINDOWS OS, BHT-710BWB-CE, WIN CE 5, 802.11A/B/G, BLUETOOTH, 1D LINEAR IMAGER CCD WITH ADVANCED SCAN PLUS, 3.5IN QVGA COLOR TOUCH SCRE |
| 7645300604 (Na70-40namks-Prf-M46a) | |
| Nh-12zu-23ap | |
| | DENSO, SOFTWARE QR CODE, QRMAKERAD, QR MAKER AD, ACTIVE X CONTROL COMPONENT TO GENERATE QR CODES |

| | |
|---|---|
| Qrmakerad | FROM USER APPLICATIONS. EASILY GENERATE QR CODE AND O |
| Ncr-Cab1a2d-801-UI | |
| 496983-004x | DENSO, SOFTWARE, QR MAKER SOFTWARE (CHINESE JAPANESE) |
| Na100-370 Fb | |
| Mj02230 5m / Sn - I 3840 / Na70 - 20namss - Prf / Servo Motor | |
| Bht-604qw | DENSO, TERMINAL BASIC OS, BHT-604QW, 802.11B/G, IRDA, 2.8IN COLOR SCREEN, 2D IMAGER, 34 KEY, BEEPER, VIBRATION, 3-COLOR LED, 16MB RAM, IP54. INCLUDES |
| Na70-40namks-Prf-46a | |
| Nps-60namkn | |
| Na70-06namkn | |
| Na70-40namks-Prf-M46a | 764.5300.64I Engine without gearbox Damping motor NA70-40NAMKS-PRF-M46A without gear replaced: AB1.0331.402 Machine type: LS 40 Customs tariff number: 85439000 |
| Art.Nr. Kom764530064i | |
| Tprc51 | |
| Zpsa-Zmta-751a-Ce(; By Npsa-Zmtb-751a) | |
| Na70-40namks-M89-Prfa | |
| Npsa-Zmtb-101a | |
| Npsa-Zmta-401a | AC Servo Driver Unit Actus 200V |
| Ncr-Xbcna-050 | |
| 104969-1531 | DENSO, 802.11B/G/N, BLUETOOTH, 2D, 1D, SQRC, 2.4 INCH QVGA COLOR DISPLAY, 28 KEY, BACKLIGHT, LITHIUM ION BATTERY OR 3 AAA BATTERY, SPEAKER, VIBRATOR, |
| Npsazmtb401a | DRIVER |
| Npsa-5-Nn41 | SERVO PACK AC 200/220VAC 50/60HZ 2.7-10.6A |
| Npsa-5-Pnn-55 | SERVO CONTROLLER AC 1PH 12.5AMP 200/220V 50/60HZ |
| Bht-1171bwb-Ce | DENSO, TERMINAL WINDOWS OS, BHT-1171BWB-CE, WIN CE 6.0 R3, 802.11B/G/N, BLUETOOTH 2.1+EDR, 3.5IN HVGA COLOR TOUCH SCREEN, 1D LINEAR IMAGER CCD WITH AD |
| Gt-10q-Sb | DENSO, GT10Q, WIRELESS SCANNER, 2D LASER SCANNER, BLUETOOTH |
| | 764.5300.604 engine with gearbox Dampening unit NA70- |

| | |
|--|---|
| Na70-40namks-Prf-M46a1 | 40NAMKS-PRF-M46A1 + VIG040-0150 NA70-40PRF-M46A + VRSF-15C replaced: 764.5300.603 + 714.5300.200 Drive motor dampening roller "Z" |
| Nps-Fimb-401 | |
| 496800-0893 | DENSO, GT10Q 2D HIGH-END SCANNER |
| Sh47550 | CABLE |
| Sc-12040 | |
| Kom7424010306 | |
| Npsa-2.5nn-40e1 | SERVO AMPLIFIER 200/220VAC 50/60HZ |
| Cu-714 | AC ADAPTER, COMMUNICATION AND CHARGING. ETHERNET CABLE AN |
| 104969-0940 | DENSO, BHT-604QW, 2D, WIRELESS, WITH BATTERY |
| P101605 Mv10 | |