



## Nikkiso

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Nikkiso** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Nikkiso Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">See List</a>	
<a href="#">HN23C-B2</a>	CMP-02 Single-stage canned motor pump As previous delivery EK25-4179A-3 Model / pump motor HN23C-B2CGV-01D1XX-AYC1D5F4L1QA according to data sheet / document EKD81-4110 01 Country of origin: QU Preference code: P=N Stat. Wr.Nr.: 84137021
<a href="#">STATOR ASSY. POS:20,</a>	TYPE:H212-2.2E-1FCSP,34 LT/MIN M:20M, SERIAL NO:C44-7028-1/C41-0762-2
<a href="#">Mechanical Seal Repair Kit</a>	LMV311 DF-744-006B-05 51D,60C,51A.50,60A,52,50B.
<a href="#">High speed compressor shaft</a>	pos. 130 AFD74-0011-02 F74-0006B-1,2
<a href="#">Shaft seals</a>	pos. 115 AFD74-0011-02 F74-0006B-1,2
<a href="#">V-shaped sealing ring</a>	pos 123A AFD74-0011-02 F74-0006B-1,2
<a href="#">Compressor shaft gasket</a>	pos 115B AFD74-0011-02 F74-0006B-1,2
<a href="#">ROTOR ASSY.POS NO:40,</a>	TYPE:H212-2-2E-1FCSP , SERIAL NO:C44-7028-1/C41-0762-2
<a href="#">Nikkiso Filter EF02</a>	
<a href="#">CMP-02</a>	HB23C-B2 Material/TAG No. MP01/MP02 Single-stage heatable canned motor pump Like previous delivery EK78E7520B-1 Model / pump motor HB23C-B2CGV-01D1LR-AXD7H2Q1
<a href="#">ITEM NO : P295600</a>	MODEL NO : HN24D-C2 SERİ NO : EK81-0214A-1 625 L/Min - 53 m -

<a href="#">ITEM NO : P295400</a>	2870 1/min 15 kw MODEL NO : HN26D-D3 SERİ NO : EK81-0212A-2 2150 L/Min - 53 m - 2920 1/min 37 kw
<a href="#">ITEM NO : P295500</a>	MODEL NO : HN26D-D3 SERİ NO : EK81-0213A-2 2450 L/Min - 53 m - 2890 1/min 45 kw
<a href="#">ITEM NO : P295300</a>	MODEL NO : HN25D-C4 SERİ NO : EK81-0211A-1 1525 L/Min - 53 m - 2850 1/min 25.5 kw
<a href="#">CENTRIFUGAL DRAW - OFF CANNED PUMP SERIES HN21C-A1</a>	-TONGUED WASHER 3PCS -STATTOR ASSY 1PCS -SHAFT SLEEVE 2PCS - ROTOR ASSY 1PCS
<a href="#">CENTRIFUGAL CANNED PUMP, SERIES HS25E-D2</a>	BEARING MONITOR 5PCS
<a href="#">AC18HD Repairing Kit</a>	Repairing Kit Set
<a href="#">Sw210l</a>	FUSE_CMP A-MOTOR 3A-W01-P001A (SUS316 / N) Original country: JP Preference code: P = N Net weight: 0.040 KG Stat. Wr.Nr .: 73182100 Lock washer - stainless steel
<a href="#">S7106p</a>	FLAT SEALING CASING 22D / 23C / 24C 3Z-G02-00131890 (PTFE / GL) Original country: JP Preference code: P = N Net weight: 0.036 KG Stat. Wr.Nr .: 39269097 Flat gasket - polytetrafluoroethylene / glass fiber
<a href="#">S05a</a>	
<a href="#">Inoa-683-6a</a>	
<a href="#">R14a</a>	
<a href="#">S3121d</a>	O-RING B-MOTOR / FRONT 3Z-G02-00021394 / JISB2401G140 Original country: JP Preference code: P = N Net weight: 0.020 KG Stat. Wr.Nr .: 39269097 O-ring - polytetrafluoroethylene
<a href="#">Y72a</a>	
<a href="#">X714592-00210</a>	
<a href="#">P07e</a>	
<a href="#">M150</a>	
<a href="#">Ac1-Kp4</a>	
<a href="#">G2fd</a>	
<a href="#">P03b</a>	
<a href="#">Wire, Pos No: 23</a>	
<a href="#">Spare Parts For Pump S / N # Ek55-0566e-1</a>	ATTENTION: The offered quantity is for one pump -> 2 years operation. Because Nikkiso recommends maintenance in the year. There are a total of 3 pumps here. If spare parts are required for each pump, please adjust the quantity accordingly. SW211M FUSE_CMP B-MOTOR 3A-W01-P001B (SUS316 / N) Original country: JP Preference code: P = N Net weight: 0.070 KG Stat. Wr.Nr .: 85030099 Lock washer - stainless steel
<a href="#">G2db</a>	
<a href="#">S3130d</a>	O-RING A + B-MOTOR / RBH 3Z-G02-00020988 / 02-071-4011 Original country: JP Preference code: P = N Net weight: 0.014 KG Stat. Wr.Nr .: 39269097 O-ring - polytetrafluoroethylene
<a href="#">Y52k</a>	
<a href="#">S5d-Oce</a>	
<a href="#">Bw10</a>	

<a href="#">Type 20eb-Ti-1f</a>	
<a href="#">Oil Relief Valve V07a</a>	
<a href="#">Cmp-01</a>	S12038 SEAL Original country: QU Preference code: P = N
<a href="#">Sft Press // 5 Kgf/Cm2</a>	
<a href="#">X714592-00202</a>	
<a href="#">V010</a>	
<a href="#">S33110</a>	O-RING B-MOTOR / JACKET 3Z-G02-00031790 / 02-071-4017 Original country: JP Preference code: P = N Net weight: 0.068 KG Stat. Wr.Nr .: 40169300 O-ring - chloroprene rubber
<a href="#">V01a</a>	
<a href="#">C17b</a>	
<a href="#">E47-0035d-1,2 P/N: Rkorp3</a>	
<a href="#">B01b</a>	
<a href="#">P/N B1m-080040</a>	
<a href="#">Y72g</a>	
<a href="#">Y62r</a>	
<a href="#">Sw721n</a>	AXLE BACKUP_CMP B-MOTOR 3P-W07-M001B (SUS316L) Original country: JP Preference code: P = N Net weight: 0.040 KG Stat. Wrist number: 73269098 Locking plate - stainless steel
<a href="#">S7104p</a>	FLAT SEALING CASING 22C / 23B / 24B 3Z-G02-00131590 (PTFE / GL) Original country: JP Preference code: P = N Net weight: 0.026 KG Stat. Wr.Nr .: 39269097 Flat gasket - polytetrafluoroethylene / glass fiber
<a href="#">Hn-25c-C3</a>	
<a href="#">Ek72e7019a-1 , Hx21c-A5</a>	
<a href="#">Cb2b3-21c5</a>	
<a href="#">Hd1-Gpa</a>	
<a href="#">Y72e</a>	
<a href="#">Spare Parts For Pump S / N # Ek47-0344j-1</a>	S32172 BEARING B-MOTOR 3M-B01-B001 (CG11) Original country: JP Preference code: P = N Net weight: 0.400 KG Stat. Wr.Nr .: 84833080 Bearings - carbon graphite
<a href="#">G2dd</a>	
<a href="#">Sus316</a>	
<a href="#">Spare Parts For Pump S / N # Ek53-0358a-1</a>	DANGER: The offered quantity is for one pump -> 2 years operation. Because Nikkiso recommends maintenance in the year. There are a total of 3 pumps here. If spare parts are required for each pump, please adjust the quantity accordingly. S32102 BEARING B-MOTOR 3M-B01-B003 / 02-032-4002 Original country: JP Preference code: P = N Net weight: 0.760 KG Stat. Wr.Nr .: 84833080 Bearings - carbon graphite
<a href="#">S471m1</a>	AXIAL TANK B-MOTOR 3M W05-0001B / 02-047-4007 Original country: JP Preference code: P = N Net weight: 0.372KG Stat. Wr.Nr .: 84829900 Axial bearing plate - Stainless steel, hard chromed
<a href="#">M53111ot1</a>	
<a href="#">S15a</a>	

<a href="#">G03b</a>	
<a href="#">B01s</a>	
<a href="#">B01a</a>	
<a href="#">SI02aa01</a>	
<a href="#">C08d</a>	
<a href="#">01652295</a>	
<a href="#">P/N: 12p-W08-0001c10000</a>	
<a href="#">X714592-00206</a>	
<a href="#">Ifr</a>	
<a href="#">Hx21c-A5</a>	
<a href="#">Spare Parts For Pump S / N # Ek55-0566i-1</a>	SW211M SW211M FUSE_CMP B-MOTOR 3A-W01-P001B (SUS316 / N) Original country: JP Preference code: P = N Net weight: 0.070 KG Stat. Wr.Nr .: 85030099 Lock washer - stainless steel
<a href="#">S32103 B012 545</a>	
<a href="#">12a-B01-0001z6320</a>	
<a href="#">22-053</a>	
<a href="#">Sa6-Arv</a>	
<a href="#">Hn24c-C1</a>	CMP-02 SRMP NIKKISO Material / TAG No. GEM. DATENBLATT EKD79- 2694 Country of Origin: QU Preference code: P = N Stat. Wr.No .: 84137021
<a href="#">Hn21c-A2</a>	
<a href="#">Y12a</a>	
<a href="#">Sw211m</a>	FUSE_CMP B-MOTOR 3A-W01-P001B (SUS316 / N) Original country: JP Preference code: P = N Net weight: 0.070 KG Stat. Wr.Nr .: 85030099 Lock washer - stainless steel
<a href="#">S15c</a>	
<a href="#">C03a</a>	
<a href="#">Y72c</a>	
<a href="#">B01c</a>	
<a href="#">G04a</a>	
<a href="#">S3140d</a>	SEALING BEARING MONITOR 3Z-G02-00010158 / JISB2401P16 Original country: JP Preference code: P = N Net weight: 0.002 KG Stat. Wr.Nr .: 39269097 Sealing ring - polytetrafluoroethylene
<a href="#">Y62j</a>	
<a href="#">Y11a</a>	
<a href="#">S451m1</a>	WAVE PROTECTION HOSE B MOTOR 3M S30-0001B / 02-045-4007 Original country: JP Preference code: P = N Net weight: 0.760 KG Stat. Wrist number: 73089098 Shaft sleeve - Stainless steel, hard chromed
<a href="#">Y72d</a>	
	ATTENTION: The offered quantity is for one pump -> 2 years operation. Because Nikkiso recommends maintenance in the year. There are a total of 3 pumps here. If spare parts are required for each pump, please

<a href="#">Ersatzteile F¼r Pumpe S/N#Ek53-1000c-1</a>	adjust the quantity accordingly. S32102 BEARING B-MOTOR 3M-B01-B003 / 02-032-4002 Original country: JP Preference code: P = N Net weight: 0.760 KG Stat. Wr.Nr .: 84833080 Bearings - carbon graphite
<a href="#">Plunger 28x137 Pos.A</a>	
<a href="#">B08k</a>	
<a href="#">G2gd</a>	
<a href="#">P05a</a>	
<a href="#">Pompa</a>	
<a href="#">300-A15-0105000</a>	
<a href="#">01652296</a>	
<a href="#">S32203</a>	
<a href="#">G2fc</a>	
<a href="#">D02a</a>	
<a href="#">Bolt, Pos No 72d</a>	
<a href="#">Y11b</a>	
<a href="#">Y72b</a>	
<a href="#">B01d</a>	
<a href="#">S472m1</a>	
<a href="#">Ss491-3.7h-B01-11y25</a>	
<a href="#">S15b</a>	
<a href="#">S32102</a>	BEARING B-MOTOR 3M-B01-B003 / 02-032-4002 Original country: JP Preference code: P = N Net weight: 0.760 KG Stat. Wr.Nr .: 84833080 Bearings - carbon graphite
<a href="#">Y72f</a>	
<a href="#">01652297</a>	
<a href="#">G2da</a>	