

Nordson



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Nordson** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Nordson Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

| rn | Aıklama |
|--|---|
| H200 Module Oring | |
| 1052929 | Module, SureBead S, 0.30mm, green Nomenclature number: 84229090 |
| 339696 | Nozzle, SureBead, 0.30mm Nomenclature number: 84249080 Country of origin: US |
| 1604824 | ELECTRODE ASSY,ENCORE,FLAT SPRAY,PKG |
| 1604831 | CONNECTOR ASSY,HOSE,UNIV.,AUTO,ENCORE |
| 1097489 | GUN,BAR MT,AUTO,ENCORE |
| 1097537 | CABLE,AUTO,ENCORE,8M |
| 1604831 | CONNECTOR ASSY,HOSE,UNIV.,AUTO,ENCORE |
| 1095922 | PUMP ASSY,CORONA,ENCORE GEN II,PKG |
| 7018122 | Dispensing needle I-Ø 0.84mm green 1/2 "50 |
| 7018049 | Dispensing needle RTT, olive I-Ø 1.6mm 50 |
| 7018052 | Dosing needle TT, olive I-Ø 1.6mm 50 |
| 1121479 | Module, MiniBlue II, SureBead, 0.20mm |
| 1121473 | MiniBlue II, nozzle, SureBead, 0.20mm |
| 90° JIC8 - JIC16 8-16 C50X-S | |
| DISPENSER ULTIMUS V 100PSI / 7 BAR | 7012590 |
| 7014503 | OPTIMETER OPTIMUM 30CC |
| 7018158 | Dosiernadel TT, grn I-Ø 0,84mm 50 |
| 7012196 | Sealing cap O 30 / 55cc blue 20 pcs. |

| | |
|-------------------------------|--|
| 7012338 | Adapter O 30 / 55cc with hose 4 / 2mm |
| 7012149 | Cartridges + stoppers O black 30cc 20 pcs. |
| 7012198 | Sealing cap O needle side 50 pcs. |
| 7014598 | Plug O 30 / 55cc blue 20 pcs. |
| 8503591 | BCS-CBST-STD01ACATBAXXXN01 Auftragskopf, ClassicBlue 1-T Customer PO Item Number: 1 Harmonized code: 84242000 Country of origin: US Net weight: 0,988 KG With the following configuration: Type of modules Classic Blue Standard Additional hydraulic service 1 Solenoid valve type No Solenoid Voltage 230 V Air specification common air Cordset RTD Sensing Cordset Position Back Hose connection No Filter Straight Module subtype Standard Quantity of modules 1 PC |
| 1095703 | Module, ball seat, MiniBlue II |
| 7028328 70-CA | Thermal Compound |
| 7302433 | GUN LS-T373; 0.3MM; AIR REG. +FILTER; U |
| 264481 | Nozzle set LS373 D0.3 |
| 254354 | Air nozzle LS373 D0.3-0.6, std. |
| 1011014 | Nozzle, 1 hole, 90 degrees, D0.36mm, Purple/Yellow Precision nozzle, 90° angled, with SATURN SERIES capillary tube - Single jet nozzle, characterized by colored rings for easier Identification of capillary tube length and bore diameter - made of brass, therefore high thermal conductivity - Brass and capillary tube allows for greatest accuracy and Uniformity of the flow behavior of the hot melt - Ensuring the highest application image quality - Clean break-off behavior at the nozzle tip - 1st ring color = purple / capillary tube length = 2.50 mm - 2nd ring color = yellow/ bore diameter = 0.36 mm |
| 322014 | Nozzle, 1 hole, L1.3mm/D0.36mm, purple/yellow Precision nozzle with capillary tube from the SATURN series - Single jet nozzle, characterized by colored rings for easier Identification of capillary tube length and bore diameter - made of brass, therefore high thermal conductivity - Brass and capillary tube allows for greatest accuracy and Uniformity of the flow behavior of the hot melt - Ensuring the highest application image quality - Clean break-off behavior at the nozzle tip - 1st ring color = purple / capillary tube length = 1.30 mm - 2nd ring color = yellow / bore diameter = 0.36 mm |
| 1414 | NOZZLE,DOME,FLG,.14/14 |
| 1412 | NOZZLE,FLAT JET, .14/12 |
| 610 | NOZZLE,FLAT JET, .06/10 |
| 92068 | NOZZLE,BARREL BOTTOM, .19/12 |
| 27009 | TURBULANCE PLATE,STD FLG, .09 |

| | |
|---|--|
| Turbulance Plate 027014 | |
| 27020 | TURBULANCE PLATE,STD FLG, .20 |
| 27320 | TURBULENZPLATTE,STD.,CT, .20 |
| 161106 | Filtersieb, .006 |
| 1007234 | Saturn inline filter, 100 mesh, 45 degrees |
| circuit board for Mesa 14 (1079905) hotmelt | |
| 27014 | TURBULENCE PLATE,STD., .14 Statistical goods number: 84249080 Country of origin: US |
| 1007373 | Sieb Saturn Inline-Filter,100mesh,5erSet |
| 1052925 | Module, SolidBlue S, caps=black/grey |
| MS2424 | |
| MS2424 + Repari kit set | |
| 276977 | SEALING RING BM/VD/DD Statistical goods number: 40169300 Country of Origin: UK Net Weight: 5,400KG |
| ProBlue 4 SYSTEM | |
| BEHER SYSTEM | MELTER, PROBLUE 4.4H/G.....1 PCS HOSE, BLUE SERIES, 5/16 X 4 FT,240 VOLT, AUTO.....1 PCS HOSE, BLUE SERIES, 5/16 X 10 FT,240 VOLT, AUTO.....1 PCS BCS-SLBS-STD01ACATBAXXXXN01.....2 PCS SOLENOID, REPL, SATURN, S3, 24 VDC.....2 PCS NOZZLE,BR,ORA&BLK,.016DIAX.300.....2 PCS FILTER, SATURN, IN-LINE, 100 MESH, 45 DEG.....2 PCS |
| 7014745 | Gasket for valve 735HP -HytreI- 2 pcs. |
| 131635 | WIDE NOZZLE, 1.17MM |
| 316560 | TURCON-VARISEAL-M D4 INTERNAL SEAL |
| 1007373 Linear Saturn filter mesh 100 mesh | |
| 1011016 Angle nozzle 90 deg. hole dia.0.41 mm | |
| 1015916 Angle nozzle 90 deg | with 2 holes 30 deg. hole dia.0.41 mm |
| 274795 Adhesive hose 3.6 m | |
| 1028307 Pneumatic panel assembly | |
| 7360275 | 2KDSP SYS PNU 1:1 1500mL |
| 20-232092/0010 | |

| | |
|---|---|
| 1052929 (nozzle and dosing unit included) | |
| 6082216 | KIT, Module HY Contin. Only W/Valve |
| 6082216 | |
| 6082211 | KIT, Module HY Contin. -Cpl. W/Valve |
| 6082213 | KIT, Module HY Contin. Only W/Valve |
| LA725 | |
| P.N.274-791 | |
| PN.1051793 | |
| 8503698 | |
| xaloy model 037831 Valf | |
| 1604824 | ELECTRODE ASSY,ENCORE,FLAT SPRAY,PKG |
| Encore | |
| 1009359d | |
| 729450 | |
| 1064652 | |
| 322012 | |
| 101084d | E700 GUN DRIVER |
| 1033654 | |
| 1051738 | |
| 1078259 | |
| 937051q | |
| 274301 | |
| H200 | |
| Ep45 D3 | |
| 271598b | |
| 778522 | |
| 104075e | TEMPERATURE CONTROLLER P4000 ADVANCED BOARD |
| 276887 | |
| 130 309 | |
| 172328a | |

[271934a](#)

[1006220a](#)

[163039a](#)

[274968](#)

[H274792d](#)

[7005009](#)

[1092330](#)

[105626a](#)

[900214](#)

[167526b](#)

[117804c](#)

[231018](#)

[273800a](#)

[1007034b](#)

[859a-A103-00ar](#)

[1099970](#)

[1028307](#)

[114914a](#)

[050335a](#)

[132944](#)

[155817b](#)

[131739](#)

[10590400](#)

[231667](#)

DRIVE W/ADJ CURRENT 2240-240VAC 1PH 440W 50/60HZ

[394592a](#)

[163468a](#)

[153160](#)

[246467](#)

[295028](#)

[10972-A](#)

| | |
|--------------------------------------|---------------------------------|
| 234428 | |
| 273413 | |
| 145718b | |
| Pn 401073 | |
| 272821b | |
| 292286 | |
| 346021 | |
| Mxr 160 18 Element | |
| 295976b | |
| 1013731c | |
| Yedek Parã199;A Seti | |
| 727316a | |
| 132748c | |
| 276887a | |
| 1033017 | |
| 105647 | |
| 986331a | |
| 332897 | |
| Multiscan | TEMPERATURE CONTROL MODULE |
| 179073 | |
| 249800a | |
| 2415 | DISPENSER ULTRA 2400 0-15PSI |
| 292288c | |
| 174917e | DRIVE MODULE 240VAC 50/60HZ 1PH |
| 276739d | |
| 342315b | |
| 7015341 | SPRAY VALVE CONTROLLER |
| 942080 | |
| 276887b | |
| 939257b | |
| | |

| | |
|---|---|
| 274463-A | |
| No:1007037 - 100 Mesh ,Interim Filter Element | |
| 161424 | |
| 273139 | |
| 7012075 | |
| 322414 | |
| 274288b | |
| Durablue 10l 1026754a | |
| 750-059 | |
| 322114 | |
| 1010211 | |
| 274794c | |
| 107287d | |
| 750-046 | |
| 1054949a | |
| 101178 | |
| 105450 | |
| 939739 | |
| 246395a | |
| 156995 | |
| 7104591 | CONTROLLER LEVEL UNIT 100-300MM |
| 1036342 | |
| #001416 Dome Nozzle (Flange Type) | |
| 244244 | |
| 131739e | |
| 1007374 | |
| 276-315 | |
| 7021428 | |
| 274600b | GLUE HEAD FOR MODEL H204T 220/240V 280W |
| 1029250a | |
| | |

| | |
|--|---|
| Control Temperature Of The Heated Tube | |
| 982003a | |
| 6556 | |
| 938125c | |
| 165871a | |
| 158661b | |
| 276314a | |
| 156257a | |
| Sk500e751340a | |
| 1028322 | PC BOARD |
| 110593c | ELECTRIC RTD GUN E700W HEATER 240VAC 50/60HZ 200W |
| 7016548 | |
| 274799j | |
| 272719a | |
| 222297d | |
| 189207d | |
| 939915 | |
| 136673a | |
| 1026738 | |
| 7140408 | |
| 174917b | |
| 246468a | |
| 323476 | |
| Pc40 | |
| 296161a | |
| 105650a | |
| 461663 | |
| C161027 | |
| 859a-A101-00ar | |
| 150874a | |
| | |

| | |
|--------------------------|--|
| 10103 | |
| 139098b | |
| 328926b | OPERATOR INTERFACE VISTA TEMPERATURE CONTROL |
| 986502a | |
| 1081658 | |
| 339695 | |
| H1011028 | |
| 1014409 | HOSE HOT GLUE 16FT 288V 240W 1500PSI |
| 135972 | |
| 274791c | |
| 1031300 | |
| 322016 | |
| R288009 | |
| 1007372 | |
| Ep51 D5 | |
| 981747 | |
| 147163 | |
| 772050 | |
| 121044 | |
| 1065074 | |
| 104988c | |
| 275128d | |
| 322014 | |
| 027106f | |
| 151085 | |
| 272743 | |
| 337836a | |
| 162362a | |
| 137271 | |
| 105431a | |
| 274731 | |

| | |
|------------------------------|-----------------|
| 938152 | |
| 1064650 | |
| 131475b | |
| H20 | |
| La825xx | |
| 244376 | |
| 104988 | |
| 274790c | |
| 1603628 | |
| 238051a | |
| 1063729a | |
| 126957 | |
| 940119a | |
| 288022 | |
| 149241c | |
| 7002002 | |
| 8509370 | |
| 945032c | |
| 1052928 | |
| 933056 | |
| 153059 | |
| 972647 | |
| 1052934 | |
| 1007037-Each | |
| 938229 | |
| 750058-2 | |
| 276883 | 2302 CTRL PANEL |
| 244827c | |
| X117714 | |
| 132836b | |

| | |
|------------------------------------|--------------------------------------|
| 184234a | Module Um25, Aosc |
| 1007373 | |
| 236429a | |
| 952285a | |
| 1069289 | |
| 1049909 | |
| G24910-A004-A2-X | |
| Kng4596 | |
| 288022a | |
| 972176 | |
| 1055480 | |
| 144917a | POWER SUPPLY 1AMP 120/240VAC 50/60HZ |
| 337302 | |
| 630008 | |
| 111806 | |
| 189205c | |
| 244507 | |
| 276119a | |
| 240423 | |
| 155358 | |
| 273108 | |
| S/N: 316082d5 Ep51 | |
| 239665f | |
| 1018947 | |
| 102309d | |
| 161413 | |
| 276033 | |
| 1013172 | |
| 952141a | |
| 232617a | |

| |
|---------------------------------|
| #027014 T Plate |
| 724309a |
| 116111a |
| Pc-12-13 In-Hb |
| Epc-30 |
| 981101a |
| 803762 |
| 244520c |
| 939661a |
| 230260j |
| 274596 |
| 938237a |
| 901924 |
| 155007d |
| 153057-A-4 |
| 100498c |
| 243537a |
| 955024-A |
| 972646 |
| 272637c |
| Ae98c |
| 159904b |
| 1081134 |
| 227569 |
| 105594a |
| 295170 |
| 901905 |
| 275853 |
| 161427 |
| 163520a |
| |

| | |
|-----------------------------|---------------------------------|
| 271841a | |
| 803763 | |
| Skbr260600c | |
| 942362a | |
| 163039 | |
| 323013 | |
| 274180a | |
| 174917g | |
| 1024870 | |
| 235876 | |
| 1045506 | |
| 938123 | |
| 1007037 | |
| 09m 078 W | |
| 224-947 | GLUE HEAD |
| 7016720 | |
| 7703145 | |
| 7104592 | CONTROLLER LEVEL UNIT 300-600MM |
| 804768a | |
| 234427h | PLC BOARD POWER |
| 351-253944 | |
| 237018b | |
| 227568 | |
| 244246 | |
| 320214 | |
| 1052927 | |
| 1001413 | |
| 750058 | |
| 1007194 | |
| 7017092 | |
| 247261c | |

| | |
|--------------------------|---|
| 324305e | |
| 146623a | |
| 274596b | |
| 1011016 | |
| 271599 | |
| 771108 | |
| 173096a | |
| 274765 | |
| 238460a | CABLE ASSEMBLY 3478X100034 90FT |
| 120413a | |
| 981106a | |
| 1026751 | 240v,2h/G,22kg/Hr,F Harmonized Code: 84249000 Country Of Origin: Cn |
| 228969b | |
| 105583 | |
| 105524a | |
| 1017849a | |
| 1011018 | |
| 1028325a | SERVICE KIT FOR CPU BOARD |
| 236612b | |
| 321773c | |
| 809467 | |
| 231321g | |
| 220015 | |
| 152926 | |
| 276885 | |
| 231318-G | |
| Vista | |
| 135557 | |
| 750-060 | |
| | |

| | |
|-------------------------------|--|
| 274273b | |
| 274593 | |
| Nc 15I 21 409 | |
| Microset | |
| 1060229 | |
| 204211 | |
| 1065268a | |
| 332768b | |
| 276113 | |
| Ba96b02947 | |
| 105520 | |
| 1024722 | |
| 165870 | |
| 937090 | |
| 1024858 | |
| 1022234a | |
| 169623a | |
| 338442a | |
| Pa-2302-06 | PC BOARD FOR HOT MELT APPLICATOR |
| 271929-A | |
| 166880 | |
| 1009069 | |
| 1069207 | |
| 340744a | |
| Mc785m-Wf | |
| 105625a | |
| 273139c | |
| 241109 | |
| 1028379d | PCI CONTROLLER |
| 276937a | HOSE RTD SERIES 500 5/8DIA 230VAC 973WATT 30FT |
| 725da-Ss | |

| | |
|----------------------------|--|
| 227149a | |
| 238527 | |
| 771035 | |
| 7021287 | |
| 299324a | |
| 1013727d02 | CPU BOARD ADHESIVE MELTER PRO BLUE 400/480 |
| 1028309 | |
| 42370 | |
| 954049a | |
| 296105e | |
| 1047166 | |
| 274290 | |
| 228893d | |
| 148311a | |
| 186199a | |
| 1601703 | |
| 940111 | |
| 135560c | |
| 245855 | |
| 725462a | |
| 323896b | |
| 940170 | |
| 1007232 | |
| 236771a | CABLE ASSEMBLY 90FT |
| Cr-E52951 | |
| 227568a | |
| 239785b | |
| 148150a | |
| 331872 | |
| 109720a | |

| | |
|---------------------------------------|---|
| 938124b | |
| 1099526 | |
| 207023 | |
| Gfnb4b28-Ud71xh-4g-B3 | |
| 234428s | DISPLAY VISTA |
| 938130 | |
| 105721b | |
| 272293a | |
| 1028307a | |
| 272045 | |
| 238018 | |
| 1031364 | |
| 1024804 | |
| 274-600 | |
| 1026685 | |
| 1011024 | |
| 933071a | |
| 152270h | |
| 105844a01 | |
| 7140583 | |
| 288010e | |
| Cst1 | |
| 704153 | |
| 130739c | |
| 183837d | |
| 322418 | Nozzle, 1 hole, L7.6mm / D 0.46mm, black / red Precision nozzle with capillary tube from the SATURN series - Single jet nozzle, characterized by colored rings for easier Identification of capillary tube length and bore diameter - Made of brass, therefore high thermal conductivity - Brass and capillary tube allows greatest accuracy and Uniformity of the flow behavior of the hot melt - Guaranteeing the highest order image quality - Clean tear behavior at the nozzle tip - 1st ring color = black / capillary tube length = 7.60 mm - 2nd ring color = red / bore diameter = 0.46 mm |

| | |
|---------------------------------|----------------|
| 144906b | |
| B1-S6-6-3-M-S-N | |
| 372801 | |
| 7028274 | |
| 1092308 | |
| 183838a | |
| 1031200 | |
| 973260 | |
| 113543 | |
| 305426a | |
| 771459 | |
| 178170a | |
| 1007374 | |
| 116555a | |
| 901916 | |
| 246395 | MASTER CONTROL |
| 220009 | |
| 245640f | |
| 374180 | |
| 274794p | |
| 1018691 | |
| 7200061 | |
| 972051a | |
| 111096 | |
| H-20-T | |
| 1014410 | |
| 1054660 | |
| 7022246 | |
| 1011014 | |
| 322118 | |

| |
|--------------------------------|
| 850359 |
| 161106m |
| 322012 |
| 115579 |
| 498100-B |
| 941080 |
| Ba08e00179 |
| 1030384a |
| 121592 |
| 289928b |
| 1028305 |
| 752v-Uhss |
| 9840128a |
| 274685b |
| 222977 |
| 1026733 |
| 1055414a |
| 153031-G |
| N3504r |
| 339697 |
| Vt60 |
| 942730 |
| 274791 |
| 1050491 |
| 1039110 |
| 850-36-40 |
| 130 307 |
| 107288 |
| 1022239 |
| 180d-0500-01aa |
| 295021-F |

| | |
|------------------------------------|---|
| 222307a | |
| 275371 | |
| 171031 | |
| 247260c | |
| 1011327 | |
| 1024618a | |
| 937226 | |
| 253992 | |
| 230206 | |
| 741v-Ss-Bp | NEEDLE VALVE AIR CYLINDER 70-90PSI 4.8BAR 1/8IN |
| 271-934 | |
| R324995b | |
| 1017581c02 | |
| 245387 | |
| 503686f | |
| 772001e01 | PATTERN CONTROL SYSTEM 24VDC 2.7AMP |
| 505233 | |
| 372777 | |
| 144917b | |
| 938126 | |
| Pc40dc131709f | |
| 105593b | |
| 322012b | |
| 146417 | |
| 7012166 | |
| 1051794 | |
| 248042 | |
| 183553 | |
| S/N: 316074d3 Ep45 | |
| 253648 | |

| | |
|---|----------------------------|
| 231212 | |
| An03h-17518 | |
| 171031c01 | |
| 1007235 | |
| 288840-F01 | |
| 9380790 | |
| 153134 | |
| 273517b | |
| 736hpa | |
| 343989 | |
| 159716d | |
| 324575 | |
| 99999999 | |
| 277909a | |
| 314021a | |
| 7021010 | |
| Tc-200 | TEMPERATURE CONTROL TC-200 |
| 222297p01 | |
| 939644 | |
| 940120a | |
| 901935 | |
| 288010b | |
| 1031226a | |
| 222303b | VISTA POWER BOARD |
| 7018035 | |
| 1015914 | |
| 1007231 | |
| H307001 | |
| Ad 31-T,Rtd | |
| 322412 | |
| Å001416 Dome Nozzle (Flange Type) | |

| | |
|---|--------------------|
| Bluecure Uv Led Curing Lamp | |
| 945016 | |
| 1056194a | |
| 322416 | |
| 274532 | |
| 11679 | |
| 101412 | |
| Auto-Flo | |
| 118832 | |
| 1080440 | |
| 1849391 | |
| 1017285 | PCI PROCESS SENTRY |
| 119806 | |
| 90041 | |
| 47g0015048k | |
| 140648a | |
| 850-4840 | |
| 276884d | |
| 274702 | |
| 155362 | |
| 156273a | |
| 940211 | |
| 105413 | |
| 207024 | |
| Wdg-58b-1500-Ab-G24-2f | |
| 86-65360-103 | |
| 272385c | |
| 938104b | |
| 101178d | |
| 102168f | |

| | |
|--|---|
| 1086385 | |
| 8504842 | HOT MELT MODULE INDUSTRIAL HEATER 240VAC 200W |
| 276528 | |
| 275691b | |
| 101176g | |
| 1007037 24-007-0012 | |
| 100307a | |
| 941220 | |
| 249507 | |
| N0404 | |
| 982170 | |
| 815975 | |
| 2880090 | |
| 105453 | |
| 859a | |
| 274728d | |
| 296069 | |
| 346223 | |
| 365231 | |
| 105649a | |
| 396250,Replacment7157157 | |
| 110039 | |
| 119928 | |
| 168433a | CIRCUIT CARD |
| 222303a | |
| 231027e | |
| Ã027014 T Plate | |
| 32717 | |
| 159303a | |
| Ad31 Str | |
| 937277 | |

| | |
|--|---------------------------------|
| 160340a | |
| 7016127 | |
| 238399a | |
| 270632a | |
| 1101987 | |
| 288012e | |
| 1046756 | |
| 239797a | CABLE ASSEMBLY 3478X100035 90FT |
| 981754a | |
| 117764a | |
| 101433 | |
| 292287a | |
| H-202-T | |
| 288012-D | |
| 7200056 | |
| Schlauch,Hand,Rtd,240v,2,4 M | |
| 1090062 | |
| 1040796b | |
| 986044a | |
| 322318 | |
| 188072b | |
| 147161 | |
| 1007234 | |
| 940241 | |
| 106251 | |
| 1048996 | |
| 32688 | |
| 277909 | |
| 232019 | |
| 1035873a | |

| | |
|--|---|
| 271486a | |
| 901922 | |
| 1060240 | |
| 372855 | |
| 938086b | |
| Hhs254ab | |
| 984706a | |
| 226673 | |
| 231008 | |
| 1039840a | |
| 222297h | |
| 153036c | |
| 3700v-1ebv4f | |
| 101176 | |
| 105661a | |
| 1007373 Sieb Saturn Inline-Filter | |
| 105434 | |
| 253648a | |
| 0,50 M/1.6 Ft (45319) High Pressure Hose | |
| Sc-300 | |
| 180770 | |
| 983229c | |
| Bcm-Slbs-Std02aca | HOT MELT MODULE INDUSTRIAL HEATER 240VAC 250W |
| 8504846a | HOT MELT MODULE INDUSTRIAL HEATER 240VAC 250WATTS |
| 938053 | |
| Nfs-1000 | FIRE DETECTION SYSTEM 120VAC |
| 3400v | |
| H1015814n | |
| 1070013a | |
| 7014866 | |

| | |
|-------------------------------------|--|
| 1018876a | |
| 253890 | |
| 104-723d | |
| 161429a | |
| 131476 | |
| 1007234 | |
| 274585 | |
| 322424 | |
| 1022231 | HOTMELT DISPENSING SYSTEM 4HOSE/APPLICATOR |
| 1023873c | |
| R275852 | |
| 276516 | |
| 7154 | |
| 1007233 | |
| 1024789 | |
| 1022239 | |
| 272823a | |
| 328665 | |
| 162361 | |
| 1019515 10-002-0035 | |
| Ps40 | |
| 1088118 | |
| 8503686a | HOT MELT MODULE SINGLE GUN 240VAC 150W |
| 276739c | |
| 120458a | |
| 973151a | |
| 342315c | CONTROLLER ECLIPSE SERIES 4AMP 24VDC |
| 1022233 | |
| 1028256 | |
| 1026205 | |
| | |

| | |
|---------------------------|-----------------|
| 9765179 | |
| 771103 | |
| 940133a | |
| 8503598a | |
| 100298 | |
| 126957b | |
| 101048 | |
| 1048115 | |
| 1053112 | |
| 1050081 | |
| 939708 | |
| 1033401 | |
| 938123c1 | |
| 185657c | |
| 901923 | |
| 104988d | MULTISCAN PANEL |
| 113-034a | |
| 118195000 | |
| 159-637a | |
| 130739d | |
| 1009069 | |
| 240841 | |
| 939955a | |
| 1028331 | |
| 254316 | |
| 275863d | |
| 335800 | |
| 901934 | |
| 274289-B | |
| 244501g | |
| 8503591 | |

| | |
|------------------------------------|---|
| 1024494b | |
| 320299 | |
| 105531 | |
| 939575a | |
| 1032051 | |
| 901256 | |
| 503123d | |
| 942080a | |
| 945039 | |
| 7201116 | |
| 100586a | |
| 288031 | |
| 248969-A-7 | |
| 272716 | |
| 7007026 | |
| 1007232 | |
| Dage-4000-Hk-40-35 | |
| 151086 | |
| 7018069 | |
| 986326a | |
| 225458-A | KEYPAD VISTA SERIES HEATING MACHINE |
| 709831d | |
| 7015584 | NEEDLE VALVE AIR CYLINDER 70-90PSI 4.8BAR 1/8IN |
| 240961a | |
| Cn-2 | |
| 174289 | |
| Dage-4000-Hk-20-10 | |
| 1069209 | |
| 281264a | |
| 159908a | |

| | |
|--|---|
| 1019009 | |
| 238418b | |
| 274793c | |
| 322010 | |
| 272047 | |
| 1031013 | |
| 1035622 | |
| 1029760 | |
| 1015814 | |
| Bcm-Slbs-Std02acatl3a1af93 | HOT MELT MODULE INDUSTRIAL HEATER 200V 240W |
| 1089544 | |
| 941172 | |
| 289931b | |
| 972628 | |
| 1028303a | |
| 503731f | |
| 292282 | |
| 151517a | |
| 153012-F | |
| 1031200a | |
| 276778 | |
| Injector Nozzle 0,4mm | |
| 105844d010 | |
| 184234b | |
| 323020 | |
| 296039e | |
| 292279 | |
| 1601681 | |
| 940190a | |
| 939576 | |
| 1049908 | |

[276468](#)

[954013a](#)

[231216](#)

[N179292](#)

[275128c](#)

[1635973](#)

[E100-Xt-Sb](#)

[1335340](#)

[222297-P02](#)

[275128a](#)

[1032909](#)

[274685](#)

[462886a](#)

[Ef1ah250v](#)

[120375a](#)

[222297a](#)

[1022665](#)

[165614](#)

[296065](#)

[1028329](#)

[1042591](#)

[253839](#)

[322016b](#)

[118519](#)

[295006](#)

[274179a](#)

[161414](#)

[2-2006-24pr](#)

[131739b](#)

[940141a](#)

| |
|---|
| H-204t |
| 322012 Nozzle,Br,Grn&Pur,012diax050 Harmonized Code: 84249000 Country Of Origin: Us |
| 276314 |
| 106103 |
| 726-16 |
| 273311 |
| 247673b |
| 131297f |
| 1022638 |
| 274667b |
| 1008592b-90 |
| 105525a |
| 105527 |
| 146418a |
| 030610a |
| 1069283 |
| 940164 |
| 190275a |
| 105448 |
| 117640 |
| 110593d |
| 335796 |
| 939683 |
| 310678a08 |
| 1052305 |
| 939574d |
| 271917-D |
| T604 |
| 222300d |
| Usmdie-Cl18b/4/0/6.25 |

| | |
|---|----------------------|
| 1031042 | |
| 291218 | |
| E3500v1eav4f | |
| 153134b | |
| 24045 | |
| 1052925a; | |
| Ba88602372 | |
| 973037 | |
| 7021499 | |
| Pr100m3 | GEAR PUMP VERSA BLUE |
| 939113a | |
| 227567a | |
| 276890 | |
| 1022241 | |
| Hg13 | |
| 119927 | |
| 105647b | |
| 1608053 | |
| 236365a | |
| 1011016 Nozzle, 90,Sing | |
| 112-713f | |
| 939483a | |
| 09m 078 W | |
| 232007 | |
| 1009070 Regulator, Diaphragm, 0-900 Psi | |
| 321159 | |
| 171031d01 | |
| N139401 | |
| 296025c | |
| 222620a | |

| | |
|--|--|
| 7017033 | |
| 982086 | |
| 1028627 | |
| 276881b | |
| 28 | |
| 323909a | |
| 120980b | |
| Sc-300sp | |
| 460246 | SOLENOID VALVE 3/2WAY 24V/2.5W NC FLANGE |
| 188093b | |
| 343993c | |
| 133534d | |
| 274795 | |
| 167526a | |
| Repair Kit For S/N: 1049908 Um25 | |
| 105432 | |
| 771034 | |
| Hdsa | |
| 983400a | |
| 1022233 | |
| 750130 | |
| 1022241 | |
| 46423-A | |
| 328664d | |
| 275955-A | |
| 157094b | |
| 1024722 | |
| Hr6250500024113 | |
| 1051741 | |
| 10014255 | |

| | |
|--|-------------------------------------|
| 139401 | |
| 940115 | |
| 1064654 | |
| 2024 | |
| 159716 | |
| 105583a | |
| 941220a | |
| 938079d | |
| 147556b | |
| 184230a | |
| 945022 | |
| 276881 | |
| 1023197obsolete,Replacement1082267 | |
| 272818 | |
| 940133 | |
| 320020 | |
| A7a Ss Dual 1059500 | |
| 141425d | |
| 222297m01 | |
| 1087602 | |
| 942340a | |
| 276541c | AUTOMATIC GLUE HEAD HOT MELT MODULE |
| 114750 | |
| X307001 | |
| 1033033 | |
| 986602 | |
| 131709I | |
| 901444 | |
| 937-102 | |
| 7033457 / Kohlenstoff, Rotary Sieb | |
| 322939a | |

| | |
|----------------------------|--|
| 230260p | |
| 940101 | |
| 1024348 | |
| 7007029 | |
| 272743b | |
| 274777 | |
| 657456 | |
| 274600d | |
| 135559 | |
| 1035874 | |
| Pc44rdc | |
| 1047481a | |
| 7022004 | |
| 274997 | |
| 120324 | |
| 942390a | |
| 327569 | |
| 159917a | |
| 7021235 | |
| 771132 | |
| R105647b | |
| H1/4uss004 | |
| 325128a | |
| 938149b | |
| 274795c | |
| 236366 | |
| 1124358 | |
| 148177a | |
| 1824004 | PATTERN CONTROLLER ECLIPSE SERIES 4AMP 24VDC |
| 275954a | |

[156996](#)

[2002a](#)

[310675](#)

[986310](#)

[164601](#)

[1042495a](#)

[631275](#)