

## North American

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**North American** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız North American T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">Naevhs2504eht</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 250 RPM 1800 FRAME 445TP VOLTS 460 FRAME TYPE VHSC DIM 42.66 BD DIM 16.5 DOWN THRUST12800
<a href="#">Nbsrk3925</a>	BOX SIZE
<a href="#">1126-7-F</a>	
<a href="#">Pe286t206</a>	CAST IRON MOTORS HP 20 RPM 1200 FRAME 286T VOLTS 208-230/460 C DIM. 28.1
<a href="#">H660110001</a>	AMPLIFIER
<a href="#">Naevhs304</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 30 RPM 1800 FRAME 286TP VOLTS 230/460 FRAME TYPE VHSC DIM 24.75 BD DIM 10.0 DOWN THRUST3200
<a href="#">Owp12150</a>	OIL WELL PUMP MOTORS -HP 150 RPM 1200 FRAME 449T VOLTS 460/796 C DIM. 55.8
<a href="#">Owp1220</a>	OIL WELL PUMP MOTORS -HP 20 RPM 1200 FRAME 286T VOLTS 230/460/796 C DIM. 29.6

<a href="#">Nbs307625</a>	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 6 RATIO 25:1 OUTPUT BORE (MAX) 3-7/16
<a href="#">Pe284t254</a>	CAST IRON MOTORS HP 25 RPM 1800 FRAME 284T VOLTS 208-230/460 C DIM. 28.1
<a href="#">Nbsrk3715</a>	BOX SIZE
<a href="#">Pe286tc304</a>	CAST IRON MOTORS HP 30 RPM 1800 FRAME 286TC VOLTS 208-230/460 C DIM. 29.5
<a href="#">Owp1250odp</a>	OIL WELL PUMP MOTORS -HP 50 RPM 1200 FRAME 404T VOLTS 230/460/796 C DIM. 31.1
<a href="#">Na324jm402</a>	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 40 RPM 3600 FRAME 324JM VOLTS 208-230/460 C DIM. 30
<a href="#">H3109</a>	DISC DETECTOR
<a href="#">Naevhs154he</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 15 RPM 1800 FRAME 254TP VOLTS 230/460 FRAME TYPE VHSC DIM 23.38 BD DIM 10.0 DOWN THRUST3200
<a href="#">Owp1240</a>	OIL WELL PUMP MOTORS -HP 40 RPM 1200 FRAME 365T VOLTS 230/460/796 C DIM. 35.3
<a href="#">Naevhs404he</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 40 RPM 1800 FRAME 324TP VOLTS 230/460 FRAME TYPE VHSC DIM 28.22 BD DIM 16.5 DOWN THRUST5500
<a href="#">Pe286ts402</a>	CAST IRON MOTORS HP 40 RPM 3600 FRAME 286TS VOLTS 208-230/460 C DIM. 29.8
<a href="#">Naevhs204he</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 20 RPM 1800 FRAME 256TP VOLTS 230/460 FRAME TYPE VHSC DIM 23.38 BD DIM 10.0 DOWN THRUST3200
<a href="#">Owp12200</a>	OIL WELL PUMP MOTORS -HP 200 RPM 1200 FRAME 449T VOLTS 460 C DIM. 55.8
<a href="#">72162kbp</a>	REGULATOR
<a href="#">Pe286ts302575v</a>	CAST IRON MOTORS HP 30 RPM 3600 FRAME 286TS VOLTS 575 C DIM. 26.7
<a href="#">Naevhs504he</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 50 RPM 1800 FRAME 326TP VOLTS 230/460 FRAME TYPE VHSC DIM 28.22 BD DIM 16.5 DOWN THRUST5500
<a href="#">15186</a>	VALVE
<a href="#">Nbs307615</a>	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 6 RATIO 15:1 OUTPUT BORE (MAX) 3-7/16
<a href="#">Naevhs604</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 60 RPM 1800 FRAME 364TP VOLTS 230/460 FRAME TYPE VHSC DIM 31.16 BD DIM 16.5 DOWN THRUST5600
<a href="#">H635040010</a>	AMPLIFIER

<a href="#">4-13912-1</a>	
<a href="#">P447t2004cnw</a>	HP 200 RPM 1800FRAME 447T VOLTS NO WINDING FRAME TYPE NEWTC DIM. 48.3
<a href="#">Pe284t156c</a>	SPECIAL PURPOSE MOTORS: PREMIUM CRUSHER MOTOR HP 15 RPM 1200 FRAME 284T VOLTS 208-230/460 C DIM. 28
<a href="#">Nbs415925</a>	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 9 RATIO 25:1 OUTPUT BORE (MAX) 4-15/16
<a href="#">Naevhs1004heeht</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 100 RPM 1800 FRAME 404TP VOLTS 230/460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST10720
<a href="#">Pe284t156c575v</a>	SPECIAL PURPOSE MOTORS: PREMIUM CRUSHER MOTOR HP 15 RPM 1200 FRAME 284T VOLTS 575 C DIM. 28
<a href="#">Na324jp404</a>	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 40 RPM 1800 FRAME 324JP VOLTS 208-230/460 C DIM. 32.9
<a href="#">Naevhs3004heeht</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 300 RPM 1800 FRAME 5006P VOLTS 460 FRAME TYPE VHSC DIM 49.75 BD DIM 24.5 DOWN THRUST24000
<a href="#">Naevhs1004hepws</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 100 RPM 1800 FRAME 404TP VOLTS 460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST6700
<a href="#">H5530f10500</a>	ACTUATOR
<a href="#">Naevhs1254eht</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 125 RPM 1800 FRAME 405TP VOLTS 460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST10720
<a href="#">Naevhs5004heeht</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 500 RPM 1800 FRAME 5008P VOLTS 460 FRAME TYPE VHSC DIM 53.88 BD DIM 24.5 DOWN THRUST24000
<a href="#">Pe286t302ec</a>	CAST IRON MOTORS HP 30 RPM 3600 FRAME 286T VOLTS 208-230/460 C DIM. 29.5
<a href="#">Naevhs254</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 25 RPM 1800 FRAME 284TP VOLTS 230/460 FRAME TYPE VHSC DIM 24.75 BD DIM 10.0 DOWN THRUST3200
<a href="#">Naevhs154</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 15 RPM 1800 FRAME 254TP VOLTS 230/460 FRAME TYPE VHSC DIM 23.38 BD DIM 10.0 DOWN THRUST3200
<a href="#">H6416-Amp-00</a>	GUIDING AMPLIFIER 100VA 115/230VAC 50/60HZ
<a href="#">1122-5</a>	
<a href="#">Naevhs1004</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 100 RPM 1800 FRAME 404TP VOLTS 230/460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST6700
<a href="#">Pe286t302</a>	CAST IRON MOTORS HP 30 RPM 3600 FRAME 286T VOLTS 208-230/460 C DIM. 26.7

<a href="#">Pe286t206c575v</a>	SPECIAL PURPOSE MOTORS: PREMIUM CRUSHER MOTOR HP 20 RPM 1200 FRAME 286T VOLTS 575 C DIM. 29.5
<a href="#">Naevhs4004eht</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 400 RPM 1800 FRAME 5008P VOLTS 460 FRAME TYPE VHSC DIM 53.88 BD DIM 24.5 DOWN THRUST24000
<a href="#">Pe284ts252ec575v</a>	CAST IRON MOTORS HP 25 RPM 3600 FRAME 284TS VOLTS 575 C DIM. 28
<a href="#">Naevhs2504hepws</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 250 RPM 1800 FRAME 445TP VOLTS 460 FRAME TYPE VHSC DIM 42.66 BD DIM 16.5 DOWN THRUST8000
<a href="#">Pe286ts402ec</a>	CAST IRON MOTORS HP 40 RPM 3600 FRAME 286TS VOLTS 208-230/460 C DIM. 30.8
<a href="#">H3137-084-80</a>	
<a href="#">Nbsrk3915</a>	BOX SIZE
<a href="#">Naevhs304he</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 30 RPM 1800 FRAME 286TP VOLTS 230/460 FRAME TYPE VHSC DIM 24.75 BD DIM 10.0 DOWN THRUST3200
<a href="#">H6600-Bfr-01</a>	AMPLIFIER CONTROLLER
<a href="#">Na324jp402</a>	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 40 RPM 3600 FRAME 324JP VOLTS 208-230/460 C DIM. 32.9
<a href="#">Naevhs3504eht</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 350 RPM 1800 FRAME 5006P VOLTS 460 FRAME TYPE VHSC DIM 49.75 BD DIM 24.5 DOWN THRUST24000
<a href="#">Na326jp502</a>	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 50 RPM 3600 FRAME 326JP VOLTS 208-230/460 C DIM. 34.4
<a href="#">Naevhs754</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 75 RPM 1800 FRAME 365TP VOLTS 230/460 FRAME TYPE VHSC DIM 31.16 BD DIM 16.5 DOWN THRUST5600
<a href="#">1807-4</a>	
<a href="#">Pe286t402ec</a>	CAST IRON MOTORS HP 40 RPM 3600 FRAME 286T VOLTS 208-230/460 C DIM. 30.8
<a href="#">Pe256t252</a>	CAST IRON MOTORS HP 25 RPM 3600 FRAME 256T VOLTS 208-230/460 C DIM. 25
<a href="#">Naevhs754hepws</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 75 RPM 1800 FRAME 365TP VOLTS 460 FRAME TYPE VHSC DIM 31.16 BD DIM 16.5 DOWN THRUST5600
<a href="#">Pe256t202575v</a>	CAST IRON MOTORS HP 20 RPM 3600 FRAME 256T VOLTS 575 C DIM. 25
<a href="#">Pc364t604</a>	HP 60 RPM 1800FRAME 364T VOLTS 208-230/460 FRAME TYPE NEWTC DIM. 27.4

<a href="#">Pe286ts302ec</a>	CAST IRON MOTORS HP 30 RPM 3600 FRAME 286TS VOLTS 208-230/460 C DIM. 29.5
<a href="#">Pe286t402</a>	CAST IRON MOTORS HP 40 RPM 3600 FRAME 286T VOLTS 208-230/460 C DIM. 29.8
<a href="#">Nbsrk2915</a>	BOX SIZE9
<a href="#">H6600sw012</a>	CONTROLLER
<a href="#">Nbs315725</a>	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 7 RATIO 25:1 OUTPUT BORE (MAX) 3-15/16
<a href="#">Pe286ts304</a>	CAST IRON MOTORS HP 30 RPM 1800 FRAME 286TS VOLTS 208-230/460 C DIM. 28.1
<a href="#">Na326jp504</a>	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 50 RPM 1800 FRAME 326JP VOLTS 208-230/460 C DIM. 34.4
<a href="#">Pe286t304c</a>	SPECIAL PURPOSE MOTORS: PREMIUM CRUSHER MOTOR HP 30 RPM 1800 FRAME 286T VOLTS 208-230/460 C DIM. 29.5
<a href="#">1126-8f</a>	
<a href="#">Pe256tc106</a>	CAST IRON MOTORS HP 10 RPM 1200 FRAME 256TC VOLTS 208-230/460 C DIM. 25.1
<a href="#">Pc326t504</a>	HP 50 RPM 1800FRAME 326T VOLTS 208-230/460 FRAME TYPE NEWTC DIM. 26.6
<a href="#">Naevhs4504eht</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 450 RPM 1800 FRAME 5008P VOLTS 460 FRAME TYPE VHSC DIM 53.88 BD DIM 24.5 DOWN THRUST24000
<a href="#">Pe284tc254c</a>	CAST IRON MOTORS HP 25 RPM 1800 FRAME 284TC VOLTS 208-230/460 C DIM. 28
<a href="#">Nbsrk2815</a>	BOX SIZE8
<a href="#">Nbsrk3825</a>	BOX SIZE
<a href="#">Naevhs1254pws</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 125 RPM 1800 FRAME 405TP VOLTS 460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST6700
<a href="#">Naevhs1254hepws</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 125 RPM 1800 FRAME 405TP VOLTS 460 FRAME TYPE VHSC DIM 36.94 BD DIM 16.5 DOWN THRUST6700
<a href="#">Owp1220odp</a>	OIL WELL PUMP MOTORS -HP 20 RPM 1200 FRAME 286T VOLTS 230/460/796 C DIM. 29.6
<a href="#">3/4-1518-0</a>	VALVE SHUTOFF MANUAL 3/4IN 125PSIG 24VA
<a href="#">Nbsrk2825</a>	BOX SIZE8
<a href="#">Naevhs1504pws</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 150 RPM 1800 FRAME 444TP VOLTS 460 FRAME TYPE VHSC DIM 42.66 BD DIM 16.5 DOWN THRUST8000

<a href="#">1122-4</a>	
<a href="#">Pe284tc254rb</a>	CAST IRON MOTORS HP 25 RPM 1800 FRAME 284TC VOLTS 208-230/460 C DIM. 28
<a href="#">H6600bfr04</a>	CONTROL
<a href="#">Naevhs604he</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 60 RPM 1800 FRAME 364TP VOLTS 230/460 FRAME TYPE VHSC DIM 31.16 BD DIM 16.5 DOWN THRUST5600
<a href="#">Pe324t256</a>	CAST IRON MOTORS HP 25 RPM 1200 FRAME 324T VOLTS 208-230/460 C DIM. 31.3
<a href="#">Naevhs2004heeht</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 200 RPM 1800 FRAME 445TP VOLTS 460 FRAME TYPE VHSC DIM 42.66 BD DIM 16.5 DOWN THRUST8000
<a href="#">Naevhs3041.188cp</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 30 RPM 1800 FRAME 286TP VOLTS 230/460 FRAME TYPE VHSC DIM 24.75 BD DIM 10.0 DOWN THRUST3200
<a href="#">12889030</a>	ACTUATOR
<a href="#">H3701-20-24</a>	DIGITAL SENSING SYSTEM EMITTER
<a href="#">Pe284t156575v</a>	CAST IRON MOTORS HP 15 RPM 1200 FRAME 284T VOLTS 575 C DIM. 28.1
<a href="#">Owp1260</a>	OIL WELL PUMP MOTORS -HP 60 RPM 1200 FRAME 405T VOLTS 230/460/796 C DIM. 40.0
<a href="#">42-0-25</a>	
<a href="#">Na286jm302</a>	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 30 RPM 3600 FRAME 286JM VOLTS 208-230/460 C DIM. 29.1
<a href="#">7218-7</a>	
<a href="#">Na324jm404</a>	SPECIAL PURPOSE CLOSE-COUPLED PUMP MOTORS -HP 40 RPM 1800 FRAME 324JM VOLTS 208-230/460 C DIM. 30
<a href="#">H5530f10900</a>	ACTUATOR
<a href="#">Naevhs1504eht</a>	VERTICAL HOLLOW SHAFT MOTORS -HP 150 RPM 1800 FRAME 444TP VOLTS 460 FRAME TYPE VHSC DIM 42.66 BD DIM 16.5 DOWN THRUST12800
<a href="#">Pe284tc254</a>	CAST IRON MOTORS HP 25 RPM 1800 FRAME 284TC VOLTS 208-230/460 C DIM. 28
<a href="#">1122-7</a>	
<a href="#">1004-C5</a>	
<a href="#">Nbs315715</a>	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 7 RATIO 15:1 OUTPUT BORE (MAX) 3-15/16
<a href="#">Nbs407815</a>	SHAFT MOUNT GEAR REDUCERS:BOX SIZE 8 RATIO 15:1 OUTPUT BORE (MAX) 4-7/16