

Notifier Co

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Notifier Co Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Notifier Co Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
Iso-X	
Aps-6r	
410-1607-N	
Dia-1010	DISPLAY INTERFACE ASSEMBLY
Sfp-5ude	5 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 3 AMP POWER SUPPLY. 240 VOLTS
Ubs-1b	
Nfs-320e-Po	240 VAC, PORTUGUESE
Nion48m	
Nam-232f	NETWORK ADAPTER MODULE, CONNECTS ONE 200/300/400 VIA FIBER TO NFN.
Nfw2-100c	FIREWARDEN-100-2 ADDRESSABLE FIRE ALARM CONTROL PANEL, 198 ADDRESSABLE DEVICES ON ONE SLC, BUILT IN

Fhsc-R	
Act-25	
02-FI01-01	
Nfs-Lbbr	
Aa-120	
Sc811a1007	
Firevu-Demo	FIREVU DEMONSTRATION UNIT
Vsw-356	
Act-70	
Vsw-206	CENTRAL SITE LICENSE – PRIMARY PC
Cpu2-640e-Po	240 VAC-PORTUGUESE WITH CHASSIS
Tc100c1044	
Trabs-4d	
Xpiq-Aib4	
Afp-200pca	FIRE ALARM CONTROL
Vp-Elb-90	
71088	
Bda-25v	
Elr-20k	
Hp512cx	
Nzm-100	
Fsh751	DETECTOR
Cpu2-3030d-Ko	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-KOREAN
Fco-851	
237-0317-F	
Udact-Pcc	
Seiskit-Commenc	
Nfw-50	
Sib-Net	
Sce-8	
Fdrm-1	

Dr-Ps1	
Vkt-050	VESDA LASERFOCUS DEMO UNIT ONLY, DEMO UNIT WITH POWER CONNECTOR PLUG INSTALLED AND SHORT LENGTHOF P
Mib-W	1010/2020/INA TWISTED PAIR WIRE MEDIA INTERFACE BOARD.
Fsp-851r	
Udact-600	
Bm-1b	
Sfp-2404	
Nca/640-2-Kit	
Mmx-1	
Vsw-346	
Firevu	8-CHANNEL SERVER UNIT.
Vsr-6	
Sfp-2402e	
Wps4004	VOICE CAPABLE ROTATING DIRECTIONAL SPEAKER, 4 CELLS, 129DBC, INCLUDES AMPLIFIERS, CONTROLLER BOX WIT
Nfs-320	NFS-320 INTELLIGENT FIRE ALARM PANEL, SINGLE PRINTED CIRCUIT BOARD WITH ONE SLC LOOP (318 DEVICES),
Zds-8	
Firstvision-Lcd	ONYX FIRSTVISION™ USER INTERFACE SOFTWARE AND HARDWARE PACKAGE. INCLUDES 17" LCD TOUCH-SCREEN PC WIT
Cpu-2	CPU BOARD FOR THE CPU1010-PCA
Ds-Rfm	
Abs-2dr	
Cmx-2	
Cpu2-3030nd-Po	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY-PORTUGUESE
Afp-200ta	
Nfw2-100e	FIREWARDEN-100-2 ADDRESSABLE FIRE ALARM CONTROL PANEL, 198 ADDRESSABLE DEVICES ON ONE SLC, BUILT IN DACT WITH MODEM FOR REMOTE UPLOAD/DOWNLOAD. , 240V
Hptv2401-E	

Sfp-10ude	10 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 7 AMP POWER SUPPLY. 240 VOLTS
Cpu2-3030d-Sc	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-SIMPLIFIED CHINESE
Mns-Control16	FACP INTERFACE FOR LED ARRAYS, 16 MESSAGES
Lcd-160	
Bp2-4	
Dr-A4r	
4xarb-1	MOTHERBOARD RP-1001
Sph-15r	
Rp-2002	AGENT RELEASE CONTROL PANEL, 120 VAC.
Eqdr-B4	
Aps2-6r	
Eqdr-D4r	
Mbt-1	
14507371-001	
302-135	
Htp12dc500	
Xal-53	
Modbus-Gw	MODBUS GATEWAY
Hd-602	
Hp24100ulwp	
Hpr2432300cbul	
Nfc-Bda-25v	25V, 50 WATT AUDIO AMPLIFIER MODULE
Nh-100r	
Acc-Mcb	
Fft-7	
01-E922-99	
B210w	
Fsd-751rp	
Dax-3570	

Lcd2-80	
Vp-2b	
Ndm-100	
Ipx-751	
Sib-2048a	SERIAL INTERFACE BOARD M2 7 SYSTEMS INCL 2 OPTICAL
Fcps-24s8r	
Bb-200	
Bng-1fts	
Vprog	PROGRAM CHARGE FOR CUSTOM VROM MESSAGE.ALLOW 10-12 WEEKS FOR DELIVERY
Vp-Tee-Fpt	
E700-Splg	
Hs-Ncm-Sf	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, FIBER-OPTIC CABLE INTERFACE (SINGLE-MODE)
Nmm-100-10	
Lcd-160pca	FIRE ALARM SIGNALING DEVICE SUBASSEMBLY W/PANEL
Hrb5	
Hpr2416ul	
B710lb	
Nfs-320-Sp	FIRE ALARM CNTRL PANEL SPANISH
HI109204-003	STROBE, RED LENS, 21 JOULES, 24VDC, BLK FINISH, CLASS I, DIV 2, GROUPS C,D, NEMA 4X 6
Fs24x-221-21-1	QUADBAND™ IR3+ DETECTOR, COPPER-FREE ALUMINUM ENCL., (2) "NPT ENTRIES FM ATEX APPROVED
Hpr2432600cbul	
Hps3pmpd8	
Gr-1	
Vsr-K	
Xpc-8	
Dpi-232	
Bng-1ts	
Eqdr-C4r	
Hpv2416-1ulcb	

020-638-004	ID60 REPLACEMENT PCB KIT
Ir3120iq	
Scs-8lpca	
HI109204-005	STROBE, AMBER LENS, 21 JOULES, 110VAC, RED FINISH, CLASS I, DIV 2, GROUPS C,D, NEMA 4X 6
N-Ann-80-W	
Hs-Ncm-W	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, TWISTED-PAIR WIRE INTERFACE
7626-5c	
Tr-A4	
Cpu2-640-Sp	120 VAC-SPANISH WITH CHASSIS
Mps-950b	
Rm-1	
17045kit	
Fst-751	
Hpv5dc16ul	
Seiskit-320/B26	
Afaws-Kr	
Sc716b-1027	
Hp2412il8	
Fsp-851	
B610lp	
Sbb-A4r	
Fw-Mm	
Uzc-256	
Nfn-Gw-Pc-F	NFN GATEWAY PC CARD WITH FIBER.
Bng-1tsl	
Kdm-R2	
Fsl-751a	
Tc100c1002-1	
302-Aw-135	

St55	
Cpu2-3030nd	CENTRAL PROCESSING UNIT FOR A NFS2-3030 SYSTEM-NO DISPLAY UNIT, TYPICALLY USED FOR NETWORKED SYSTEMS
Chs-4l	
Sfp-5ud	
4093	
HI109202-005	STROBE, AMBER LENS, 15 JOULES, 120VAC, WIRE GUARD, BLK FINISH, BACKSTRAP, CLASS I, DIV 2, GROUPS A,B
Sfp-10udr	10 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 7 AMP POWER SUPPLY. RED
Hpd4cb	
Almsc119	
Q539a-1014	
Mon-42vert-Dd	VERTICAL WALL MOUNT BRACKET, VERTICAL, FOR DUAL DISPLAYS, FIXED POSITION
Fsp-751	
Eqbb-B4	
Vkt-004-Us	505.
Nfw-50rb	
Nfs640	ALARM
Udact-F	
Bng-1tsr	
Vkt-050-Us	LASERFOCUS 500
Nbg-12lr	
Dpa-2b	
Cpx-551a	
Kms-6-24vdc/P	
Hps5pmpd16	
N-Ann-Rled-R	
Hpcordus12	
Mps-24a	
E700-Sp-Dcl-Pnt	

Fst-851ra	
Rpt-Wf	
71033	
Amps-24	ADDRESSABLE POWER SUPPLY, 120 VAC (NFS-3030/NFS2-3030).
Ir3120hg	
Eqdr-D4	
Tr-Abs2d	
Mib-F	1010/2020/INA FIBER OPTICS MEDIA INTERFACE BOARD.
Xpiq-Sli	
Nfw2-100	FIREWARDEN-100-2 ADDRESSABLE FIRE ALARM CONTROL PANEL, 198 ADDRESSABLE DEVICES ON ONE SLC, BUILT IN
Vsw-216	CENTRAL SITE LICENSE - SECONDARY PC
Dr-A4b	
01-E922-00	
Chg-120	
Ds-Db	DS SERIES DISTRIBUTION BOARD, SUPPORTS ONE TO FOUR DS-AMP OR DS-AMPE
Hpv2404ulcb	
Dr-D4r	
411rk	
Mib-Wf	MIX TWISTED PAIR WIRE AND FIBER OPTICS MEDIA INTERFACE BOARD.
Tr-D4	
Htp2420	
P40-Kitb	
75106	
Bacnet-Gw-3	INTELLIGENT INTERFACE USING BACNET PROTOCOL THAT A PROVIDES A COMMUNICATIONS LINKS BETWEEN A BUILDIN
Nfc-Xrm-70v	
Abf-1	
01-E922-01	
Nam-232w	NETWORK ADAPTER MODULE, CONNECTS ONE 200/300/400 VIA WIRE TO NFN.

Hpv2404-2ul	
F110bp	
30-2021-24	ULTRAVIOLET FLAME DETECTOR, 24 VDC
Sbb-D4r	
Rp-2002e	AGENT RELEASE CONTROL PANEL, 240 VOLTS
4xtm	
Megadot	PROGRAMMABLE LED ARRAY, 4.0" X 45.5" DISPLAY
Hpcordus	
Lem-320	LOOP EXPANDER MODULE.MOUNTS AS DAUGHTER BOARD TO LCM-320 TO PROVIDE EVEN NUMBERED SLC LOOPS.
75557	
Iz8	
Cpu2-3030nd-Tc	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY-TRADITIONAL CHINESE
Nib-96	
Acm-32a	
Avps-24	
Abs-2b	
Cpu-320-Syse	CENTRAL PROCESSING UNIT FOR NFS-320SYS WITH INTEGRAL 240V POWER SUPPLY, INCLUDES CHASSIS AND 80-CHARACTER DISPLAY KEYPAD. FITS IN CAB-4SERIES CABINET.
Cap-Gw	DRMNS GATEWAY USING CAP PROTOCOL (INQUIRE REGARDING VEND
Nca-2-Tc	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-TRADITIONAL CHINESE
Xp5mpca	
Aa-120-Ps	
Nfs-320c	NFS-320 INTELLIGENT FIRE ALARM PANEL, SINGLE PRINTED CIRCUIT BOARD WITH ONE SLC LOOP (318 DEVICES),
Ns-2430w-Fr	
Hptv2416300	
17044	
Eqbb-D4r	

Rp-2001e	
Intru	
Acm-24at	
Hptv2404-E	
Brkg-B	
Cpu2-640e	CENTRAL PROCESSING UNIT FOR THE NFS2-640 WITH INTEGRAL 240V POWER SUPPLY, INCLUDES CHASSIS.
Afp-200rb	
Fcm-1	
Tr-B4	
75161	
Cmx-2a	
Tr-4xr	
75110	
Ir3120hb	
01-E606-01	
Acps-2406	FIRE ALARM POWER SUPPLY
Nbg-12	
N-Ann-Led	
Cb-1	
Fdx-551	
Cpu2-640e-Sp	240 VAC-SPANISH WITH CHASSIS
Crm-4	
Hpr12dc616cbul	
Fsp-851a	
Multimod-Brkt	
Dr-Aa4	
Dr-D4	
Ht28175	
Nca-2-Sc	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-SIMPLIFIED CHINESE

Icm-4	
71072	
Cpu2-3030nd-Sc	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY-SIMPLIFIED CHINESE
Fd-851re	
Prn-7	DESKTOP SERIAL INTERFACE PRINTER
Afl-Rs	AUDIO FIBER LINK, RECEIVER FOR SINGLE MODE FIBER.CONVERTS LOW LEVEL AUDIO TO FIBER.
Natp-W	
Sfp-10udc	ULC/UL LISTED, 10 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 7 AMP POWER SUPPLY. INCLUDES INTERNAL DRESS PANEL WITH BUILT-IN ANNUNCIATOR MODU
Mps-400rb	FIRE ALARM POWER SUPPLY 6AMP
Sgv	
Sdx-751	
Chs-4mb	
Nca-2-He	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS- HEBREW
Sfp-1024	FIRE ALARM PANEL 24V 10ZONE
Fapt-851	
Eqbb-B4r	
Pd-2	NFS-640 PRIMARY DISPLAY, 80-CHARACTER INCLUDES:KDM-2 80-CHARACTER BACKLIT LCD DISPLAY AND QWERTY
Vsr-V	VLF WITH 7 RELAYS
P-Coupling	
Scs8l-Cbl48	
Sfp-400brb	
Tr-320	
75160	
S464a1144	
Nbg-10	
E700-Tube	
Nca-2retro	

Wps4003	VOICE CAPABLE ROTATING DIRECTIONAL SPEAKER, 3 CELLS, 127DBC, INCLUDES AMPLIFIERS, CONTROLLER BOX WIT
Np-100	
Hpr2416300ul	
N-Ann-S/Pg	
Vps-400us-48	48 VDC MULTI ZONE POWER SUPPLY WITH HOUSING.POWERS UP TO 4 UNITS.
Nmm-100p	
Vsr-2	STANDARD DISPLAY WITH 7 RELAY REMOTE TERMINATION CARD
Abs-1tb	
Vram-1	
Fwh-200fix135	
Fst-851r	
Cpx-551	
Vps-100us-220	
Cr-4l	
Fcps-24fspca	
Xpm-8	
Chs-6	
HI109202-007	STROBE, RED LENS, 15 JOULES, 120VAC, WIRE GUARD, BLK FINISH, BACKSTRAP, CLASS I, DIV 2, GROUPS A,B,C
Eqbb-C4r	
Abs-8rb	
71031	
Hpr2432600ul	
Ir3120ia	
Lcd-80	
N-Ann-Led-W	
Vsw-226	VSM3 UPGRADE – PRIMARY PC
Nbg-12lx	
Vp-Cutter	

Fsb-200	ADDRESSABLE BEAM DETECTOR
Afp-200	
01-V921-15	REMOTE DISPLAY FOR VFT-15
Onyxworks-Ws	UL LISTED ONYXWORKS WORKSTATION ONLY
Dhx-502	
Ht24200	
75136	
Uzc-Hi	
Sbb-C4	
Cpu2-3030d	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY, REQUIRED FOR SINGLE PANEL (ONE CPU2-3030) SYSTEMS.INCLUD
Vft-15	24 VDC, DISPLAY/PROGRAMMER, TCP/IP, 15 INLETS, CLASS A/B/C, 0.0003 TO 6.1% OBS/FT (0.001 TO 20% OBS/
4000tar	
Nca-2-Sp	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-SPANISH
75358ta	
Sfp-5udr	
Sc811a1015	
Dia-2020	DISPLAY INTERFACE ASSEMBLY
Xrm-24b	
Mps-24apcc	
Cpu2-3030d-Sp	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-SPANISH
237-9996	
Cmic-Rp	
Chs-Ps	
Rst-451	
Dp-Cfft	
Ns-24mcw-Fr-UI/Ulc	
Bb-100r	
Bb-Xp	
Nh-12/24-R	

Fdm-1a	
Vsr-4	SCANNER DISPLAY WITH 7 RELAY REMOTE TERMINATION CARD
Cpu2-3030d-He	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-HEBREW
Onyx-Pager	
Lib200a	LOOP INTERFACE BOARD
Daa2-5025	DIGITAL AMPLIFIER, 50W, 25V, 120 VAC
Firstvision-Enc	ONYX FIRSTVISION™ BACKBOX WITH DOOR
B350lp	
Act-2	
Cre-4	
Sbb-Aa4	
71071	
4074dam	
Aci296en	
01-E624	8 CHANNEL 4-20MA RE-TRANSMISSION MODULE
Esd-100	
410-1608	
Aem-48a	
Fcm-1a	
Cpu2-3030nd-Sp	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY-SPANISH
Vhx-0300	PC-LINK HLI, OPEN PROTOCOL, RS232 INTERFACE. VHX-0300 HAS PEER TO PEER OPERATIONS.TO BE US
Hpd8cb	
Udact	NOTIFIER UNIVERSAL DIGI ALARM COMMUNICATOR TRANS
75108	
Bp-4	
Xpp-1	
Nbg-12s	
Nfs-320r	NFS-320 INTELLIGENT FIRE ALARM PANEL, SINGLE PRINTED CIRCUIT BOARD WITH ONE SLC LOOP (318 DEVICES),
Dax-5025	

Hs-Ncm-Wmf	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, WIRE AND FIBER-OPTIC CABLE INTERFACE (MULTI-MODE).
71032	
Frm-1	
Acm-48a	
B501bp	
4xzm	
Fwd-200p	
Abf-4b	
Hpv2404-2ulcb	
Hs-Ncm-Mfsf	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, FIBER-OPTIC CABLE INTERFACE (MULTI-MODE FIBER TO SINGLE-MO
Nk-15	
Acps-610	6 OR 10 AMPS, MOUNTS INCAB-PS1, CAB-3/4,EQ CABX, BB-25, OR CHS
E700-Splr	
Ir3120ib	
Chs-M3	
Nca-2-Ko	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-KOREAN
Fw-Sq	
Hpv2416ulcb	
Dabc-Sp	
Vsr-J	
Lib-400	LOOP INTERFACE BOARD
Aps2-6rpca	
Hpv2401ulwpz	
HI109204-006	STROBE, RED LENS, 21 JOULES, 110VAC, RED FINISH, CLASS I, DIV 2, GROUPS C,D, NEMA 4X 6
Dr-D4br	
Ldm-Cbl48	
Rome-B	
Ubs-1r	

14502286-006	
Abs-4dr	
Aa-30	
Nfs640pca	
Sc806e-1013	
B710lbp	
4101925b	
Fsc-851	
4xarb-4	
H1109203-002	STROBE, RED LENS, 15 JOULES, 24VDC, WIRE GUARD, BACKSTRAP,BLK FINISH, CLASS I, DIV 2, GROUPS A,B,C
Nca-2	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS, ON SINGLE PANEL (ONE CPU2-640) NFS2-640 SYSTEMS, THE
Brg-1r	
Fsp-851t	
Cpu2-640-Po	120 VAC-PORTUGUESE WITH CHASSIS
Sfp-5udc	ULC/UL LISTED, 5 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 7 AMP POWER SUPPLY. INCLUDES INTERNAL DRESS PANEL WITH BUILT-IN ANNUNCIATOR MODUL
Dr-Aa4b	
Cab-Rm	
Np-A100	
Vsr-8	SCANNER DISPLAY WITH 12 RELAY REMOTE TERMINATION CARD
Cpu2-3030nd-Fr	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY-FRENCH
Cpu2-640-Fr	120 VAC-FRENCH WITH CHASSIS
Kaps-24	
Mps-Dbb	
Abf-1db	
H1109202-004	
Aem-24at	
Aa-100	100 WATT AUDIO AMPLIFIER @70.7 VRMS, 120 VAC

Cpu-3030nd	CENTRAL PROCESSING UNIT FOR A NFS-3030 SYSTEM-NO DISPLAY UNIT, TYPICALLY USED FOR NETWORKED SYSTEMS.
Verifire-Tcd	
Dvc-Kd	
Cab-Bm	B-SIZED MARINE /NEMA APPROVED CABINET WITH NOTIFIER LOGO. MOUNTS A B SIZED CAB-4 SERIES CABINET, NF
Cpu2-3030d-Tc	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-TRADITIONAL CHINESE
Cpu2-3030d-Fr	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY-FRENCH
Izm-8	
Vt-Tube-500	
Sfp-2404rb	
Sbb-A4	
Daa2-7525	DIGITAL AMPLIFIER 75W , 25V, 120 VAC
Rel-3.3k	
Sfp-10ud	10 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 7 AMP POWER SUPPLY.
Addr-B4r	
Cps-24	POWER SUPPLY
Natp-R	
Eqbb-D4	
Addr-B4	
Afaws-Ks	
Not-Filter-Kit1	
Addr-C4	
P33v-24	
Ftm-1	
Eqdr-C4	
Bb-100	
Ht28100	
N100-Iso	
Fg-1625r	

Nfw-50r	
Nfn-Gw-Pc-W	NFN GATEWAY PC CARD WITH WIRE.
Ca-1	
Act-4	
Cpu2-3030nd-Ko	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY- KOREAN
Fs24x-221-22-1	QUADBAND™ IR3+ DETECTOR,316 STAINLESS STEEL ENCL., (2) " NPT ENTRIES FM ATEX APPROVED
Hst34	
Tc846a1013	
Cmic-1	
Prn-6	80 COLUMN DESKTOP PRINTER, 120 VAC.
Eqdr-B4r	
02-2002-01p	
Tr-Rp	
Mon-42lcdw	1920X1080P WIDE SCREEN
E700-Fil-Assy	
Bng-1r	
Chs-4	
Trabs-4dr	
Mmx-101	
Chs-M2	
Tc100c1059	
Vp-Tee	
Rp-2002c	AGENT RELEASE CONTROL PANEL WITH LEDS, 120 VAC.
Dr-A4br	
Dacr-Gw	RECEIVERS GATEWAY (PC VERSION)
Bgx-101l	
N-Ann-Rly	
Dr-C4br	
Sbb-D4	
HI109202-006	STROBE, AMBER LENS, 15 JOULES, 120VAC, WIRE GUARD,

BLK FINISH, PENDANT MOUNT, CLASS I, DIV 2, GROUPS	
Fm980	
Dp-1b	
A22p-12	
Nmm-100	
17044kit	
Sbb-B4	
Ica-4l	
Nbg-12lxp	
Cpu2-3030d-Po	NFS2-3030 CPU WITH 640-CHARACTER DISPLAY- PORTUGUESE
Hp312cx	
E50-241575w-Fw	
Cpu2-640	CENTRAL PROCESSING UNIT FOR THE NFS2-640 WITH INTEGRAL 120V POWER SUPPLY, INCLUDES CHASSIS.
Nfs-320e-Sp	240 VAC, SPANISH
Dn2302b20009ue	
302-Aw-194	
Ledsign-Gw	UL LISTED SIGN MESSAGE GENERATOR GATEWAY, USE WITH OAX2-24V.EACH GATEWAY CAN CONTROL UP TO 10 OAX2
Ds-Xf70v	
Rp-2001	
Dr-A4	
B710lpa	
Nfn-Gw-Pc-Hnw	HIGH SPEED NFN GATEWAY PC CARD FOR WIRE (INCLUDED WITH ONYXWORKS-HNW)
237-0244-E	
Dvc-Rpu	REMOTE PAGING UNIT (INCLUDES KEYPAD DISPLAY)
Vkt-002-Ux	012.
Nfn-Gw-Pc-Hnsf	HIGH SPEED NFN GATEWAY PC CARD FOR SINGLE MODE FIBER (INCLUDED WITH ONYXWORKS-HNSF).
B501ap	
Ow-Lite-Nw	ONYXWORKS-LITE GRAPHICAL USER INTERFACE PROVIDES THE SOFTWARE AND HARDWARE COMPONENTS FOR A NON-

UL L	
Hpv3dc4ul	
Vhx-0900	
Nca-2-Fr	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-FRENCH
Nh-100	
Fst-851	
Ir3120hc	
Bb-Uzc	
Fwd-200acclimate	
Vsr-3	
Nfs-320-Rb	REPLACEMENT BOARD FOR NFS-320, 120 VAC
Rp-2001c	PRE-ACTION DELUGE CONTROL PANEL WITH LEDS, 120 VAC.
Kms-10-24vdc/P	
Ina	
Nh-100h	
Afaws-Bx	
Mon-42vert-Sd	
Xpiq-Aa2270	
Cab-Rmr	
Lib-200	LOOP INTERFACE BD SUPPORTS UP TO 198 INTELLIGENT
Nfxi-Wsf-Rr	
Vp-Elb-45	
Hptv2416300cb	
Xls-Mm-A	
Tubing-250	
30-2021e-24	
Hptv2408300	
Fcps-24s8e	
Nca-2-Po	NETWORK CONTROL ANNUNCIATOR-2, 640-CHARACTERS-PORTUGUESE
Sc716a-1003	

Afl-Ts	AUDIO FIBER LINK, TRANSMITTER FOR SINGLE MODE FIBER. CONVERTS LOW LEVEL AUDIO TO FIBER.
Nfc-Loc	
Hs-Ncm-Mf	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, FIBER-OPTIC CABLE INTERFACE (MULTI-MODE).
HI109202-008	STROBE, RED LENS, 15 JOULES, 120VAC, WIRE GUARD, BLK FINISH, PENDANT MOUNT, CLASS I, DIV 2, GROUPS A
Et70-R	
Wc-2	
Nfs2-640	CONTROL PANEL
Sc813c-1050	
Nfs-320-Po	120 VAC, PORTUGUESE
Vp-Coup	
Q539a-1469	
Addr-C4r	
237-9996-K	
410-1731-E	
Adp2-640	
410189-005	
Seiskit-Bb17	
Dr-Aa4r	
Udact-2	
Fsb-200s	ADDRESSABLE BEAM DETECTOR WITH REMOTE TEST FEATURE
Fhsc-S	
Sfp2402rb	
Ht24100	
Ir3120ir	
Vbt-012	
Nws-3	WEB-BASED HTML SERVER HARDWARE USED FOR REMOTE VIEWING OF ONYXWORKS
Nfn-Gw-Pc-Hnmf	HIGH SPEED NFN GATEWAY PC CARD FOR MULTIMODE FIBER (INCLUDED WITH ONYXWORKS-HNMF).
Ncm-W	

Verifireug-Tcd	
410-1717	
Vsr-7	
Amps-K2v1.01	
Hpv2408ulcb	
Dr-B4b	
Dr-C4b	
Cpu2-3030nd-He	CPU FOR A NFS2-3030 SYSTEM, NO DISPLAY- HEBREW
Hrb1224	
Daa2-5070	DIGITAL AMPLIFIER 50W , 70V, 120 VAC
Nfn-Gw-Em-3	INTELLIGENT GATEWAY INTERFACE FOR THE ONYXWORKS™ FIRE MONITORING WORKSTATION
Hs-Ncm-Wsf	HIGH-SPEED NETWORK COMMUNICATIONS MODULE, WIRE AND FIBER-OPTIC CABLE INTERFACE (SINGLE-MODE).
Hcu484	
Nfw-50c	FIREWARDEN-50 ADDRESSABLE FIRE ALARM CONTROL PANEL, 50 ADDRESSABLE DEVICES ON ONE SLC, BUILT IN DACT
020-543	
Ice-4	
Nbg-12lxsp	
Fm950-B	
Mon-22lcdw-Ts	CAPACITIVE TOUCH-SCREEN, USB CONTROLLER, CUSTOM STAND
17021	
N-Ann-Rled-W	
Acps-610e	6 OR 10 AMPS, MOUNTS INCAB-PS1, CAB-3/4,EQ CABX, BB- 25, OR CHS-PS1, COMES W
Dr-B4r	
Abf-2b	
Sbb-C4r	
Addr-D4	
Nzm-100-6	

S464a	
Ca-2	
Fhs-F	
Udactf-Pcc	NOTIFIER UNIVERSAL DIGI ALARM COMMUNICATOR TRANS
Vhx-1200	MOUNTED HLI.LINKS VESDANET WITH VESDA SYSTEM MANAGER 4 (VSM4) AND VESDA SYSTEM CONFIGURATOR
N-Ann-80	
Mon-22lcdw	22 WIDE-SCREEN LCD, 1680X1050 WSXGA
Fsd-751-P	
Vhx-0200	LINK HLI, SLIDING WINDOWS, RS232 INTERFACE. THE VHX- 200 DOES NOT HAVE MODEM CAPABILITIES.
Nfs23030	
Fsl-751	
Mic-1	
Abs-2d	
Nfw2-100r	FIREWARDEN-100-2 ADDRESSABLE FIRE ALARM CONTROL PANEL, 198 ADDRESSABLE DEVICES ON ONE SLC, BUILT IN
71073	
Vsr-1	
Sc809a1035	
Hps5	
E700-Capkit	
Dp-Disp2	
Hps3pm	
Sfp-2402	
75592	
Acm-32ay	
Nbc-12lo	
Bda-70v	
Nbg-12la	
Hpr2416300cbul	
Fs24x-221-23-1	QUADBAND™ IR3+ DETECTOR, COPPER-FREE ALUMINUM

ENCL., (2) M25 ENTRIES FM ATEX APPROVED	
B200sr-Lf	
Nfs-320e	NOTIFIER, FIRE ALARM SYS 220V
Lcd-80tm	
Hps5pmpd8	
Hpr2416600ul	
Fsd-751pl	
Ncm-Fpca	
Fsl-751dnra	
Hrb610	
Ni-100	
Cpu-2020	REPLACEMENT CPU BOARD FOR THE AM2020