

Officine Orobiche

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Officine Orobiche Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Officine Orobiche T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
021-010-15650	
1022.A.2.M2.EP	
2016.J.2.G. AS PER ATTACHED SPECIFICATION NO. P13/3668 PAG.5 REV.0	
2016.J.2.G. AS PER ATTACHED SPECIFICATION NO. P13/3668 PAG.2 REV.0	
2016.J.2.G. 1000 MM 1/2" NPTE	
2016.J.2.G. AS PER ATTACHED SPECIFICATION NO. P13/3668 PAG.1 REV.0	
2016.J.2.G. AS PER ATTACHED SPECIFICATION NO. P13/3668 PAG.4 REV.0	
2016.J.2L.G	

2016.J.2L.G.XX
2064.J.TI.G.
212.J.1.G1.C1.XX
212.J.2.G0.C1.
32.A.2.M2.WP.XX
41A.A.2.2M2.WP
41A.PF.PF.2M6.WP.XX
41A-J-2-M2-EP
41C.A.2.2M6.EP.XX
41C.A.2.2M6.WP
41C.J.2.2M9.WP
41C.PF.PF.M2.WP.XX
56100/INDICATOR/521
6027Y-LI-001
62.I.2.M2.WP
62-A-2-M2-EP
66-A2-M6-WP-XX
7100.A.2.M2.EP.XX
7100.LF2.2.M14.EP.XX
7100-0-A-2-0-M14-EP-R4-XX
72.A.2.M14.WP.R4
72.A.2.M2.EP
72.A.2L.2M2.WP.R4
72.E51.HC.2M21.WP.XX
72.I.2.M14.WP
72.LF2.2.M14.EP
72D.A.2.M2.EP.XX
74.A.2.M14.EP
74.A.2.M9.EP.R4.
76.A.2.M14.WP.R4

76.J.2.2M2.EP.R1.XX
76.MO.MO.M6.EP.R4.XX
76.MO.MO.M6.EP.XX
76-J-2-M6-EP-R1-XX
76-J-2-M6-EP-XX
76R600.LF2.2.M14.EP.XX
81.A.2.2M2.WP.R4
CV20.J.2L.M4.WP
CV25
CV25.MO.MO.M14.WP.XX
CV32.A.2.M2.WP
CV40.A.2.M2.EP
CVM20.JL.MO.M4.WP.XX
CVM40.JL.MO.M4.WP.XX
F.82080.1/2
F.82080.3
F.82080.4
F.82080.5
FD3BIJT
FDZ3.P.HC.T
GRAPHITE
mod RV80
MODEL IVF
MODEL: 1/2 NPT
P/N: 2016.JL.2L.G.XX
P/N: 72-I-2-M14-WP
PL10.JL.2L.M14.EP.XX.
PL16.A.2.M6.WP.XX
RV & 504-A-I-J -V
TLQ.S.03.JL.FA.JL.T0.C0
TLT.3000.J.2.1.N

TMG250.A.25.B11.T0.XX	
TMG250.A.25.B12.T3.XX	
TMG250.E.100.A23.C1	
TMG250.E.80.A21.C1	
TMG250.N.15.B08.T0.XX	
TMN250.A.50.A14.T0.	
TMN250.E.50.A15.C1	
TMS100.N.B01.C0.	
Typ T25	
RAC.27.NY.J.LL.XX	LEVEL INDICATOR
Drain Valve SS316	complete with gasket for mounting
Flow Switch	SERVICE Blowers K3801 A/B MODEL PL5.J.2.MA.WP.XX Fluid Line Size AIR 8" (PVC) Pressure Temperature 150mmH2O Ambient Type Construction Accuracy PADDLE IP-66 1%FS Calibration INSTALLATION INTERNAL LINE Differential Body Material FIXED AISI 316 Connection Type/Rating 3"ANSI 150#RF Electrical Connection 1/2" NPT-F Contacts Type/Rating SPDT / 10A / 220Vac Label AISI 316 SS
MODEL:CV50.A.2.M14.WP FLOW SWITCH	
TMG250.A.15.A01.T0.XX	specification no. P24/4343 pos. 1 rev. 0
41a.A.2.2m2.Ep	
41a.A.2.M14.Wp	
41c.J.Mo.M6.Wp.Xx	
Tms100.N.A08.C1	
4074.J.2.M21.Ep.R3.Xx	
10 J 2 M1 Wp Xx	
1022.J.2.2m9.Ep	
66d.A.2.M2.R4.Xx	
41a.J.2.M14.Wp.R4	
2064.J.Ti.G.	
2016.Jl.2l.G.Xx	
41a.A.2.M4.Wp	

Tms100.N.A04.C1	
72-A-2-M14-Wp	C/C: 400M
72.Ti.Ti.M14.Ep.R1.Xx	
41c.A.2.M2.Wp	
41a J 2 M14 Wp R3	
2016.J.2.G. 2000 Mm 1/2quot; Nptf	
34.J.2.M14.Ep	
503 A.A.J.N.	
PI8-A-2-M2-Wp Obsolote Replacment	
PI18.A.2.M2.Wp	
41a.Pf.Pf.M14.Wp	
72-I-2-M14-Wp	C/C: 400M
2016.J.2.G. As Per Attached	
Specification No. P13/3668 Pag.5 Rev.0	
62.A.2.M14.Wp	
2016.J.2.G. 500 Mm 1/2quot; Nptf	
62-A-2-M2-Ep Level Switch As Per	
Attached Specification No. P13/1606	
Pag.1 Rev.0	
2016.J.2.G. As Per Attached	
Specification No. P13/3668 Pag.2 Rev.0	
2016.J.2.G. 1000 Mm 1/2quot; Nptf	
41e-A-2-M2-Wp	
PI18.A.2.M2.Wp	
72 A 2 M14 Wp	
212 J 1 G1 C1	
7150-P22-2-2m14-Wp	
62.J.2.2m2.Wp.Xx	
81.A.2.2m14.Wp.R4	
6027y-Li-001	
2064.J.Ti.G.Xx	
Rv-J-N 01.01.65	
PId80.J.2.M9.Wp.R3.Xx	

[Set Of Gaskets \(Dwg Pos. 4 Amp; 7\) For Level Switch 76.Mo.Mo.M6.Ep.Xx, As Our F.82080.4](#)

[.41a-J-2-M2-Ep Level Switch As Per Attached Specification No. P13/1606 Pag.1 Rev.0](#)

[Repair Kit For Flowswitch PI10.Jl.2l.M14.Ep.Xx](#)

[72 I 2 M14 Wp](#)

[62.Jti.Hc.2m2.Wp.Xx](#)

[10 1 2 M1 Wp F 43779 1 10](#)

[10 P 5 M1 Wp](#)

[Tms100.N.A01.C1](#)

[F.49271.8](#)

[Uls/C.0114.N.J.Ac.Ep](#)

[6234](#)

[2016.J.2.G. As Per Attached Specification No. P13/3668 Pag.1 Rev.0](#)

[66.A.2.2vd.Wp.R4](#)

[10.P.5.M1.Wp](#)

[72.A.2.M14.Wp](#)

[2016 J 2 G 1000 Mm 1 2 Nptf](#)

[62.Lf2.2.2m14.Ep.Xx](#)

[T 25 Wh \(Bgu-Ale\)](#)

[41c.Mo.Mo.2m6.Wp.Xx](#)

[6119](#)

[41e.M.6.M14.Wp](#)

[41c.A.2.M4.Wp](#)

[Tmc.57.Ny.Jl.Ll](#)

[41ea2m6ep-N98ist+114/Ist](#)

[Set Of Gaskets \(Dwg Pos. 4 Amp; 7\) For Level Switch 76.J.2.M6.Ep.R1.Xx, As Our F.82080.3](#)

[Tgo100-A-2-M6-Wp-Xx](#)

6127
3072.A.2.M14.Wp
74d.A.2.Vd.Wp.R1.Xx
Spdt-6420
M2- 62.A.2.M2.Ep.Xx
62 Jti Hc 2m2 Wp Xx
10.1.2.M1.Wp F.43779/1.10
32.A.2.M6.Ep
Ep- 62.A.2.M2.Ep.Xx
Wp- 62.A.2.Pn.Wp.Xx
Spdt- 6104
Set Of Gaskets (Dwg Pos. 4 Amp; 7) For Level Switch 76.J.2.M6.Ep.Xx, As Our F.82080.1/2
Rv40-1-1-J-N
2064 J Ti G
41a.J.2.M14.Wp.R3
2016.J.2.G. As Per Attached Specification No. P13/3668 Pag.4 Rev.0
6027y Li 001
41c.A.2.Vd.Wp
F.49271.1
212.J.2.E0.C2
81.P91.321.2m4.Wp.Rx.Xx
Pn- 62.A.2.Pn.Wp.Xx
Set Of Gaskets (Dwg Pos. 4 Amp; 7) For Level Switch 76.J.Mo.M6.Ep.R4.Xx, As Our F.82080.5
6 I 2 M2 Ep R3
Rv/80 P.J.J.N
62.J.2.M2.Wp
34 J 2 M14 Ep
212.J.1.G1.C1.

[62-I-2-M2-Ep-R3](#)

[Uls/C.0114.N.J.Bc.Ep](#)

[10.J.2.M1.Wp.Xx](#)

[Cv50.A.2.M2.Wp.Xx](#)

[2016.J.2.G. As Per Attached
Specification No. P13/3668 Pag.3 Rev.0](#)

[41a A 2 2m2 Ep](#)