

Omr

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Omr Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Omr T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
F300a20r	INTERFACE FOR CAMERA S
C500-Ct012	HIGH-SPEED COUNTER UNIT, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
C500-Tu002-E	CONTROLLER
3g2a5-Id411	I/O MODULE 32IN 48VDC
C200h-W-Nc413	POSITION CONTROL UNIT, 4 AXIS, PULSE STRING OUTPUT, 500KHZ
3g2a5-Ad006	A/D MODULE 4 POINT 1-5V 4-20MA
Cv500-Ic101	PROGRAMMABLE LOGIC CONTROLLER, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIANT: NO
F150-C10e	VISION CONTROLLER REPLACED BY F150-C10E-2
C200h-Ts101	TEMPRATURE SENSOR UNIT MODULE 4POINT RTD

Cs1w-Slk21	SYSMAC LINK UNIT, COAXIAL CABLE
Cs1w-Md292	INPUT/OUTPUT UNIT, 48 X 24 VDC INPUTS, 48 X TRANSISTOR OUTPUTS, PNP, 0.1 A, 12-24 VDC
C20h-C6dr-De	PROGRAMMABLE CONTROLLER
F150-Slc-50	CAMERA WITH INTELLIGENT LIGHT SOURCE, 50MM FIELD OF VISION
3g2a5-Oc224	OUTPUT MODULE 32POINT RELAY 2AMP
C200hg-Cpu33-E	C200HG CPU, 15.2K RAM,R.T.CLOCK, COMUN. BOARD
C200hx-Cpu65-Ze	CPU, 63.2K WORDS PROGRAM / 54K WORDS DATA MEMORY, RS-232C PORT, 1184 I/O POINT CAPACITY
F160-C15e-2	VISUAL INSPECTION CONTROLLER, PNP OUTPUTS, RS-232C INTERFACE
B700-AI001	PROGRAMMABLE CONTROLLER
Cvm1d-Bi101	RACK 10 SLOT CPU EXPANSION I/O DUPLEX
3g2a5-Ad005	C500 2-A/D:-5 TO+5V
Z4lcs28	SEPARATE TYPE
C500-Da501	OUTPUT MODULE ANALOG 8POINT
Cs1h-Cpu65h	CPU, 60K STEPS PROGRAM / 128K WORDS DATA MEMORY, 7 EXPANSION RACKS MAX.
F160-C10e	CONTROLLER VISION MATE NPN FOR VISION SENSOR
58020717	
C200h-Pid03	PID MODULE CURRENT OUT
3g2c4-Sc021	PROGRAMMABLE CONTROLLER 100/110/120V 50/60HZ
Idsc-C1dr-A-E	PROGRAMMABLE RFID CONTROLLER
3g2a5-Oa222	OUTPUT MODULE 16POINT TRIAC 100-240V
C200h-Ids21	RF-ID MODULE / V620 SERIES
F350-C12-E	IMAGE PROCESSING UNIT
E5a-Fahf	TEMPERATURE CONTROLLER 1/3AMP 100/240VAC 50/60HZ
C500-Ids02-V1	RF-ID MODULE, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
Es100p-Aah04fe	VER 2, RAMP/SOAK PROCESS CNTRL
Es100x-Rrpw04fe	PROCESS CONTROL VER 2 100/240V 50/60HZ
3g2c7-Cpu24e	PLC PROGRAMMING CONTROLLER 100-120VAC 50/60HZ

Cs1w-Da08v	ANALOGUE OUTPUT UNIT, 8 X 1-5V/0-5V/0-10V/-10-+10V OUTPUTS, SCREW TERMINALS, 12 BIT RESOLUTION
C500-Rt002-V1h	, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
C200h-Ts102	TEMP SENSOR:DIN STND.PT 100OHM
Cv500-Ii101	PROGRAMMABLE LOGIC CONTROLLER, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIANT: NO
3g2a5-Lk003-E	INTERFACE MODULE
3g2a5-Rt001-Ev1	C500 REM SLAVE GLASS 1WA
R88d-Up12v	400W 200V SERVO
3g2a5-Lk010-Pe	C500 I/O LINK
3g2a5-Lk010-E	C500 I/O LINK
3g2a5-Rt002-Ev1	REMOTE I/O SLAVE UNIT, 24VDC, APF/PCF OPTICAL FIBRE
Nt20s-St121b	TOUCH SCREEN-BLACK-FACE
F300p2	POWER SUPPLY UNIT 100/120VAC 50/60HZ 200VA
C500-Lk003-E	INTERFACE MODULE
C200hw-Slk14	MASTER MODULE, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
3g2a5-Ad004	C500 2-A/D: -10 TO +10V
E2cd-C1c3a	PROXIMITY SWITCH 0 TO 1MM 5.4MM PRECISION
F160-Slc50	CAMERA WITH INTELLIGENT LIGHT SOURCE, 50MM FIELD OF VISION
E3mc-Ma41	PHOTOELECTRIC AMPLIFIER PNP 4OUTPUT 12-24VDC
Cs1g-Cpu42-E	CPU CS1,10K PROG 32K DATA
F150-Sl20	20MM CAMERA
3g2a5-Rt001-Pev1	C500 REMOTE SLAVE, 1-WAY
E3mc-Mx11	RGB FIBER OPTIC NPN, 4 OUTPUT
3g2a5-Nc111-E-V1	POSITION CONTROL UNIT, 1 AXIS, STEPPER MOTOR CONTROLLER, 200 POINT
3g2a5-Da002	OUTPUT MODULE 2POINT D/A 0 TO +10V
C200h-Ad003	ANALOGUE INPUT UNIT, 8X 4-20MA/1-5V/0-10V/-10-+10V INPUTS, WITH SCREW TERMINALS
Cs1w-Od292	OUTPUT UNIT, 96 X TRANSISTOR OUTPUTS, PNP, 0.1 A, 12-24 VDC

Cs1g-Cpu42h	CPU, 10K STEPS PROGRAM / 32K WORDS DATA MEMORY, 2 EXPANSION RACKS MAX.
C500-Ts502	RTD INPUT MODULE, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
C60k-Cdr-D	60PT CPU MODULE
3g2c7-Cpu38e	PROG CONTROLLER
Cj1w-Etn11	MODULE, ETHERNET CJ1,10 BASE-T
C200h-Da004	ANALOGUE OUTPUT UNIT, 8X 4-20MA OUTPUTS, WITH SCREW TERMINALS
3g8f5-Clk21-E	SYSMAC CONTROLLER LINK SUPPORT BOARD, TWISTED PAIR CABLE, CONNECTS PC/AT OR COMPATIBLE AS NODE IN SYSMAC CONTROLLER LINK NETWORK
3g2a5-Rm001-Pev1	C500 REM.MASTR, PLASTIC
F300-B52	BASE UNIT 5SLOT CE CAMERA
Cv500-Rm211	REMOTE MASTER, SYSBUS II FIBER
C40hc7drdev1	CPU 24VDC 20W
3g2a5-Da005	OUTPUT MODULE 4-20MA 1-5V
3g2a5-Ct001	C500 HIGH SPEED COUNTER
Cs1g-Cpu43h	CPU, 20K STEPS PROGRAM / 32K WORDS DATA MEMORY, 2 EXPANSION RACKS MAX.
Nt2000-Mdt131	OPERATOR INTERFACE TOUCH SCREEN
Cv1000-Dm151	DATA MEMORY EXP BOARD, 128K
3g2c3-Cpuk1	CPU MODULE
C500-Ida02	ID SENSOR ID ADAPTER, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
Cs1h-Cpu63-H	CPU, 20K STEPS PROGRAM / 32K WORDS DATA MEMORY, 7 EXPANSION RACKS MAX.
Nt20s-St161b-Ev3	OPERATOR INTERFACE 5INCH TOUCHSCREEN
C200h-Rt202	REM.SLAVE,2-WIRE ,24VDC
C200hs-Cpu03-E	CPU MODULE 16K RAM 24VDC 40W
3g2a5-Da004	C500 2-D/A: -10 TO +10V
C500-Fz001	, LEADED PROCESS COMPATIBLE:NO, PEAK REFLOW COMPATIBLE (260 C):NO, ROHS COMPLIANT: NO
F200-C10e	BACKPLANE FOR IMAGE PROCESSING UNIT 4SLOT

Nt20m-Dn131	CONTROLLERS, DISPLAY, PEAK REFLOW COMPATIBLE (260 C):NO, LEADED PROCESS COMPATIBLE:NO, ROHS COMPLIANT: NO
3g2a5-Da003	OUTPUT MODULE 4-20MA 1-5V
3g8f5-Drm21-E	ISA BOARD CONFIGURATOR
C200h-Id111	64PT,DC12V,IN,GROUP 2 H-D