



Optek Danulat

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Optek Danulat Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Optek Danulat T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
opb943w51z sensor	
1426-3143-1101-04	Lamp module AF56 silicone free (old PN: 1426-3143-1101-02) (old PN: 2100-0205-01)
Transducer Af56-Sf-N	- 1-channel absorption - Wavelength range: 730 - 970 nm - Process temperature: 0 - 60 ° C (32 - 140 ° F) Permissible temperatures may be restricted - For further information see operating instructions. - Airpurge connection M5: at the back (for Varivent) and via window ring - Silicone free (only use cable set "silicone-free") (Note: because the transmitter is not silicone free can be produced, the transmitter must be outside of the hazardous area are installed!) (including installation kit AF / TF - PN: 1201-3131-0004-00) Note: without converter, measuring cell and cable set!