



## Orion Images

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Orion Images** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Orion Images T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

| ¼r¼n                       | A¼ıklama  |
|----------------------------|---|
| <a href="#">Rnk46nhf</a>   | 46, 1920X1080, 700NITS, RS-232C                             |
| <a href="#">Oic-5003</a>   | TRIPLE 5 RACK MOUNT DISPLAYS 2 RU 19RACK MOUNTABLE          |
| <a href="#">22bl</a>       | 19.5INCH 1920X510 PIXELS BAR LCD MONITOR LED BACK LIGHT     |
| <a href="#">Whdc-21bhc</a> | 2.1MP CMOS C/CS MNT FULL HDTV COLOR CAMERA HDMI CVBS OUTPUT |
| <a href="#">42blhb</a>     | 38INCH 1920X540 PIXELS BAR LCD MONITOR LED BACK LIGHT       |
| <a href="#">26rth</a>      | 26 LED16:91920X1080P400 NITS BNC IN 2 / OUT 2, HDMI IN 2    |
| <a href="#">46rncfs</a>    | 14.2MM NARROW BEZEL LC FIBER OPTICS INPUT RS-232 CONTROL    |
| <a href="#">19rtclcd</a>   | 19 LED 5:41280X10241000 NITS BNC IN 2 / OUT 2,HDMI IN 1     |
| <a href="#">M2hdsdi</a>    | OPTIONAL MODULE FOR OIC-M802/ M1604                         |

|                              |   |
|------------------------------|---|
| <a href="#">42hsdi</a>       | 42LCD16:91920X1080P450 NITS HD SDI IN 1 / OUT 1, VIDEO BNC  |
| <a href="#">32rtcsr</a>      | 32LCD16:91366X768850 NITS / 1 RS-232C IN / OUT, BNC IN 2 /  |
| <a href="#">Encl-A32</a>     | FITS 32 LCD DISPLAY, CLAMSHE                                |
| <a href="#">27hsdi</a>       | PIP/PBP AUTO PIXEL SHIFT 3D COMB FILTER DEINTERLACE         |
| <a href="#">Encl-A46</a>     | 47 LCD DISPLAY,   |
| <a href="#">23hsdi3g</a>     | PIP/PBP AUTO PIXEL SHIFT 3D COMB FILTER DEINTERLACE         |
| <a href="#">17rtclđ</a>      | 17LED 5:41280X10241000 NITS80 BNC IN 2 / OUT 2,HDMI IN 1,   |
| <a href="#">Chdc-22sdhsc</a> | HD-SDI 2.2 MEGAPIXEL CAMERA SMPTE TYPE, DOWNLOADABLE        |
| <a href="#">17rtcsr</a>      | 17LED5:41280X10241000 NITS800 BNC IN 2 / OUT 2, VGA IN 1    |
| <a href="#">Hsdvrc422</a>    | 4CH HD-SDI INPUT STANDALONE DVR RECORDING/PLAYBACK USB      |
| <a href="#">27blhb</a>       | 24.4INCH 1920X540 PIXELS BAR LCD MONITOR LED BACK LIGHT     |
| <a href="#">Rnk42nnf</a>     | 42, 1920X1080, 450NITS, RS-232C IN 1 / OUT 1, DVI-D IN 1    |
| <a href="#">46rncfm</a>      | 14.2MM NARROW BEZEL LC FIBER OPTIC INPUT RS-232 CONTROL     |
| <a href="#">15rtclđsr</a>    | SUNLIGHT READABLE ULTRA BRIGHT LED W/TRANSFECTIVE TECH      |
| <a href="#">Oic-7002</a>     | DUAL 7 RACK MOUNT DISPLAYS 3 RU 19 RACKMOUNTABLE            |
| <a href="#">32blhb</a>       | 29 INCH 1920X540 PIXELS BAR LCD MONITOR LED BACK LIGHT      |
| <a href="#">Rnk46snf</a>     | 46, 1920X1080, 450 NIT , RS-232C IN 1 / OUT 1, DVI-D IN 1   |
| <a href="#">42bl</a>         | 38INCH 1920X540 PIXELS BAR LCD MONITOR LED BACK LIGHT       |
| <a href="#">Encl-A70</a>     | OUTDOOR/INDOOR ENCLOSURE FITS 70 LCD DISPLAY CLAMSHELL HING |
| <a href="#">27hsdi3g</a>     | PIP/PBP AUTO PIXEL SHIFT 3D COMB FILTER DEINTERLACE         |
| <a href="#">Rnk55snf</a>     | 55, 1920X1080, 450NITS, RS-232C IN 1 / OUT 1                |
| <a href="#">Chdc-22sdc</a>   | HD-SDI 2.2 MEGAPIXEL CAMERA MPTE TYPE, DOWNLOADABLE         |
| <a href="#">46rnsc</a>       | 5.77MM SUPER NARROW BEZEL RS-232 CONTROL MANAGEMENT         |

[Rnk46shf](#)

PREMIUM LED MONITOR, 16:9, 3.8MM/1.9MM BEZEL SIZE,  
SUPER NAR