

## Pakkens



Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Pakkens** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Pakkens T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu Őitede g¼sterilen Őzel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">050 1 0 0 0 2 08 02B</a>	MANOMETER, BACK CONNECTION, GEAR, DRY TYPE, 50 MM, 16 BAR, G 1/2" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 1 08 04B</a>	MANOMETER, BOTTOM CONNECTION, THREADED, WITH GLYCERINE, 63 MM, 16 BAR / 230 PSI, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 2 08 04B</a>	MANOMETER, BACK CONNECTION, THREADED, WITH GLYCERINE, 63 MM, 16 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 1 17 04B</a>	MANOMETER, BOTTOM CONNECTION, THREADED, GLYCERINE, 63 MM, 400 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
	MANOMETER, BOTTOM CONNECTION, THREADED,

<a href="#">063 1 0 0 1 1 18 04B</a>	GLYCERINE, 63 MM, 600 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 2 17 04B</a>	MANOMETER, BACK CONNECTION, THREADED, WITH GLYCERINE, 63 MM, 400 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 2 18 04B</a>	MANOMETER, BACK CONNECTION, THREADED, WITH GLYCERINE, 63 MM, 600 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">250 1 0 0 0 1 08 08B</a>	MANOMETER, BOTTOM CONNECTION, THREADED, DRY TYPE, 250 MM, 16 BAR, G 1/2" B, EN837-1 Pressure Gauge CL2,5
<a href="#">160 1 0 0 0 1 08 08B</a>	MANOMETER, BOTTOM CONNECTION, THREADED, DRY TYPE, 160 MM, 16 BAR, G 1/2" B, EN837-1 Pressure Gauge CL2,5
<a href="#">160 1 0 0 0 2 08 08B</a>	MANOMETER, BACK CONNECTION, GEAR, DRY TYPE, 160 MM, 16 BAR, G 1/2" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 1 07 04B</a>	MANOMETER, BOTTOM CONNECTION, THREADED, GLYCERINE, 63 MM, 10 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 2 07 04B</a>	MANOMETER, BACK CONNECTION, THREADED, WITH GLYCERINE, 63 MM, 10 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 1 14 04B</a>	MANOMETER, BOTTOM CONNECTION, THREADED, GLYCERINE, 63 MM, 250 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 2 14 04B</a>	MANOMETER, BACK CONNECTION, THREADED, WITH GLYCERINE, 63 MM, 250 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 3 04 04B</a>	MANOMETER, BACK CONNECTION, THREADED, GLYCERINE, PANEL TYPE, 63 MM, 2,5 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 2 06 04B</a>	MANOMETER, BACK CONNECTION, THREADED, WITH GLYCERINE, 63 MM / 85 PSI, 6 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">063 1 0 0 1 1 06 04B</a>	MANOMETER, BOTTOM CONNECTION, THREADED, WITH GLYCERINE, 63 MM, 6 BAR, G 1/4" B, EN837-1 Pressure Gauge CL2,5
<a href="#">ExII 3G IIA d T2toT6</a>	PRESSURE MEASURER zone 1.00 (m)
<a href="#">ExII 3G IIA d T2toT6</a>	PRESSURE MEASURER zone 1,65 (m)
<a href="#">60mm 0 120 C 2mt</a>	
<a href="#">063 10 002 63mm (Rear) Å188; Quot;</a>	
<a href="#">60 Bar Kuru Å199;Ap 63 Altan Bagl. Class 2.5</a>	
<a href="#">Guage Pressure (0 -150 Bar) / Dial Size</a>	

<a href="#">47 1/2"</a>
<a href="#">Glycerine, Manometre Å216;63</a>
<a href="#">1711 86278</a>
<a href="#">2009332</a>
<a href="#">160141170710</a>
<a href="#">En 13190- , No</a>
<a href="#">2.5 Bar 1/8 C80 Arkadan Å199;İkisli</a>
<a href="#">An85360401</a>
<a href="#">60mm 0/120 C 2mt</a>
<a href="#">100 10 002 Mk 100mm (Rear) Å189; Quot;</a>
<a href="#">Bu301-Kss 10 Bar</a>
<a href="#">Å199;Ap100 120c Alt Bagl. 10cm Termometre KI2,0</a>
<a href="#">66349302 S</a>
<a href="#">64504</a>
<a href="#">An85317401</a>
<a href="#">063 10 002 63mm</a>
<a href="#">911</a>
<a href="#">066322</a>
<a href="#">85315401</a>
<a href="#">An85310401</a>
<a href="#">Guage Pressure (0 - 25 Bar)/ Dial Size 271/4" Npt)</a>
<a href="#">0631001107 (63mm 10 Bar Alttan Bagl.Gliserinli Class 2.5</a>
<a href="#">Å199;Ap100 6bar Alt. Bagl. Kuru Tip Manometre</a>
<a href="#">1711.86278</a>
<a href="#">100 30 001 0 6 Bar G 1 2 Cl 2 5</a>
<a href="#">100 30 001 0-6 Bar G 1/2Å39; Cl 2,5</a>
<a href="#">66349302-S</a>
<a href="#">100 10 001 Mk 100mm (Bottom) Å189;</a>

<a href="#">Quot:</a>
<a href="#">10015012</a>
<a href="#">631001106</a>
<a href="#">1711.86278/6</a>
<a href="#">060522</a>
<a href="#">112204600</a>
<a href="#">An85367401</a>
<a href="#">090082</a>
<a href="#">Manometre 10 Bar 1/4 C63 Alttan Cikisli (Classe 1,6) Gliserinli</a>
<a href="#">100411</a>
<a href="#">100 30 001 Mk</a>
<a href="#">1001410107</a>
<a href="#">85303401</a>
<a href="#">0631001107</a>
<a href="#">0978000000</a>