

Pat

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Pat Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Pat T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Ar-070-212-1-R	1-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, DIRECT OR WALL MOUNT, SILVER
Lkeh-202fv-Cb	LIGHT, 24V DC
Cla1s24yexn	LED LIGHT BAR, AMBER, 2.5W, 24VDC, 124MM, LIGHT COLOR:AMBER, POWER RATING:2.5W, LIGHT SUPPLY VOLTAGE:24VDC, LUMENS PER WATT:60 LUMENS @ 2.5W, LIGHT BA
Ar-078-212-4n-Rygb	4-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, 3/4 NPT, BEIGE
Ar-078-222-4-Rygb	4-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, DIRECT OR WALL MOUNT, BEIGE
Edlm-302fa-Ryg	LIGHT
Lkeh-410fv-Bcxx	LIGHT
Ar-078-212-1n-R	1-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, 3/4 NPT, BEIGE

Cla1s24cnexn	LED LIGHT BAR, NEUTRAL WHITE, 2.5W, 24VDC, 124MM, LIGHT COLOR:NEUTRAL WHITE, POWER RATING:2.5W, LIGHT SUPPLY VOLTAGE:24VDC, LUMENS PER WATT:125 LUMENS
Lkeh-202fv-Bc	LIGHT, LED, DC24V
Ar-078-212-4-Rygb	4-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, DIRECT OR WALL MOUNT, BEIGE
Ar-078-212-4n	LIGHT
Lkeh302fvfexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Ar-078-222-2	LIGHT
Lkeh-210fv-Cb	LIGHT, 100V AC
Lkeh102fewexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Ar-078-222-1n-R	1-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, 3/4 NPT, BEIGE
Ar-078-212-2-Rg	2-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, DIRECT OR WALL MOUNT, BEIGE
Cla3s24cnexn	LED LIGHT BAR, NEUTRAL WHITE, 5.7W, 24VDC, 324MM, LIGHT COLOR:NEUTRAL WHITE, POWER RATING:5.7W, LIGHT SUPPLY VOLTAGE:24VDC, LUMENS PER WATT:360 LUMENS
Ve100-304su	100MM CHARACTER PRODUCTION MONITORING SYSTEM / (AC ADAPTER INCLUDED)
Edlm-312fa-Ryg	FM APPROVED CLASS 1, ZONE 1 ZONE 2 SIGNAL TOWER, AC120V. RED, AMBER, GREEN LED MODULE
Ar-078-222-2n	LIGHT
Ar-070-212-5-Rygb	5-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, DIRECT OR WALL MOUNT, SILVER
Lkeh202fvfexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Lkeh-402fe-Rygc	LIGHT, 24V DC
Lkeh302fefexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Rt-120vf-R	ROTATING BEACON WITH 4-CHANNEL VOICE SYNTHESIZER1, RED, YELLOW, GREEN, BLUE, 120V A/C

Ar-078-222-3	LIGHT
Edlm-323fe-Ryg1	LIGHT
Edlm-302fe-Ryg1	LIGHT
Lkeh102fvwexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Ar-078-212-5n-Rygbc	5-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, 3/4 NPT, BEIGE
Edwm-5m2fe-Rygbc1	LIGHT
Clt3024sexn	LED LIGHT BAR, WHITE, 24VDC, 350MM, LIGHT COLOR:WHITE, LIGHT SUPPLY VOLTAGE:24VDC, LIGHT BAR LENGTH:350MM, IP RATING:IP67, CCT:6750K, LED COLOR:DAYLIG
Lwg_321/03	
Ar-078-222-3n-Ryg	3-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, 3/4 NPT, BEIGE
Ar-078-222-5n-Rygbc	5-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, 3/4 NPT, BEIGE
Lkeh402fewexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Ar-070-222-3-Ryg	3-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, DIRECT OR WALL MOUNT, SILVER
Lkeh402fvwexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Ar-078-212-3-Ryg	3-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, DIRECT OR WALL MOUNT, BEIGE
Lkeh-310fe-Bc	LIGHT
Edwm-502fe-Rygbc1	LIGHT
Cla3s24yexn	LED LIGHT BAR, AMBER, 5.7W, 24VDC, 324MM, LIGHT COLOR:AMBER, POWER RATING:5.7W, LIGHT SUPPLY VOLTAGE:24VDC, LUMENS PER WATT:195 LUMENS @ 5.7W, LIGHT B
Cla2s24cdexn	LED LIGHT BAR, DAYLIGHT, 5W, 24VDC, 224MM, LIGHT COLOR:DAYLIGHT, POWER RATING:5W, LIGHT SUPPLY VOLTAGE:24VDC, LUMENS PER WATT:240 LUMENS @ 5W, LIGHT B

Ar-078-222-2n-Rg	2-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, 3/4 NPT, BEIGE
Lkeh402fefexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Ar-078-212-5n	LIGHT
Ar-070-222-4-Rygb	4-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, DIRECT OR WALL MOUNT, SILVER
Edlm-323fa-Ryg	FM APPROVED CLASS 1, ZONE 1 ZONE 2 SIGNAL TOWER, 230VAC. RED, AMBER, GREEN LED MODULE
Ar-078-222-5	LIGHT
Ar-078-222-5n	LIGHT
Ewh24eexn	HORN, EXPLOSION-SAFE, 24VDC, 105DB, 8W
Lkeh102fefexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Ve25-304su	25MM CHARACTER PRODUCTION MONITORING SYSTEM / (AC ADAPTER INCLUDED)
Ar-078-212-3n-Ryg	3-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, 3/4 NPT, BEIGE
Ar-078-222-2-Rg	2-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, DIRECT OR WALL MOUNT, BEIGE
Ar-070-212-3-Ryg	3-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, DIRECT OR WALL MOUNT, SILVER
Ar-078-212-5-Rygb	5-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, DIRECT OR WALL MOUNT, BEIGE
Edlm-312fe-Ryg1	LIGHT
Ar-078-222-3-Ryg	3-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, DIRECT OR WALL MOUNT, BEIGE
Ar-078-222-1n	LIGHT
Cla1s24cdexn	LED LIGHT BAR, DAYLIGHT, 2.5W, 24VDC, 124MM, LIGHT COLOR:DAYLIGHT, POWER RATING:2.5W, LIGHT SUPPLY VOLTAGE:24VDC, LUMENS PER WATT:125 LUMENS @ 2.5W, L
Ar-070-222-5-Rygb	5-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, DIRECT OR WALL MOUNT, SILVER
Lkeh302fewexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:

Cla3s24cdexn	LED LIGHT BAR, DAYLIGHT, 5.7W, 24VDC, 324MM, LIGHT COLOR:DAYLIGHT, POWER RATING:5.7W, LIGHT SUPPLY VOLTAGE:24VDC, LUMENS PER WATT:360 LUMENS @ 5.7W, L
Lkeh302fvwexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Lkeh202fefexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Lkeh-310fv-Bcx	LIGHT
Ar-070-212-2-Rg	2-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, DIRECT OR WALL MOUNT, SILVER
Ar-078-222-4	LIGHT
Ar-070-212-4-Rygb	4-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, DIRECT OR WALL MOUNT, SILVER
Ar-078-222-4n	LIGHT
Clf2024cexn	LED LIGHT BAR, WHITE, 5W, 24VDC, 230MM, LIGHT COLOR:WHITE, POWER RATING:5W, LIGHT SUPPLY VOLTAGE:24VDC, LIGHT BAR LENGTH:230MM, IP RATING:IP67, CCT:68
Ar-070-222-2-Rg	2-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, DIRECT OR WALL MOUNT, SILVER
Ar-078-222-3n	LIGHT
Lkeh-302fe-Bc	LIGHT
Lkeh202fewexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Ar-078-222-4n-Rygb	4-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, 3/4 NPT, BEIGE
Ar-078-222-1-R	1-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, DIRECT OR WALL MOUNT, BEIGE
Lkeh-210fv-Bc	LIGHT 100V AC
Ar-078-212-2n-Rg	2-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, 3/4 NPT, BEIGE
Lkeh-410fe-Bcxx	LIGHT
Lkeh102fvfexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS

	DIAMETER:
Ar-070-222-1-R	1-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, DIRECT OR WALL MOUNT, SILVER
Ar-078-011-3n	LIGHT
Lkeh402fvfexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Ar-078-222-5-Rygbc	5-STACK, EXPLOSION-SAFE, CONTINUOUS OR FLASHING LIGHT, AUDIBLE ALARMS, DIRECT OR WALL MOUNT, BEIGE
Lkeh202fvwexn	SIGNAL TOWER, LED, AMBER/BLU/GRN/RED, 24VDC, TONES:FAST, SLOW BEEP, NO. OF STACKS / TIERS:3, MODULE LENS COLOR:RED, AMBER, GREEN, BLUE, LENS DIAMETER:
Ar-078-212-1-R	1-STACK, EXPLOSION-SAFE, CONTINUOUS LIGHT, DIRECT OR WALL MOUNT, BEIGE