

MIL	
208C02	
352c23	
421a25	
482a21	
352a73	
Ht356b21	
352a71	
Ht378b02	MICROPHONEPREAMPLIFIER,TEDS0.9PROGRAMMED
003a01	
Pcb 356b21	
080a15	
003 A03	
003c30	
102m206	
356a32	
356b21	TRIAXIAL ICP ACCELEROMETER
003c10	
Pcb-034g30	
034g50	
Pcb-052bq050bz	Connection cable 15 meters more rectangular, weatherproof Plug on cut end 85444290 Ursprung USA
003a50	
003a20	
682a02	
Piezotronics - 356a12 Vibration Sensor	
352c22	
034k30	
No Referance Products Item Article	
034m22	
T333b42	

393b31	
356a24	
010 F05	
Pcb-M601a61	
081a27	
352a24	
2302-02a	20K IN-LB/1,667 FT-LB(2.3 KN-M), 5-IN
202b	
Cn55063	
M353b18	
401b04	
Pcb-682c03	4-20 mA transmitter for ICP sensors, frequency range 3 Hz ... 10 kHz through plug-in filter, peak and RMS value output, Single and double integration, supply 24VDC, DIN rail mounting, 4-20 mA output, optional: connection for temperature signal "TO" series
Pcb-M603c01	Vibration sensor measuring range 50 g, sensitivity: 100 mV / g (+/- 10%), one-point calibration at 100 Hz, Connection plug at the top Including calibration according to A2LA (equivalent to DAACKS according to ILAC agreement)
354m56	
410b01	
352a21	
M010 Ay00.25jy	
640b00	
356m208	
356a16	
356m57/Nc	
010m128/040	