



Pch Engineering

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Pch Engineering Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Pch Engineering Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Pch1216	Complete set for shock sensor product and also cable (including connector)
PCH 1026 Mk2	
PCH 1072/CHF8114	
PCH 1220	
PCH1106/CHF XXXXX	
PCH1106/CHF8170	
PCH1270/CHF5212	
PCH1270/CHF8004	
PCH1270/CHF8004_L5	
PCH1270/CHF5213	compact vibration monitor
VIBRATION PICK UP 1240-CHF 5210/ PCH	
PCH1106MK2/CHF8112 Vibration Transmitter	- measuring range 0- 20 mm/s, - Frequency 10Hz- 1000Hz - Current output RMS, 4-20mA - Voltage output 1-5 VDC - Supply + 24 VDC - Connection plug above M12, - Without connection cable - Housing stainless steel 1.4301 IP 65 - M8 mounting screw - Dimensions H 80mm x D 30mm - Country of origin: Denmark - Customs tariff number:

	90318080
Connection cable for TA-TR-1106/LP2XX with	4-PIN M12 socket - Cable PUR jacket 4x 0.25 mm ² , shielded - M12 socket 4 poles - Cable length 10 meters, open end - Temperature -20°C to 85°C
SNTRFJ VIBRATION SENSOR	PCH 1290 CHF 8122
PCH 1290 \CHF 8122	
PCH 1290 \CHF 8122	
PCH1220	
1240	
PCH 1270	
VIBRATION SENSOR PCH 1270 SPEC:CHF 5213	
PCH 1270/CHF5210/X1	Measuring device for vibration monitoring Factory settings: - Measuring range 0 - 20 mm/s - Frequency 10Hz - 1000Hz - Alarm thresholds: - Alert A1 22.5% or Danger D1 35% - Calibration protocol (2 point calibration, Point 1 0mm/s- Current output not less than 4 mA, Point 2 at 10mm/s) - Output 4 - 20mA - Housing made of material 1.4305, IP 68, - Connection cable, length 2 m
PCH1270/CHF5212X1	Measuring device for vibration monitoring Measured variable vibration speed Measurement range 0 - 10, 0-20, 0-50, 0-100 mm/s (customer specification) Frequency 10 Hz - 1000Hz, 2 alarm limit values (customer specification) Limit value relay with normally open contact Response delay A1 0-99 sec. D1 0-99 sec (customer specification) Analog output RMS, 4 - 20mA Supply +24 VDC Side 8 pin plug connection, M12 Housing stainless steel - IP 68, Mounting M8
Pch1240 Chf8003 (Pch1240-200628078) Obsolete, Replaced By Pch 1270/Chf8003	
Pch1270	
Vibrationssensor Pch1275/Chf5209	
Pch/1240/Chf5213 Obsolete Replaced By Pch 1270/Chf5213	
Pch 1072/Chf8027	
Pch 1275/Chf 8005 Vibration Sensor Engineering 1275/Chf 8005 (Pch1275-2018090070)	
Pch1275/Chf5209 Vibrationssensor	
Pch 1270/Chf8135	
Pch 1072	
Pch 1072/Chf8114 Vibrations-Monitor	
Pch1106/Chf Xxxxx Pch1106/Chf Xxxxx	
Pch 1008	
Pch1106/Chf8113	
Pch1270/8032/8159/5212	
Chb 1122	
Pch 1106	

Pch1026/Chf 8967 80/2.0
Chb 1123
Pch1240,Chf8004 Obsolete Replaced By Pch 1270/Chf8004
Chb 1120
Pch 1026
Pch1275/Chf8005
Chf 8001
Pch1106/Chf8170 Vibrationssensor
Pch1106/Chf8118
Pch 1420
1270/Chf5213
Pch 1272/Chf8158
Pch1275-Chf5209 Vibrations-Sensor
Pch1270/Chf 8004
Pch1026/Chf8830
Pch1275/Chf5209
Pch 1106 / Chf8073
Chl-1073
Pch1290
Pch1275/Chf5209 Atex
Pch1220
Pch 1270/Chf5213
Pch 1220 Vibratory Switch
Cchb 1102 Vers. 3 + Cable
Pch1270/Chf8041
Pch 1073
Pch-1420 4
Pch 1270/Chf8003
Vdc Akab Pch1xxx-2m
Pch 1270/Chf8001
Pch 1270/Chf 5213 Vibration Guard Engineering
Pch 1270/Chf8004 Vibrationssensor
Pch1106
Pch 1275/Chf 8005 Vibration Guard
Chb 1121

[Pch_1270/Chf8004](#)

[Chb1102](#)