

Pedrollo

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Pedrollo Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Pedrollo T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Monopomp	Q=5 m3/h Hm = 7 mss N = 0,25kWatt
Submersible Pump	Q = 14,25 lt/sn Hm = 15 m N = 5,5 kW STAINLESS CHAIN, ROPE, SLIDE VS. All Equipment Included.)
Reverse Cycle Pump	Q = 6,75 lt/sn Hm = 8m N = 1,1 kW STAINLESS CHAIN, ROPE, SLIDE VS. All Equipment Included.)
Dry Type Submersible Pump	Q = 6,5 lt/sn Hm = 8m N = 5,5 kW
Drainage Pump	Q = 30 m3/h Hm = 25 mss I would like to ask for an offer with a hose of 50 m in appropriate diameter.
Drain Pump	Q = 1,0 lt/sn Hm = 10m N = 1,1 kW
Blower	Q = 540 Nm3/sa Hm = 700 bar N = 18,5 kW
Submersible Mixer	The propeller is polyurethane, the motor body is GGG40 and its power is 4 kW. and 1.5 kW. Can you send a price quote about 2 submersible mixers? --- Can you direct the price of 2 submersible mixers to be used in a 120 m3 balancing pool? -- -- Can you price it as complete stainless steel with the skid chain and / or rope?

F32/160A	Centrifugal pump 4FN32160A1A 400V
F65/125A	Centrifugal pump 4FN65125AE 400V
11516302001	
41PM81A1	
44CP170MIA	
48SGVP970EA	
48TOP152A1U	
4PD/5,5	
5 CRm 80-n	
6SR 27/14	
866GRF5015	
CP 150	
MC 15/45	
MC 40/70	
MCm 10/50-I	
MCM 20/50	
NGA1B	
PK100 (400/3/50)	
PK60 (400/3/50)	
PQ70	
VXm 10/35	
MCM 10/50	
43PJA6083A1	PLURIJETm 3/100X
41PNQA6PA1	Pump with peripheral impeller PQAm60 230V
41PNK67A1	PKm65 230V Pump with peripheral impeller
41PNK67A1	Peripheral pump PKm65 230V 50Hz 0.70HP
4FN32203CA	Standard centrifugal pumps F32/200C V.230/400- 50Hz 5.5HP • Pump housing: cast iron • Protection class: IP X5
2cpm25/140h	
Pd-Pv55	
Fk2-Spl-Tank-Ysn-181	

Pd-Mc20/50
Pvm55
Cpm 620
Fyg22
T.Pq60-Q=5/40l/Min
Mcm 10/50-I 10mt
2cp
Mc/20 V 380 - Hz 50
Pd-2cp32/200c
Mc/20 V 380 - Hz50
Zxm 1 B/40
Pk-65nbr
Top Vortex