

Pic

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Pic Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Pic T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Pic	
Pic	
Pic	
Pic	
Pic	
MS-328-3-1-0500	
MSM-328	Magnet order nr: 30G4729 Accessories for sensors, MSM-328, PIC GmbH Technical specifications Magnetic material: N30H Remanence Br: 1105 mT Coercivity HcB: 836 kA/m Coercivity HcJ: 1274 kA/m
THREAD REED SENSOR M8 PIC MS-228-3	
Ms 328 4 1 0500	4515
Ta043	OSCILLOSCOPE PROBE, 100 MHZ, DIFFERENTIAL, 700 V, 10:1, 100:1, ALL MAKES MODELS OF OSCILLOSCOPES, ROHS

	COMPLIANT: YES
Pp850	OSCILLOSCOPE, PC, 4CH, 200MHZ, 1GSPS, SERIES:PICOSCOPE 8000, SCOPE TYPE:HAND HELD, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:200MHZ, SAMPLING RATE:1GSPS, I
Pp748	OSCILLOSCOPE, 4-CHAN, 500MHZ, 5GSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4, BANDWIDTH:500MHZ, SAMPLING RATE:5GSPS, INPUT IMPEDANCE:1MOHM, RISE TIME:70
Tc08usbcaldu	DATA LOGGER, TEMPERATURE, SVHC:NO SVHC (20-JUN-2011)
Pp711	OSCILLOSCOPE, PC BASED, 2 CH, 100MHZ, 500MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2, BANDWIDTH:100MHZ, SAMPLING RATE:500MSPS, INPUT IMPEDANCE:1MOHM
Picoscope4224kit	20MHZ OSCILLOSCOPE, PRODUCT RANGE:PICOSCOPE 4000 SERIES, SCOPE CHANNELS:4 DIGITAL, BANDWIDTH:20MHZ, SAMPLING RATE:80MSPS, DISPLAY MEMORY DEPTH:32 MPTS
Ta044	OSCILLOSCOPE PROBE, 70 MHZ, HIGH-VOLTAGE DIFFERENTIAL PROBE, 7 KV, 100:1, 1000:1, ROHS COMPLIANT: YES
Pp839	OSCILLOSCOPE, PC-BASED, 4CH, 250MHZ, 1.25GSPS, SCOPE TYPE:USB MODULAR, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:250MHZ, SAMPLING RATE:1.25GSPS, INPUT IMPE
Tc08usbcald	TC08 USB CALIBRATED
Rsf54v100mc	
Picoscope2208	OSCILLOSCOPE, PC, 200MHZ, 2CH, AWG, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2, BANDWIDTH:200MHZ, SAMPLING RATE:1GSPS, RISE TIME:1.75NS, EXTERNAL HEIGHT:40
Ta046	ACTIVE DIFFERENTIAL PROBE 30V, 800MHZ, X1/10, CAT I
Tc08usbcal	DATA LOGGER, TEMPERATURE, SVHC:NO SVHC (20-JUN-2011)
Picoscope4424kit	20MHZ OSCILLOSCOPE, PRODUCT RANGE:PICOSCOPE 4000 SERIES, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:20MHZ, SAMPLING RATE:80MSPS, DISPLAY MEMORY DEPTH:32 MPT
Pp851	OSCILLOSCOPE, PC, 4CH, 200MHZ, 1GSPS, SERIES:PICOSCOPE 8000, SCOPE TYPE:HAND HELD, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:200MHZ, SAMPLING RATE:1GSPS, I
Pp631	OSCILLOSCOPE, 4-CHAN, 350MHZ, 5GSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4 DIGITAL, BANDWIDTH:350MHZ, SAMPLING RATE:5GSPS, INPUT IMPEDANCE:1MOHM, RISE
Pp312	HIGH PRECISION DATA LOGGERS, KIT CONTENTS:ADC-24 HIGH RESOLUTION DATA LOGGER, 24 BIT WITH TERMINAL

	BOARD AND SOFTWARE, ROHS COMPLIANT: NA
Ta042	OSCILLOSCOPE PROBE, 100 MHZ, DIFFERENTIAL, 1.4 KV, 100:1, 1000:1, ROHS COMPLIANT: YES
Picoscope4424caldu	CALIBRATED W/DATA UNCERTAINTIES CHILD SKU # 68R4303
Pp749	OSCILLOSCOPE, 4-CHAN, 500MHZ, 5GSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4, BANDWIDTH:500MHZ, SAMPLING RATE:5GSPS, INPUT IMPEDANCE:1MOHM, RISE TIME:70
Pp478	20MHZ OSCILLOSCOPE, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4 DIGITAL, BANDWIDTH:20MHZ, SAMPLING RATE:80MSPS, INPUT IMPEDANCE:1MOHM, RISE TIME:17.5NS, INP
Pp454	OSCILLOSCOPE, PC BASED, 4 CH, 5MHZ, 5MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4, BANDWIDTH:5MHZ, SAMPLING RATE:5MSPS, INPUT IMPEDANCE:10.1MOHM, SUPPL
Picoscope3425	OSCILLOSCOPE, PC BASED, 4 CHANNEL, 5MHZ, 5MSPS, PRODUCT RANGE:PICOSCOPE 3000 SERIES, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:5MHZ, SAMPLING RATE:5MSPS, D
Picoscope6403cal	SCOPE KIT, WITH PROBES, 1GS MEMORY, SCOPE TYPE:ANALOGUE, SCOPE CHANNELS:4, BANDWIDTH:350MHZ, SAMPLING RATE:5GSPS, INPUT IMPEDANCE:50OHM
Picoscope4224	20MHZ OSCILLOSCOPE, PRODUCT RANGE:PICOSCOPE 4000 SERIES, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:20MHZ, SAMPLING RATE:80MSPS, DISPLAY MEMORY DEPTH:32 MPT
Picoscope4424	20MHZ OSCILLOSCOPE, PRODUCT RANGE:PICOSCOPE 4000 SERIES, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:20MHZ, SAMPLING RATE:80MSPS, DISPLAY MEMORY DEPTH:32 MPT
U4/7	
Pp630	OSCILLOSCOPE, 4-CHAN, 350MHZ, 5GSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4 DIGITAL, BANDWIDTH:350MHZ, SAMPLING RATE:5GSPS, INPUT IMPEDANCE:1MOHM, RISE
Picoscope2207	OSCILLOSCOPE, PC, 100MHZ, 2CH, AWG, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2, BANDWIDTH:100MHZ, SAMPLING RATE:1GSPS, RISE TIME:3.5NS, EXTERNAL HEIGHT:40M
Picoscope3205	PC-BASED OSCILLOSCOPE , SCOPE BANDWIDTH:100 MHZ, SCOPE CHANNELS:2 SCOPE, SERIES:PICOSCOPE 3000, FEATURES:DEEP MEMORY BUFFERS, ADVANCED TRIGGER MODES R
Picoscope6407	OSCILLOSCOPE, PC BASE, 4CH, 1GHZ, 5GSPS, PRODUCT RANGE:-, SCOPE CHANNELS:4 ANALOGUE,

	BANDWIDTH:1GHZ, SAMPLING RATE:5GSPS, DISPLAY MEMORY DEPTH:1 GPTS
Ms-328-3-1-0500	Standard MS-328-3-1-0500 Reed sensor according to enclosed data sheet
4226 Case Bundle	OSCILLOSCOPE KIT HI-RES 50 MHZ, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2, BANDWIDTH:50MHZ, SAMPLING RATE:125MSPS, INPUT IMPEDANCE:1MOHM, RISE TIME:7NS, I
Picoscope3205caldu	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 100MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2
Pp671	OSCILLOSCOPE, 50MHZ, 2 CHANNEL, 125MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2 DIGITAL, BANDWIDTH:50MHZ, SAMPLING RATE:125MSPS, INPUT IMPEDANCE:1MOHM
Pp712	OSCILLOSCOPE, PC BASED, 2 CH, 200MHZ, 500MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2, BANDWIDTH:200MHZ, SAMPLING RATE:500MSPS, INPUT IMPEDANCE:1MOHM
Pp629	OSCILLOSCOPE, 4-CHAN, 350MHZ, 5GSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4 DIGITAL, BANDWIDTH:350MHZ, SAMPLING RATE:5GSPS, INPUT IMPEDANCE:1MOHM, RISE
Ms-328-3	FLACHGEH. REEDSENSOR PIC MS-328-3