

Pico

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Pico Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Pico T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
414da-0n	
N-6952	Ultra Miniature 400 Hz Transformer Condition New Release OEM CoC Tariff Number 85043180 Origin US
N-6947	Power Transformer Condition New Release OEM CoC Tariff Number 85043180 Origin US
3205b	SCOPE
Gsx40-0605-Xxx-Bb1-268-Xt-Xh-25813	SERVO MOTOR 5.3A 3000RPM 460V
Pp479	20MHZ OSCILLOSCOPE, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4 DIGITAL, BANDWIDTH:20MHZ, SAMPLING RATE:80MSPS, INPUT IMPEDANCE:1MOHM, RISE TIME:17.5NS, EXT
Pp492	20MHZ OSCILLOSCOPE, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4 DIGITAL, BANDWIDTH:20MHZ, SAMPLING RATE:80MSPS, INPUT IMPEDANCE:1MOHM, RISE TIME:17.5NS, EXT
	OSCILLOSCOPE, PC, 4CH, 100MHZ, 1GSPS,

Pp849	SERIES:PICOSCOPE 8000, SCOPE TYPE:HAND HELD, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:100MHZ, SAMPLING RATE:1GSPS, I
Pp846	OSCILLOSCOPE, PC, 4CH, 60MHZ, 1GSPS, SERIES:PICOSCOPE 8000, SCOPE TYPE:HAND HELD, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:60MHZ, SAMPLING RATE:1GSPS, INP
Usb Tc-08 17025 Cal D	USB TC08 17025 CALIBRATED BY NEWARK SERVICES
Pp695	PICOSCOPE 4224-IEPE 20MHZ WITH 2 IEPE CURRENT SOURCES
Picoscope3204mso	OSCILLOSCOPE, PC, MSO, 60MHZ+AWG, SERIES:PICOSCOPE 3000, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2 ANALOGUE, 16 DIGITAL, BANDWIDTH:60MHZ, METER DISPLAY TY
Ta045	OSCILLOSCOPE PROBE, 200 MHZ, DIFFERENTIAL, 60 V, 10:1, ALL MAKES MODELS OF OSCILLOSCOPES, ROHS COMPLIANT: YES
Pp843	OSCILLOSCOPE, PC-BASED, 4CH, 500MHZ, 1.25GSPS, SCOPE TYPE:USB MODULAR, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:500MHZ, SAMPLING RATE:1.25GSPS, INPUT IMPE
88-38 Sensor	
Picoscope 5203	OSCILLOSCOPE, PC BASED, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2 SCOPE, BANDWIDTH:250MHZ, SAMPLING RATE:1GSPS, INPUT IMPEDANCE:1MOHM, RISE TIME:1.4NS, IN
Picoscope4262	USB OSCILLOSCOPE, 2 ANALOGUE, 5 MHZ, 10 MSPS, 16 MPTS, 70 NS
Sep4	CONTROLLER MODULE
Pp713	OSCILLOSCOPE, PC BASED, 2 CH, 200MHZ, 500MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2, BANDWIDTH:200MHZ, SAMPLING RATE:500MSPS, INPUT IMPEDANCE:1MOHM
Picoscope4224-Iepe	PICOSCOPE 4224-IEPE 20MHZ WITH 2 IEPE CURRENT SOURCES
90950	CONVERTER DC/DC MATCH SET OF 4
Ta113	TETRIS 1500 1.5 GHZ HIGH IMPENDANCE ACTIVE PROBE 10:1
Pp841	OSCILLOSCOPE, PC-BASED, 4CH, 350MHZ, 1.25GSPS, SCOPE TYPE:USB MODULAR, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:350MHZ, SAMPLING RATE:1.25GSPS, INPUT IMPE
Adc-24	DATALOGGER, HI-RES WITH TERMINAL BOARD, READING CAPACITY:-, PRODUCT RANGE:-, SVHC:NO SVHC (17-DEC-2015), NO. OF CHANNELS:16CHANNELS, POWER SUPPLY:USB

Pp628	OSCILLOSCOPE, 4-CHAN, 350MHZ, 5GSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:4 DIGITAL, BANDWIDTH:350MHZ, SAMPLING RATE:5GSPS, INPUT IMPEDANCE:1MOHM, RISE
Picoscope5204	OSCILLOSCOPE, 250MHZ, 2 CHANNEL, 1GSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2 DIGITAL, BANDWIDTH:250MHZ, SAMPLING RATE:1GSPS, INPUT VOLTAGE:20V, EXTER
Picoscope3206	PC-BASED OSCILLOSCOPE , SCOPE BANDWIDTH:200 MHZ, SCOPE CHANNELS:2 SCOPE, SERIES:PICOSCOPE 3000, FEATURES:DEEP MEMORY BUFFERS, ADVANCED TRIGGER MODES R
Pp709	OSCILLOSCOPE, PC BASED, 2 CH, 60MHZ, 500MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2, BANDWIDTH:60MHZ, SAMPLING RATE:500MSPS, INPUT IMPEDANCE:1MOHM, RI
4824	4824 (PP916) SIGNAL VIDEO CARD
Picoscope 2205 Cal Du	OSCILLOSCOPE, 25MHZ, 2 CHANNEL, 200MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2
Pp672	OSCILLOSCOPE, 100MHZ, 2 CHANNEL, 250MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2 DIGITAL, BANDWIDTH:100MHZ, SAMPLING RATE:250MSPS, INPUT IMPEDANCE:1MOH
Pp847	OSCILLOSCOPE, PC, 4CH, 60MHZ, 1GSPS, SERIES:PICOSCOPE 8000, SCOPE TYPE:HAND HELD, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:60MHZ, SAMPLING RATE:1GSPS, INP
4224-Iepe (Pp695) Scope	
Ta112	TETRIS 1000 1 GHZ HIGH IMPENDANCE ACTIVE PROBE 10:1
Lfa48s	
13795	
Pp795	PICOSCOPE 6407 1 GHZ DIGITIZER WITH CASE, NO PROBES
Pp848	OSCILLOSCOPE, PC, 4CH, 100MHZ, 1GSPS, SERIES:PICOSCOPE 8000, SCOPE TYPE:HAND HELD, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:100MHZ, SAMPLING RATE:1GSPS, I
Dc-Dc Lfa-24d Module--Ic	
Lfa24d	
Pp710	OSCILLOSCOPE, PC BASED, 2 CH, 100MHZ, 500MSPS, SCOPE TYPE:PC BASED, SCOPE CHANNELS:2, BANDWIDTH:100MHZ, SAMPLING RATE:500MSPS, INPUT IMPEDANCE:1MOHM
414da-6nit	