



## Pizzato Elettrica

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Pizzato Elettrica** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Pizzato Elettrica Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">FD 515 05/22</a>	
<a href="#">MK V12D40-T6</a>	Microswitch with lever with roller 1NO + 1NC in exchange Ambient temperature: -40 ° C - + 85 ° C Customs tariff number: 85369095 Country of origin: Italy
<a href="#">NA B110BB-SAKH0</a>	Modular pre-wired switch with Roller tappet 1NO + 1NC snap contact
<a href="#">NA B112KF-SAKH9H27H1</a>	Modular pre-wired switch with straight adjustable swivel lever 1NO + 1NC snap contact
<a href="#">FD1878-M2</a>	Safety rope pull switch with reset Slow action 1NO / 1NC with forced separation Weight: 0.2000kg / 6.0000kg Metal housing, IP67, IMQ, cULus, EAC, CCC, CE
<a href="#">SR BD40ALK-B02F</a>	Safety magnetic sensor with actuator, 2NC (closed protective device)
<a href="#">SR AD41AN2-A01N</a>	Safety magnetic sensor with actuator 2NC + 1NO (closed Protective device), 24V AC / DC Housing made of glass fiber reinforced Technopolymer, IP67 / IP69K 2m connection cable, exit on the right Actuating distance 5mm SIL 3, PL e, CE, cULus, Tv Sd PIECE contains 1 PIECE Weight: 0.1780kg / 5.3400kg
<a href="#">E2 1RJ459AAK</a>	RJ45-Port, CE,cULus,EAC 01/2022
<a href="#">NA G110BB-DN2</a>	Roller lever with cast Connecting cable 2m, 1NO+1NC sneak contact Weight: 0.3750kg / 3.7500kg Metal housing, metal connector with cable - 5 x 0.75 m <sup>2</sup> , IP67 cULus,IMQ,EAC,CCC,CE
<a href="#">HP AA053M-0.2PM</a>	Safety hinge switch 01/2022 2NO/2NC slow-action contact Metal housing, 0.2m connecting cable with M12 connector 5- pin IP67/IP69K Up to SIL 3, PL e; CE,IMQ,cULus,CCC,EAC
<a href="#">FR 9C2</a>	Safety switch with swivel lever 01/2022 2NC slow-action contact Plastic housing, IP 67 Up to

	SIL3,PLe,CE,IMQ,cULus,CCC,EAC
<a href="#">NG 2D1D411A-F31</a>	RFID safety locking device 9750 N, 24VDC 01/2022 Quiescent current principle, metal housing, IP67/ IP69, with high coding level VN actuator NG-F31 SIL 3, PL e,CE,cULus,TUV South,EAC,ECOLAB
<a href="#">CA 201</a>	144-201-000-1 144-201-000-4 144-201-000-2
<a href="#">B112KCDN2</a>	
<a href="#">SR AL40ALK-A01N</a>	Magnetic sensor, 2NC, connector M8 Weight: 0.0520kg / 0.0520kg Output left, SIL 3 + PL e, IP 67 (69K), cULus,TV, EAC, CE, with actuator A01N: 5mm, Customs tariff number: 8536.90.95, country of origin: Italy
<a href="#">60947 5-1</a>	
<a href="#">FR 2093</a>	
<a href="#">FS 3096D024-F3</a>	
<a href="#">HP AA050F-2PNH90</a>	
<a href="#">MK V11F62-T7</a>	Microswitch 1NO/1NC changeover contact 10/2022 With lever and adjusting screw For -25°C - +120°C IMQ,cULus,EAC,CCC,CE Weight: 0.3200kg / 0.3200kg
<a href="#">FL 1883</a>	
<a href="#">ST DD210MK-D0T</a>	RFID security sensor, 24Vdc With actuator, low coding level, 5-pin M12 connector plug from the right 2 safety outputs OS1-OS2, Message output O3 IP67/IP69K, up to SIL 3, PL e; cULus, EAC, TV SD, ECOLAB, CE
<a href="#">CS AT-02X024</a>	Safety module 1 or 2 channels, 24VAC/DC Category 4, EN 954-1, 2NO/1NS/2NO plug connection with spring terminals, CE, CCC, cULus, EAC, IMQ
<a href="#">SR AD40ALK</a>	Magnetsensor 2NC, SIL 3, PL e, IP67 & IP69K 01/23 2NC, SIL 3, PL e, IP67 & IP69K integrated connector M8 right, cULus,TV SD,EAC,CE Weight: 0.1800kg / 0.1800kg
<a href="#">FS2898D024</a>	Safety locking device 1100 N Quiescent current principle, 24 Vac/dc 1NO/1NC electromagnet, 1NC actuator Housing made of fiberglass reinforced. Technopolymer, IP67 Emergency release with key Up to SIL 3, PL e CE,IMQ,cULus,CCC,EAC
<a href="#">NA G110BB-DMKGH0</a>	
<a href="#">FR501</a>	Position switch with dome plunger 03/24 1NO/1NC snap contact, housing excl Technopolymer, IP67, cable entry PG13.5 CE,IMQ,cULus,CCC,EAC
<a href="#">NS E3ZZ1SQK-F41</a>	RFID safety interlock with electromagnet, 24VDC 03/25 Open-circuit principle, 2100N, IP67/IP69K, 2 Safety inputs IS1-IS2, 2 Safety outputs OS1-OS2, 1 signal output for inserted actuator O3, 1 signal output for locked actuator O4, activation inputs Electromagnet IE1-IE2, 1 reset input I3 M12 connector bottom, 8 pin, with actuator high coding level - VN

	NS-F41 SIL 3 / PL e, cULus, TÜV SÜD, Ecolab, EAC, CE
<a href="#">VN NS-F41</a>	ACTIONNEUR
<a href="#">FR515-M2R28</a>	roller plunger, spring contact 1NO/1NC 03/25 Stainless steel roller, fully insulated, IP 67, IMQ, cULus, EAC, CCC, CE,
<a href="#">Fd 538 Interruttore Senza Leva</a>	
<a href="#">Mkv11d10 Mk V11d10 Mikroschalter Mit Einem Gewinde Versehenen Kolben</a>	
<a href="#">Ns D4se1da2-F41</a>	RFID guard locking with electromagnet SIL 3 / PL e, cULus, TÜV SOUTH, Ecolab, EAC, CE Quiescent current principle, 2100N, IP67 & IP69K, front unlocking with lock, rear Escape release, 2 meters of cable 12 x 0.14 <sup>2</sup> on the side, actuator with high coding level F41
<a href="#">Fd980-T6 Sensor Not-Kabeltrommel 2nc (Trockenkontakt). 250v Ac, 6a 24v Dc, 4a</a>	
<a href="#">Fs2898 Do24 Burg</a>	
<a href="#">Cs Ar-05x120</a>	
<a href="#">Fd1031</a>	
<a href="#">Vfaf-Me80 Feder</a>	
<a href="#">Nb B110bb-Dh3 Finecorsa</a>	
<a href="#">028fr5690000000000000</a>	
<a href="#">Fr 2196 Interruttore Di Sicurezza Percerniere</a>	
<a href="#">Fs 3096e024-F3 Safety Switch</a>	
<a href="#">Cs Ar-23x120</a>	
<a href="#">Fr 502-W 3xgm2k70</a>	
<a href="#">Pzzfd501 Endschalter</a>	
<a href="#">Fp 533-E0v9</a>	
<a href="#">Fd 1883 Sicherheitsschalter:1-Seitiger Seilschalter</a>	
<a href="#">Cs Ar-04m024</a>	
<a href="#">Fr 1455-M1</a>	
<a href="#">Cs Ar-05v230</a>	
<a href="#">Fr 693-D1</a>	
<a href="#">Cs Ar-41x024</a>	



<a href="#">Fs 2098 D 024 Safety Switch With Solenoid</a>
<a href="#">Vf Keyf2 Azionatore Snodato</a>
<a href="#">Fr 605-2w3xgm2k70</a>
<a href="#">Vfapp11b201m Lever</a>
<a href="#">Cs Ar-20m230</a>
<a href="#">Ms 60 Mikroschalter Mit Hebel Und Verstellbarem Schraube</a>
<a href="#">Fa 4802-Odu1g</a>
<a href="#">Cs Ar-08</a>
<a href="#">028fr2096m2k40000000</a>
<a href="#">Fr 2096 Endschalter</a>
<a href="#">028vfb502g0000000000</a>
<a href="#">Fr 692-D1 Interruttore Di Sicurezza A Chiave</a>
<a href="#">Fd 525-T6 End-Schalter</a>
<a href="#">Fc351 Switch</a>
<a href="#">Ms15 Microswitch</a>
<a href="#">028nfg110abdn1000000</a>
<a href="#">Vf Keyf28 Actuator</a>
<a href="#">Fr 607-G Interruttore Di Posizione A Leva Angolare Regolabi</a>
<a href="#">Fr550 Endschalter; No + Nc; 10a; Max250vac; Pg13,5; Ip67</a>
<a href="#">Cs Ar-01xe02</a>
<a href="#">Fd536</a>
<a href="#">Cs Ar-08mu12</a>
<a href="#">Cs Ar-05v120</a>
<a href="#">Fa 4102-Kdu1g</a>
<a href="#">Fl 542 Endschalter</a>
<a href="#">028fp6310000000000000</a>
<a href="#">Fa 4831-Kdu1g</a>

<a href="#">Cs Ar-01x120</a>
<a href="#">Cs Ar-25v024</a>
<a href="#">028csar91v0240000000 Cs Ar-91v024 2 No Safety Contacts, 1 No Auxiliary Opto-Isolated Contact</a>
<a href="#">Fr 515-1 Limit Switch</a>
<a href="#">028fr5550000000000000</a>
<a href="#">Cs Ar-21v230</a>
<a href="#">Ff 4508-2dnt6 Sensor</a>
<a href="#">Cs Ar-22m230</a>
<a href="#">Fr 638-W3 Limit Switch</a>
<a href="#">Ff 4610-6dg Wege-Schalter Mit Integriertem Kabel Mit Einem Gewinde Versehenen Kolben Kolben</a>
<a href="#">Cs Ar-06x024</a>
<a href="#">Fr 705-1w3xgm2k70</a>
<a href="#">028fd2093f2m20000000</a>
<a href="#">028ff41153dn00000000</a>
<a href="#">028csam01ve010000000</a>
<a href="#">Mk V11d5 Switch</a>
<a href="#">Fr 569-M1 End-Schalter</a>
<a href="#">Fa 4602-1su1g</a>
<a href="#">Cs Ar-02x024</a>
<a href="#">Cs Ar-20v230</a>
<a href="#">Cs Ar-04x120</a>
<a href="#">Fd 984 Switch</a>
<a href="#">028hpaa052d01pm00000</a>
<a href="#">Fr 701-4xgm2k70</a>
<a href="#">Cs Ar-02v024</a>
<a href="#">Fr515-1</a>
<a href="#">Fd 525</a>
<a href="#">Cs Ar-02ve02</a>
<a href="#">Fa 4502-1su1g</a>

<a href="#">Cs Ar-05m024</a>
<a href="#">Fd 538 End Switches</a>
<a href="#">Punkt-Sicherheitsschalter FI502</a>
<a href="#">Fd519</a>
<a href="#">Fx 993-D1m2</a>
<a href="#">028fr515w3xm2r28</a>
<a href="#">Cs Ar-21m230</a>
<a href="#">Cs Ar-05m230</a>
<a href="#">Fr 515-M1 Fr 515-M1</a>
<a href="#">Cs Ar-07x024</a>
<a href="#">028fd188300000000000</a>
<a href="#">Fd874 Interruttore Di Sicurezza A Fune</a>
<a href="#">Fr 505-W3xgm2k70</a>
<a href="#">Cs Ar-40v024</a>
<a href="#">Cs Ar-23x024</a>
<a href="#">028csar07m02400000000</a>
<a href="#">Fa 4831-Odu1g</a>
<a href="#">Fd 525-T6 Interruttore Di Posizione Ad Asta A Tutta Molla, C</a>
<a href="#">Cs Ar-04</a>
<a href="#">028fr692d000000000000</a>
<a href="#">Cs Ar-04x230</a>
<a href="#">Fp 1878-M2 Schaltes</a>
<a href="#">Cs Ar-08vu12</a>
<a href="#">Cs Ar-02xe02</a>
<a href="#">Fa 4101-2dn Schaltes</a>
<a href="#">028fl531000000000000000 FI 531 Positionsschaltes Mit Geradem Schwenkhebel Mit Rolle</a>
<a href="#">Cs Ar-04m120</a>
<a href="#">028fs2898d024fm20000</a>
<a href="#">Cs Ar-20m120</a>

<a href="#">Cs Ar-07m024</a>	
<a href="#">Cs Ar-01mv024</a>	Safety module 1 or 2 channels, 24VAC / DC SIL3 & PLe, cULus, EAC, CCC, CE, output: 2NO / 1NC
<a href="#">Fa 4808-Odu1g</a>	
<a href="#">Ar-07m024 Modul Sicherheit</a>	
<a href="#">Fd519-T6 Inhaltssensor Zaun Walzen 1 Throw (Potenzialfreier Kontakt) 0,05 - 250 Ac, 1000ma</a>	
<a href="#">028fd188400000000000</a>	
<a href="#">VF B501</a>	1NO/1NC Sprungkontakt, IP20, CE,IMQ,cULus,CCC,EAC
<a href="#">028fp576m2k170000000</a>	
<a href="#">Fr 602-2w3xgm2k70</a>	
<a href="#">V12d15-T6 Mikroschalter</a>	
<a href="#">Pzzcsar-51v024 Modulo Di Sicurezza Con Funzioni Di Arre</a>	
<a href="#">Cs Ar-08m230</a>	
<a href="#">Cs Ar-04v230</a>	
<a href="#">Fd 1878 Sicherheitsschalter:1-Seitiger Seilschalter</a>	
<a href="#">Cs Ar-06x120</a>	
<a href="#">Fd 552-M2 Limit Switch With Roller Lever</a>	
<a href="#">028fr501m10000000000</a>	
<a href="#">Cs Ar-05</a>	
<a href="#">FI 576-K125 Endschalter</a>	
<a href="#">Fp9r2-F1</a>	
<a href="#">028mkv11d4000000000</a>	
<a href="#">028fr693d1x0000000000</a>	
<a href="#">Cs Ar-05x024</a>	
<a href="#">Cs Ar-20x024</a>	
<a href="#">Cs Ar-21m024</a>	
<a href="#">Cs Ar-06m120</a>	
<a href="#">Sm A01n Kodierende Magnetischer</a>	



<a href="#">Antrieb</a>
<a href="#">Px 10210</a>
<a href="#">Fa 4802-1su1g</a>
<a href="#">Cs Ar-23m120</a>
<a href="#">Cs Ar-01v024</a>
<a href="#">Fx993 Schalter Endplatte</a>
<a href="#">Vf Keyf1 Actuator</a>
<a href="#">Fg 60ad5d0a Switch</a>
<a href="#">Fd 531 Switch</a>
<a href="#">Fd525-T6 Sensorsteuerung Fluchtpunkt Band-1nc-1no (Potenzialfreier Kontakt). 250v Ac, 6a 24v Dc, 6a</a>
<a href="#">St DI420mk-D1t Sensor</a>
<a href="#">028fd103100000000000</a>
<a href="#">Fa 4801-1su1g</a>
<a href="#">E2 1usb9cn1.8</a>
<a href="#">Cs Ar-91v024</a>
<a href="#">Cs Ar-05x230</a>
<a href="#">Cs Ar-08x120</a>
<a href="#">Sr Bd40an2</a>
<a href="#">Fd 525-T6 Wege-Schalter</a>
<a href="#">Fd 2256 Endschalter</a>
<a href="#">Fx993</a>
<a href="#">028fx2093e3d10000000</a>
<a href="#">Cs Ar-02x120</a>
<a href="#">Cs Ar-05v024</a>
<a href="#">Fr 505-4xgm2k70</a>
<a href="#">Fs2096d024</a>
<a href="#">Cs Ar-22m120</a>
<a href="#">Cs Ar-01m120</a>
<a href="#">Cs Ar-40x024</a>

<a href="#">Cs Ar-06</a>
<a href="#">028fr555w3xm2r240000</a>
<a href="#">Fa 4501-Odu1g</a>
<a href="#">Ng 2d1d411a-F31k953 Switch</a>
<a href="#">Fl 576 Interruttore Di Posizione Per Azionamento C</a>
<a href="#">Cs Ar-46v024</a>
<a href="#">Fe 431 Limit Switch</a>
<a href="#">Vffg-Lp60 Button</a>
<a href="#">Fr 501-2w3xgm2k70</a>
<a href="#">Fr 1630-M1 Fr 1630-M1</a>
<a href="#">Fa 4108-Kdu1g</a>
<a href="#">Cs Ar-21v024</a>
<a href="#">Cs Ar-22x230</a>
<a href="#">Fr 569-M1 End Switch</a>
<a href="#">Cs Ar-06m230</a>
<a href="#">028csar01v0240000000</a>
<a href="#">Fd 2084-M2k40 Switch</a>
<a href="#">Fr525 Interruttore Asta A Tutta Molla</a>
<a href="#">Cs Ar-24m024</a>
<a href="#">Cs Ar-23v230</a>
<a href="#">Fa 4501-Kdu1g</a>
<a href="#">Fr1-322506 Sensor</a>
<a href="#">028fx602000000000000</a>
<a href="#">Cs Ar-23m230</a>
<a href="#">Cs Ar-24x024</a>
<a href="#">Ng 2d1d411a-F30 Circuit Breakers</a>
<a href="#">Cs Ar-23v024</a>
<a href="#">Fr555-1</a>
<a href="#">Ff4115-3dn End Sensor.</a>
<a href="#">Fr 705-4xgm2k70</a>

<a href="#">Fd 1638</a>	
<a href="#">Cs Ar-25x024</a>	
<a href="#">Fr 602-W3xgm2k70</a>	
<a href="#">Cs Ar-22v024</a>	
<a href="#">St DI420mk-D1t Sensore Di Sicurezza Con Tecnologia Rfid</a>	
<a href="#">Cs Ar-06v230</a>	
<a href="#">K06 Fa1 6201</a>	
<a href="#">028fd2078gt600000000</a>	
<a href="#">Fa 4601-Odu1g</a>	
<a href="#">Fr 702-1w3xgm2k70</a>	
<a href="#">Cs Ar-01ve02</a>	
<a href="#">Cs Ar-07</a>	
<a href="#">Fd 984 Interruttore Di Sicurezza A Fune Conreset</a>	
<a href="#">Cs Ar-22v230</a>	
<a href="#">028csar93v0240000000 Cs Ar-93v024 3 No Safety Contacts, 1 Nc Auxiliary Contact</a>	
<a href="#">Fr 502-2w3xgm2k70</a>	
<a href="#">Cs Ar-08v024</a>	Safety module 24VAC / DC SIL3 & PLe, cULus, EAC, CCC, CE Weight: 0.2000 kg / 0.2000 kg
<a href="#">Fx693 Schalter Endplatte</a>	
<a href="#">Cs Ar-20v024</a>	
<a href="#">Cs Ar-02x230</a>	
<a href="#">Na B112kf - Sakh9h27h1</a>	IEC 60947 - 5 - 1 IP67 DC 13 24V = 2A A13 NA1 - 92698
<a href="#">Fr 601-W3xgm2k70</a>	
<a href="#">Fa 4101-1su1g</a>	
<a href="#">Cs Ar-21x024</a>	
<a href="#">Fr 701-1w3xgm2k70</a>	
<a href="#">Cs Ar-08v230</a>	
<a href="#">028mkv11d01000000000</a>	
<a href="#">028fr996m20000000000</a>	

<a href="#">028f1515000000000000</a>
<a href="#">St DI420mk-D1t</a>
<a href="#">Cs Ar-21m120</a>
<a href="#">Fr 505-1w3xgm2k70</a>
<a href="#">Fd1880 Safety Switch Nc + No Output: 2 -20</a>
<a href="#">Fa 4608-Odu1g</a>
<a href="#">028fd984000000000000</a>
<a href="#">Cs Ar-01v230</a>
<a href="#">Fa 4601-1su1g</a>
<a href="#">Fd 525 Switch With Spiral Coil</a>
<a href="#">Cs Ar-08m120</a>
<a href="#">Cs Ar-22m024</a>
<a href="#">Fr 601-4xgm2k70</a>
<a href="#">Fa 4631-Kdu1g</a>
<a href="#">Fp-611-Xm2 Position Switchposition Switch</a>
<a href="#">Fr 605-1w3xgm2k70</a>
<a href="#">Fd 502-1 Switch</a>
<a href="#">Mk V12d17 Microinterruttore Mk V12d17</a>
<a href="#">Fd556 Interruttore A Leva Dentellata Regolabile Con Rote</a>
<a href="#">Sr AI40am0.1-A01n Safety Sensor</a>
<a href="#">Fr 2096-M2k40</a>
<a href="#">028fd519000000000000</a>
<a href="#">Cs Ar-22v230 Modulo Di Sicurezza Con Funzioni Di Arresto Di Eme</a>
<a href="#">Fa 4101-2dn Sensor</a>
<a href="#">Cs Ar-04m230</a>
<a href="#">Cs Ar-02m230</a>
<a href="#">Fa 4508-Odu1g</a>
<a href="#">028fd525000000000000</a>
<a href="#">Fa 4601-Kdu1g</a>

<a href="#">Sr Al40alk-A01n Safety Sensor</a>
<a href="#">Fd 984 Schalter Endplatte</a>
<a href="#">Fc320 Switch</a>
<a href="#">Cs Ar-21x230</a>
<a href="#">Fd 523</a>
<a href="#">Cs Ar-08xu12</a>
<a href="#">028fr5500000000000000</a>
<a href="#">Fg 60gd1d0z-K900 Schutzschalter Mit Magnet Und Separatem Aktuator</a>
<a href="#">Fs 2996d024 Interruttore Di Sicurezza Con Elettromagnete N.D.</a>
<a href="#">Cs Ar-20x120</a>
<a href="#">Cs Ar-20v120</a>
<a href="#">Fd 536</a>
<a href="#">Fr 701-2w3xgm2k70</a>
<a href="#">Cs Ar-01me02</a>
<a href="#">Fa 4502-Odu1g</a>
<a href="#">Cs Ar-46m024</a>
<a href="#">2998d024-F7</a>
<a href="#">Cs Ar-20x230</a>
<a href="#">Fg60dd1e0b-F21g Swtch</a>
<a href="#">Vf Ca5pd0m Pizzato Elettrica M12 Kabel, Stecker: Gerade, 5-Polig, Kabel 10 M</a>
<a href="#">028fd576k21t60000000</a>
<a href="#">Fr 501-4xgm2k70</a>
<a href="#">Fr 601-1w3xgm2k70</a>
<a href="#">Fa 4808-Kdu1g</a>
<a href="#">Mf 15 Micro A Pulsante Filettato Con Rotella</a>
<a href="#">Cs Ar-05m120</a>
<a href="#">Fr 702-W 3xgm2k70</a>

<a href="#">Cs Ar-41m024</a>
<a href="#">Fd556-M2 Fd 556-M2</a>
<a href="#">Ff4508-2dn Schalter</a>
<a href="#">Cs Ar-06x230</a>
<a href="#">Fa 4101-Odu1g</a>
<a href="#">Cs Ar-02m024</a>
<a href="#">Cs Ar-23x230</a>
<a href="#">Fk 3302 Interruttore A Leva Con Rotella</a>
<a href="#">Cs Ar-21x120</a>
<a href="#">Fa 4801-Odu1g</a>
<a href="#">Cs Ar-01x024</a>
<a href="#">Cs Ar-01m230</a>
<a href="#">Fr 601-2w3xgm2k70</a>
<a href="#">Fr 702-4xgm2k70</a>
<a href="#">Cs Ar-25m024</a>
<a href="#">Fs2996d024-Fm2 Schalter Mit Solenoid</a>
<a href="#">Fa 4801-Kdu1g</a>
<a href="#">Fr 502-4xgm2k70</a>
<a href="#">Cs Ar-20m024</a>
<a href="#">Cs Ar-08v120</a>
<a href="#">Fl 551-1 Interruttore A Leva Girevole Con Rotella</a>
<a href="#">Fg60cd6d0b Switch</a>
<a href="#">Fa 4501-1su1g</a>
<a href="#">Fg600d1d0z-K900 Cockpit Closure End Piece</a>
<a href="#">028stdl420mkd1t00000</a>
<a href="#">Fr-615-J1 Switch</a>
<a href="#">028srbd40alk00000000 Sr Bd40alk Sicherheitsmagnetsensor</a>
<a href="#">Fr-638-W3 Switch ( Not Self-Returning)</a>
<a href="#">Fs 2096d024 Interruttore Di Sicurezza Con Elettromagnete N.D.</a>

<a href="#">028fx502m200000000000</a>	
<a href="#">Fr 602-1w3xgm2k70</a>	
<a href="#">028fc302000000000000</a>	
<a href="#">Fd 1883-?6 End-Schalter</a>	
<a href="#">Fa 4602-Odu1g</a>	
<a href="#">Fa 4108-Odu1g</a>	
<a href="#">Cs Ar-04v120</a>	
<a href="#">Vf L52 Straight Lever Roller Diameter 20mm</a>	
<a href="#">Fs 3096e024-F1 Switch</a>	
<a href="#">Fa 4608-Kdu1g</a>	
<a href="#">Cs Ar-24v024</a>	
<a href="#">Cs Ar-23m024</a>	
<a href="#">Cs Ar-06v024</a>	
<a href="#">Sr Ad40an2 Schalter Sicherheit</a>	
<a href="#">028fr530m100000000000 Fr 530-M1 Positionsschalter Mit Geradenschwenkhebel Mit Rolle</a>	
<a href="#">Fr 531 Interruttore Di Posizione A Leva Girevole Con Rote</a>	
<a href="#">Fr 501-W3xgm2k70</a>	
<a href="#">Cs Ar-46x024</a>	
<a href="#">Cs Ar-01v120</a>	
<a href="#">Fr 502-1w3xgm2k70</a>	
<a href="#">Fr 701-W3xgm2k70</a>	
<a href="#">Lk S1d001</a>	Lock-out device for NS series. RIGHT 2020/08
<a href="#">Fa 4101-Kdu1g</a>	
<a href="#">Cs Ar-06m024</a>	
<a href="#">Fa 4131-Kdu1g</a>	
<a href="#">Fr 1110-T6 Endschalter</a>	
<a href="#">028fd2016m200000000000</a>	
<a href="#">Cs Ar-40m024</a>	





<a href="#">Fd 1058 Positionsschalter Ohne Antrieb</a>	
<a href="#">Fa 4802-Kdu1g</a>	
<a href="#">Fr 602-4xgm2k70</a>	
<a href="#">Fa 4102-Odu1g</a>	
<a href="#">028nsd4az1smkf41vs0</a>	
<a href="#">Fr 615-M2 Endschalter</a>	
<a href="#">Fr 605-W3xgm2k70</a>	
<a href="#">Fr 502 B12 Fr1-61771 Endschalter Mit Einseitiger Rolle</a>	
<a href="#">028smb02f00000000000</a>	
<a href="#">Cs Ar-08x024</a>	
<a href="#">Fl 502 Endschalter</a>	
<a href="#">Fa 4131-Odu1g</a>	
<a href="#">Cs Ar-91x024</a>	
<a href="#">An S1b003a-Pn3</a>	Security door handle, P-KUBE Krome for NS switch cULus, TÜV, EAC, CE, SIL 3, PLe Weight: 0.4000 kg / 0.4000 kg White handle with 24V / DC RGB LEDs, 1NO (GREEN) illuminated pushbutton, 3 meter connection cable
<a href="#">Cs Ar-01x230</a>	
<a href="#">Cs Ar-22v120</a>	
<a href="#">Fr 1831-S1 Switch</a>	
<a href="#">Cs Ar-23v120</a>	
<a href="#">Fs 2898d024 Interruttore Di Sicurezza Con Elettromagnete N.D.</a>	
<a href="#">Ff 4115-3dn</a>	
<a href="#">Cs Ar-22x120</a>	
<a href="#">Cs Ar-06v120</a>	
<a href="#">028fr219300000000000</a>	
<a href="#">Fr 501 Interruttore Di Posizione A Pistoncino Corto</a>	
<a href="#">Cs Ar-21v120</a>	
<a href="#">Fa 4508-Kdu1g</a>	
<a href="#">Fd 2225 Endschalter</a>	
<a href="#">Vf L52</a>	

[Cs Ar-02v230](#)

[Fd 531-1 Switch](#)