



Pizzato Elettrica

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Pizzato Elettrica Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Pizzato Elettrica Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
FD 515 05/22	
MK V12D40-T6	Microswitch with lever with roller 1NO + 1NC in exchange Ambient temperature: -40 ° C - + 85 ° C Customs tariff number: 85369095 Country of origin: Italy
NA B110BB-SAKH0	Modular pre-wired switch with Roller tappet 1NO + 1NC snap contact
NA B112KF-SAKH9H27H1	Modular pre-wired switch with straight adjustable swivel lever 1NO + 1NC snap contact
FD1878-M2	Safety rope pull switch with reset Slow action 1NO / 1NC with forced separation Weight: 0.2000kg / 6.0000kg Metal housing, IP67, IMQ, cULus, EAC, CCC, CE
SR BD40ALK-B02F	Safety magnetic sensor with actuator, 2NC (closed protective device)
SR AD41AN2-A01N	Safety magnetic sensor with actuator 2NC + 1NO (closed Protective device), 24V AC / DC Housing made of glass fiber reinforced Technopolymer, IP67 / IP69K 2m connection cable, exit on the right Actuating distance 5mm SIL 3, PL e, CE, cULus, Tv Sd PIECE contains 1 PIECE Weight: 0.1780kg / 5.3400kg
E2 1RJ459AAK	RJ45-Port, CE,cULus,EAC 01/2022
NA G110BB-DN2	Roller lever with cast Connecting cable 2m, 1NO+1NC sneak contact Weight: 0.3750kg / 3.7500kg Metal housing, metal connector with cable - 5 x 0.75 m ² , IP67 cULus,IMQ,EAC,CCC,CE
HP AA053M-0.2PM	Safety hinge switch 01/2022 2NO/2NC slow-action contact Metal housing, 0.2m connecting cable with M12 connector 5- pin IP67/IP69K Up to SIL 3, PL e; CE,IMQ,cULus,CCC,EAC
FR 9C2	Safety switch with swivel lever 01/2022 2NC slow-action contact Plastic housing, IP 67 Up to

	SIL3,PLe,CE,IMQ,cULus,CCC,EAC
NG 2D1D411A-F31	RFID safety locking device 9750 N, 24VDC 01/2022 Quiescent current principle, metal housing, IP67/ IP69, with high coding level VN actuator NG-F31 SIL 3, PL e,CE,cULus,TUV South,EAC,ECOLAB
CA 201	144-201-000-1 144-201-000-4 144-201-000-2
B112KCDN2	
SR AL40ALK-A01N	Magnetic sensor, 2NC, connector M8 Weight: 0.0520kg / 0.0520kg Output left, SIL 3 + PL e, IP 67 (69K), cULus,TV, EAC, CE, with actuator A01N: 5mm, Customs tariff number: 8536.90.95, country of origin: Italy
60947 5-1	
FR 2093	
FS 3096D024-F3	
HP AA050F-2PNH90	
MK V11F62-T7	Microswitch 1NO/1NC changeover contact 10/2022 With lever and adjusting screw For -25°C - +120°C IMQ,cULus,EAC,CCC,CE Weight: 0.3200kg / 0.3200kg
FL 1883	
ST DD210MK-D0T	RFID security sensor, 24Vdc With actuator, low coding level, 5-pin M12 connector plug from the right 2 safety outputs OS1-OS2, Message output O3 IP67/IP69K, up to SIL 3, PL e; cULus, EAC, TV SD, ECOLAB, CE
CS AT-02X024	Safety module 1 or 2 channels, 24VAC/DC Category 4, EN 954-1, 2NO/1NS/2NO plug connection with spring terminals, CE, CCC, cULus, EAC, IMQ
SR AD40ALK	Magnetsensor 2NC, SIL 3, PL e, IP67 & IP69K 01/23 2NC, SIL 3, PL e, IP67 & IP69K integrated connector M8 right, cULus,TV SD,EAC,CE Weight: 0.1800kg / 0.1800kg
FS2898D024	Safety locking device 1100 N Quiescent current principle, 24 Vac/dc 1NO/1NC electromagnet, 1NC actuator Housing made of fiberglass reinforced. Technopolymer, IP67 Emergency release with key Up to SIL 3, PL e CE,IMQ,cULus,CCC,EAC
NA G110BB-DMKGHO	
FR501	Position switch with dome plunger 03/24 1NO/1NC snap contact, housing excl Technopolymer, IP67, cable entry PG13.5 CE,IMQ,cULus,CCC,EAC
Fd 538 Interruttore Senza Leva	
Mkv11d10 Mk V11d10 Mikroschalter Mit Einem Gewinde Versehenen Kolben	
	RFID guard locking with electromagnet SIL 3 / PL e, cULus,

Cs Ar-91m024	
Fa 4531-Kdu1g	
Vf L32 Lever With An Adjustable Round Rod 3x125 Mm	
Fr 605-4xgm2k70	
Fr 531 Endschalter; Drehhebel Mit Rolle; No + Nc; 10a; Max500vac; Pg13,5	
Fr 505-2w3xgm2k70	
Fd 1002-1	
Cs Ar-02me02	
Cs Ar-41v024	
Fs2096d024-F7	Safety switch with separate actuator with lock series FS; 1NO + 2NC triggered by the electromagnet; 24Vac / dc; IP67
Cs Ar-02m120	
Fa 4631-Odu1g	
028nag222kgdn2000000	
Cs Ar-08x230	
Fm 512 6? 400 ?Ac Pg13,5 Ip67 - 25 No+nc	
Pzzfr638 Spitze	
Fr 515-1m1	
028fr181510000000000	
028fs2896e024f200000	
028vfb1102g000000000	
Ff 4515-Ksm Precablato Serie Ff	
028fi576t600000000000	
Fs 2098 D 024 Safety Switch With Solenoid	
Vf Keyf2 Azionatore Snodato	
Fr 605-2w3xgm2k70	
Vfapp11b201m Lever	
Cs Ar-20m230	

Ms 60 Mikroschalter Mit Hebel Und Verstellbarem Schraube
Fa 4802-Odu1g
Cs Ar-08
028fr2096m2k40000000
Fr 2096 Endschalter
028vfb502g0000000000
Fr 692-D1 Interruttore Di Sicurezza A Chiave
Fd 525-T6 End-Schalter
Fc351 Switch
Ms15 Microswitch
028nfg110abdn1000000
Vf Keyf28 Actuator
Fr 607-G Interruttore Di Posizione A Leva Angolare Regolabi
Fr550 Endschalter; No + Nc; 10a; Max250vac; Pg13,5; Ip67
Cs Ar-01xe02
Fd536
Cs Ar-08mu12
Cs Ar-05v120
Fa 4102-Kdu1g
Fl 542 Endschalter
028fp631000000000000
Fa 4831-Kdu1g
Cs Ar-01x120
Cs Ar-25v024
028csar91v02400000000 Cs Ar-91v024 2 No Safety Contacts, 1 No Auxiliary Opto-Isolated Contact
Fr 515-1 Limit Switch
028fr5550000000000000
Cs Ar-21v230

Ff 4508-2dnt6 Sensor
Cs Ar-22m230
Fr 638-W3 Limit Switch
Ff 4610-6dg Wege-Schalter Mit Integriertem Kabel Mit Einem Gewinde Versehnen Kolben Kolben
Cs Ar-06x024
Fr 705-1w3xgm2k70
028fd2093f2m20000000
028ff41153dn00000000
028csam01ve010000000
Mk V11d5 Switch
Fr 569-M1 End-Schalter
Fa 4602-1su1g
Cs Ar-02x024
Cs Ar-20v230
Cs Ar-04x120
Fd 984 Switch
028hpaa052d01pm00000
Fr 701-4xgm2k70
Cs Ar-02v024
Fr515-1
Fd 525
Cs Ar-02ve02
Fa 4502-1su1g
Cs Ar-05m024
Fd 538 End Switches
Punkt-Sicherheitsschalter FI502
Fd519
Fx 993-D1m2
028fr515w3xm2r28

Cs Ar-21m230	
Cs Ar-05m230	
Fr 515-M1 Fr 515-M1	
Cs Ar-07x024	
028fd188300000000000	
Fd874 Interruttore Di Sicurezza A Fune	
Fr 505-W3xgm2k70	
Cs Ar-40v024	
Cs Ar-23x024	
028csar07m02400000000	
Fa 4831-Odu1g	
Fd 525-T6 Interruttore Di Posizione Ad Asta A Tutta Molla, C	
Cs Ar-04	
028fr692d000000000000	
Cs Ar-04x230	
Fp 1878-M2 Schalter	
Cs Ar-08vu12	
Cs Ar-02xe02	
Fa 4101-2dn Schalter	
028fl531000000000000000 FI 531 Positionsschalter Mit Geradem Schwenkhebel Mit Rolle	
Cs Ar-04m120	
028fs2898d024fm20000	
Cs Ar-20m120	
Cs Ar-07m024	
Cs Ar-01mv024	Safety module 1 or 2 channels, 24VAC / DC SIL3 & PLe, cULus, EAC, CCC, CE, output: 2NO / 1NC
Fa 4808-Odu1g	
Ar-07m024 Modul Sicherheit	
Fd519-T6 Inhaltssensor Zaun Walzen 1 Throw (Potenzialfreier Kontakt) 0,05 -	

250 Ac_1000ma	
028fd188400000000000	
VF B501	1NO/1NC Sprungkontakt, IP20, CE,IMQ,cULus,CCC,EAC
028fp576m2k170000000	
Fr 602-2w3xgm2k70	
V12d15-T6 Mikroschalter	
Pzzcsar-51v024 Modulo Di Sicurezza Con Funzioni Di Arre	
Cs Ar-08m230	
Cs Ar-04v230	
Fd 1878 Sicherheitsschalter:1-Seitiger Seilschalter	
Cs Ar-06x120	
Fd 552-M2 Limit Switch With Roller Lever	
028fr501m100000000000	
Cs Ar-05	
Fl 576-K125 Endschalter	
Fp9r2-F1	
028mkv11d40000000000	
028fr693d1x0000000000	
Cs Ar-05x024	
Cs Ar-20x024	
Cs Ar-21m024	
Cs Ar-06m120	
Sm A01n Kodierende Magnetischer Antrieb	
Px 10210	
Fa 4802-1su1g	
Cs Ar-23m120	
Cs Ar-01v024	
Fx993 Schalter Endplatte	
Vf Keyf1 Actuator	

Fg 60ad5d0a Switch
Fd 531 Switch
Fd525-T6 Sensorsteuerung Fluchtpunkt Band-1nc-1no (Potenzialfreier Kontakt). 250v Ac, 6a 24v Dc, 6a
St DI420mk-D1t Sensor
028fd103100000000000
Fa 4801-1su1g
E2 1usb9cn1.8
Cs Ar-91v024
Cs Ar-05x230
Cs Ar-08x120
Sr Bd40an2
Fd 525-T6 Wege-Schalter
Fd 2256 Endschalter
Fx993
028fx2093e3d10000000
Cs Ar-02x120
Cs Ar-05v024
Fr 505-4xgm2k70
Fs2096d024
Cs Ar-22m120
Cs Ar-01m120
Cs Ar-40x024
Cs Ar-06
028fr555w3xm2r240000
Fa 4501-Odu1g
Ng 2d1d411a-F31k953 Switch
FI 576 Interruttore Di Posizione Per Azionamento C
Cs Ar-46v024
Fe 431 Limit Switch

Vffg-Lp60 Button
Fr 501-2w3xgm2k70
Fr 1630-M1 Fr 1630-M1
Fa 4108-Kdu1g
Cs Ar-21v024
Cs Ar-22x230
Fr 569-M1 End Switch
Cs Ar-06m230
028csar01v02400000000
Fd 2084-M2k40 Switch
Fr525 Interruttore Asta A Tutta Molla
Cs Ar-24m024
Cs Ar-23v230
Fa 4501-Kdu1g
Fr1-322506 Sensor
028fx6020000000000000
Cs Ar-23m230
Cs Ar-24x024
Ng 2d1d411a-F30 Circuit Breakers
Cs Ar-23v024
Fr555-1
Ff4115-3dn End Sensor.
Fr 705-4xgm2k70
Fd 1638
Cs Ar-25x024
Fr 602-W 3xgm2k70
Cs Ar-22v024
St DI420mk-D1t Sensore Di Sicurezza Con Tecnologia Rfid
Cs Ar-06v230
K06 Fa1 6201

028fd2078gt600000000	
Fa 4601-Odu1g	
Fr 702-1w3xgm2k70	
Cs Ar-01ve02	
Cs Ar-07	
Fd 984 Interruttore Di Sicurezza A Fune Conreset	
Cs Ar-22v230	
028csar93v0240000000 Cs Ar-93v024 3 No Safety Contacts, 1 Nc Auxiliary Contact	
Fr 502-2w3xgm2k70	
Cs Ar-08v024	Safety module 24VAC / DC SIL3 & PLe, cULus, EAC, CCC, CE Weight: 0.2000 kg / 0.2000 kg
Fx693 Schalter Endplatte	
Cs Ar-20v024	
Cs Ar-02x230	
Na B112kf - Sakh9h27h1	IEC 60947 - 5 - 1 IP67 DC 13 24V = 2A A13 NA1 - 92698
Fr 601-W3xgm2k70	
Fa 4101-1su1g	
Cs Ar-21x024	
Fr 701-1w3xgm2k70	
Cs Ar-08v230	
028mkv11d01000000000	
028fr996m20000000000	
028fl515000000000000	
St DI420mk-D1t	
Cs Ar-21m120	
Fr 505-1w3xgm2k70	
Fd1880 Safety Switch Nc + No Output: 2 -20	
Fa 4608-Odu1g	
028fd984000000000000	

Cs Ar-01v230
Fa 4601-1su1g
Fd 525 Switch With Spiral Coil
Cs Ar-08m120
Cs Ar-22m024
Fr 601-4xgm2k70
Fa 4631-Kdu1g
Fp-611-Xm2 Position Switchposition Switch
Fr 605-1w3xgm2k70
Fd 502-1 Switch
Mk V12d17 Microinterruttore Mk V12d17
Fd556 Interruttore A Leva Dentellata Regolabile Con Rote
Sr Al40am0.1-A01n Safety Sensor
Fr 2096-M2k40
028fd519000000000000
Cs Ar-22v230 Modulo Di Sicurezza Con Funzioni Di Arresto Di Eme
Fa 4101-2dn Sensor
Cs Ar-04m230
Cs Ar-02m230
Fa 4508-Odu1g
028fd525000000000000
Fa 4601-Kdu1g
Sr Al40alk-A01n Safety Sensor
Fd 984 Schalter Endplatte
Fc320 Switch
Cs Ar-21x230
Fd 523
Cs Ar-08xu12
028fr5500000000000000

Fg 60gd1d0z-K900 Schutzschalter Mit Magnet Und Separatem Aktuator
Fs 2996d024 Interruttore Di Sicurezza Con Elettromagnete N.D.
Cs Ar-20x120
Cs Ar-20v120
Fd 536
Fr 701-2w3xgm2k70
Cs Ar-01me02
Fa 4502-Odu1g
Cs Ar-46m024
2998d024-F7
Cs Ar-20x230
Fg60dd1e0b-F21g Switch
Vf Ca5pd0m Pizzato Elettrica M12 Kabel, Stecker: Gerade, 5-Polig, Kabel 10 M
028fd576k21t60000000
Fr 501-4xgm2k70
Fr 601-1w3xgm2k70
Fa 4808-Kdu1g
Mf 15 Micro A Pulsante Filettato Con Rotella
Cs Ar-05m120
Fr 702-W3xgm2k70
Cs Ar-41m024
Fd556-M2 Fd 556-M2
Ff4508-2dn Schalter
Cs Ar-06x230
Fa 4101-Odu1g
Cs Ar-02m024
Cs Ar-23x230

Fk 3302 Interruttore A Leva Con Rotella
Cs Ar-21x120
Fa 4801-Odu1g
Cs Ar-01x024
Cs Ar-01m230
Fr 601-2w3xgm2k70
Fr 702-4xgm2k70
Cs Ar-25m024
Fs2996d024-Fm2 Schalter Mit Solenoid
Fa 4801-Kdu1g
Fr 502-4xgm2k70
Cs Ar-20m024
Cs Ar-08v120
Fl 551-1 Interruttore A Leva Girevole Con Rotella
Fg60cd6d0b Switch
Fa 4501-1su1g
Fg600d1d0z-K900 Cockpit Closure End Piece
028stdl420mkd1t00000
Fr-615-J1 Switch
028srbd40alk00000000 Sr Bd40alk Sicherheitsmagnetsensor
Fr-638-W3 Switch (Not Self-Returning)
Fs 2096d024 Interruttore Di Sicurezza Con Elettromagnete N.D.
028fx502m200000000000
Fr 602-1w3xgm2k70
028fc302000000000000
Fd 1883-?6 End-Schalter
Fa 4602-Odu1g
Fa 4108-Odu1g

[028fs2998d024f700000](#)

[Cs Ar-04x024](#)

[Na B110ab-Dn10 Interruttore Serie Na
Completo Di Imballo](#)

[Fr 702-2w3xgm2k70](#)

[Fa 4531-Odu1g](#)

[Fd 1884-?6 End-Schalter](#)

[Fr-1630-?1 Position Switch](#)

[Ff 4515-Ksm Switch](#)

[Cs Ar-08m024](#)

[Fl 558 Positionsschalter.](#)

[Cs Ar-04v024 Modulo Di Sicurezza Con
Funzioni Arresto E Control](#)

[Fg60dd1eob-F21g Safety Switch](#)

[Cs Ar-02v120](#)

[028fm1852m2000000000](#)

[Cs Ar-22x024](#)

[Fd525 Interruttore Di Posizione Ad Asta
A Tutta Molla](#)

[Fd1031 End Switch With Roller Lever](#)

[028fd538000000000000](#)

[Mk V11d10 Microswitch](#)

[028mkf11f45gr1600000](#)

[Pzzcsar-01v024 Modulo Di Sicurezza Con
Funzioni Di Arre](#)

[Fd 1058 Positionsschalter Ohne Antrieb](#)

[Fa 4802-Kdu1g](#)

[Fr 602-4xgm2k70](#)

[Fa 4102-Odu1g](#)

[028nsd4az1smkf41vs0](#)

[Fr 615-M2 Endschalter](#)

[Fr 605-W 3xgm2k70](#)

Fr 502 B12 Fr1-61771 Endschalter Mit Einseitiger Rolle	
028smb02f000000000000	
Cs Ar-08x024	
Fl 502 Endschalter	
Fa 4131-Odu1g	
Cs Ar-91x024	
An S1b003a-Pn3	Security door handle, P-KUBE Krome for NS switch cULus, TÜV, EAC, CE, SIL 3, PLe Weight: 0.4000 kg / 0.4000 kg White handle with 24V / DC RGB LEDs, 1NO (GREEN) illuminated pushbutton, 3 meter connection cable
Cs Ar-01x230	
Cs Ar-22v120	
Fr 1831-S1 Switch	
Cs Ar-23v120	
Fs 2898d024 Interruttore Di Sicurezza Con Elettromagnete N.D.	
Ff 4115-3dn	
Cs Ar-22x120	
Cs Ar-06v120	
028fr2193000000000000	
Fr 501 Interruttore Di Posizione A Pistoncino Corto	
Cs Ar-21v120	
Fa 4508-Kdu1g	
Fd 2225 Endschalter	
Vf L52	
Cs Ar-02v230	
Fd 531-1 Switch	