



Planetroll

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Planetroll Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Planetroll Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Typ MRV-1P11-7,667-4(11k6x23)	602-10205 Variable speed drive unit planetroll consisting of: ----- ----- a) Control gear "p l a r o m a s t e r" b) planetary gear Technical specifications ----- ----- Control element: right Design: B3 / B14-like Installation position: 1 Speed range: 0 to about 143.5 rpm Output torque: max. 4.5 Nm from 2.6 to 88.3 rpm approx. 2.9 Nm 143.5 rpm (n1 = 2800 rpm, P1 = 0.067KW) Weight: approx. 2 kg / pc Customs tariff number: 8483 40 59
(0,12D2) AR1Z0-11,3-1	
(0,37D2)MR3-1(PD085-10-420k6x40)	
0,047D2MRV-4(8h6x22) 602-07672	
0,12D2MR1-1S031-15-0111(So)	
0,18D4MR3P1Z051-1342,45-2 602-11336	
0,25D2AR 2-3 1M /4,2 - 30/100	
0,37D4(Ex)dMR3-3(14h6x30)	
0,55D4MR5	
0.047D2L1N-4	
0.37D4(Ex)MR3-2(160,19h6x40)	
012D2AR1-1303-15-011	

202-00485
202-00489
202-00500
202-00502
202-01274
202-01310
202-01314
2047.1351.4
401-00501
402-00040
402-00195
402-00207
402-00234
403-00039
405-00155
405-00169
405-00217
405-00227
405-00253
602-07670
602-08042 + 302-00008 + 302-00002 + 301-00962
602-08156
602-11894
603-01953
603-01962
603-10273
7,5D4MR11ZF83-57,43-0110(100H7x366)
AbstandhalterNr.28 (202-00525)
ANGA-112MB-040(NOT OFFERED)
CRW-131(Ex)-601-01719
freie Antriebswelle 14h6x30 Nr.24/1 (202-00286)
MR7-1/3 (24h6x50)
PD065-dAD005-1FA1
PD065-HAI004-1AA1
PD065-HAT028-1AA1 (603-10944)

PD085-GAU010-1AA1 (603-01953)	
PD155-CAC010-1AA1	
Pos.E160 (401-00495)	
reducer for PD065-HAT028-1AA0	
Schragkugellager 7210 B Nr.35 DIN 628 (402-00153)	
SFA7-D-32/FNR 93 93 1405,D P 3706716.8	
Typ M 063 B 1400/15	
Typ MA3Z01-12,557-1(16k6x40) (602-08156)	
Übertragungskugel D.18 Nr.34(0,143 kg/1 Satz/set) 402-00206	
VARIOTRAC 68P 32	
MRV-1P11-7,667-4(11k6x23)	consisting of: ----- 1) Control gear "p l a r o m a s t e r" 2) Footplate 3) Control element 4) Planetary gears Technical data ----- ----- Control element: right Design: B3/B14 similar Installation position: 1 Speed range: 0 to approx. 143.5 1/min Output torque: max. 4.5 Nm from 2.6 to 88.3 1/min approx. 2.9 Nm 143.5 1/min (n1= 2800 1/min, P1= 0.067KW) Plaromaster type MRV control gearbox Drive side: free drive shaft diameter 8h6 x 20 2 302-00017 1 PCS Foot plate size 1N + MRV (standard version 10 mm) 3 302-00002 1 PCS Control element type: HVN, coarse scale 0-12, fine scale 0-100 4 301-00967 1 PCS Planetary gear Type P11-4, B14-like key version, reduction i = 7.667; Centering Ø 40j6x9, 4x Bo.M4x8 on TK-D.52; Output shaft Ø 11k6 x 23, (Max. permissible output torque M2=4.5 Nm).
PD120-cAG007-0AA1	603-02558 1-stage planetary gearbox type planetdrive PD120 Reduction: i = 7 Torsional backlash: <= 10 arcmin drive side: Flange code: 120AG19/24 Drive hollow shaft: Ø24 with reducing bush Ø24/Ø16 Centering: Ø80 4x M6 on TK100 output side: Centering: Ø80h7x10 4x M8x16 on TK100 Output shaft: Ø25k6 x 50 half key inserted Nominal torque: T2nominal = 90 Nm at n1 = 3000 1/min Surface: black ring gear Lifetime lubrication (For technical details see planetdrive catalog)
601-01354	planetroll compact agitator Type: ARW-101(Ex)-601-01354 ===== Drawing number: 601-01354
602-12216	1 202-00477 1 STK ** Internal mechanical speed limitation** 2 302-07295 1 STK Plaromaster type MR3 variable speed gear - silicone-free drive side: for motor mounting size 71, B14-105 (with lantern, coupling and inspection hole) output side: B5 flange diameter 160, so. output shaft diameter 20k6x40 3 302-01466 1 STK operating element type HVK 5 for AR2-AR5/MR3+MR5: handwheel (d0=50) with fine adjustment scale; coarse scale 0 - 12, fine scale 0 - 100 4 602-08842 1 STK + paint finish RAL 7035 - light gray
Typ mrv-1p11-7,667-4(11k6x23)	Control gear drive unit planetroll consisting of: ----- a) Variable speed gearbox "p l a r o m s t e r" b) planetary gear Technical specifications ----- Control element: right Design: B3 / B14-like Installation position: 1 Speed range: 0 to approx.143.5 1 / min Output torques: max. 4.5 Nm from 2.6 to 88.3 1 / min approx. 2.9 Nm 143.5 1 / min (n1 = 2800 rpm, P1 = 0.067KW) Weight: approx. 2 kg / pc Customs tariff number: 8483 40 59
602-11180 .9303002	
Arw-1011	
	Control gear Drive unit planetroll consisting of: ----- a) Variable speed gearbox "p l a r o m s t e r" b) planetary gear Technical

[Mrv-1p11-7,667-4\(11k6x23\)](#)

specifications ----- Control element: right Design: B3 / B14-like Installation position: 1 Speed range: 0 to approx.143.5 1 / min Output torques: max. 4.5 Nm from 2.6 to 88.3 1 / min approx. 2.9 Nm 143.5 1 / min (n1 = 2800 rpm, P1 = 0.067KW) Weight: approx. 2 kg / piece

[Mrv-1p11-7,667-4](#)

[Pdo65](#)

[Pd085-Hau010-1aa0](#)