



Pompe Cucchi Srl

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Pompe Cucchi Srl Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Pompe Cucchi Srl Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Gear Pump Type Fg 10/C	Same pump like old type FG10/030ABE0 with S/N 57335 – Year 2006 Flow : 600 Lt/h Delivery pressure : 15 bar max Suction pressure : 0 bar Differential pressure : 15 bar max. Pumped liquid : Not available Liquid temperature: Not Available Viscosity: 15÷350 cPs Description: Pump in Cast Iron – Driving and Driven gear in Carbon Steel C45 – shafts in treated Carbon Steel 18NCD5 – Mechanical seal CERAMIC/GRAPHITE/FPM – Rotation CCW motor side view – bushes in sintered DU – Connection 3/4" BSP – Lantern installation – Standard joint Motor 0,75kW – 4 poles – 400/3/50 – B3/B14 – Size 80 – IP55
FUEL PRESSURE BOOST PUMP	FLOW VALUE 70-1000 PPH PRESSURE VALUE 0-50 PSIG EXPLOSION-PROOF ENGINE FLUID JP-8 P/N: POMPE CUCCHI NAX 10/C Gear Metering Pump Type The electric motor and pump will come coupled (as a whole). Electric motor; It will be ATEX class protection class. The product will have a CoC certificate - obtained from the manufacturer. The operating values of the product will be documented in writing.
N. 1 driver shaft pos. 5E	

N. 1 driven shaft pos. 6	
N. 1 driver gear pos. 7	
N. 1 driven gear pos. 8	
N. 4 bushes pos. 9	
N. 2 gaskets pos. 24	
N. 1 central body pos. 3	
N. 1 gear pump MK313 with motor 3450 RPM	Body: SS316 2. Gears: PTFE Carbon 3. Shafts: SS316 4. OR: PTFE – 2 pols motor suitable for inverter
0,37 KW 4POLS 400/3/50 IP54	
Nax10/X10gve0	
F0z015wzddna002	
Ftg010wecdne001 Nr	
D0nex020011ih	
Certificate Of Origin (By Chamber Of Commerce)	
St 10324 Bronze (Amplifier Sza400 In Tc2)	
A0orw3275/00o	
D0nax0010/24a	
D0nex0200/24a	
F0x050wxjdnc000	
V0sec25000est	
Type: Fg10/010fvd0 Sn: 08/69501/B Obsolete, Replaced By F0g010z0cdnb000 Or F0g010z0cdnb001	
Ndx68 Positive Displacement Gear (Internal) Pump	
D00bc0100/57v	
A0orw0153/00o	
D0ncx0041/23ax	
Pump Type M0g005b0cdnp000 Nr	Gear pump with motor 0,25 kW 8 pols 400/3/50 IP55 B3 brand SMEM Pump type M0G005B0CDNP000 Body and cover in cast iron G25 Packing rings with graphite Shafts in hardened carbon steel 18 NCD5 and gears in carbon steel C45 Bushes in sintered material DU Base plate in carbon steel Rotation direction clockwise (view motor side) Motor power 0,25 kW 8

pols 400/3/50 IP55 // B3 Brand SMEM Standard elastic coupling Guard in carbon steel Flow 2,5 l/min Differential pressure 10 bar Pump painting RAL red 3003
***** POMPA LUBRIFICATA
CON OLIO DI VASELINA *****

[F0g010z0cdnb000](#)

[Fmg040becdne001](#)

[F0x050](#)

[Fm-F50](#)

[D0nax0010/22ax](#)

[Nbx14 Positive Displacement Gear
\(Internal\) Pump](#)

[D0neq0200/11i](#)

[Fmg015wecdne022](#)

[Ftg050wecdne001 Nr](#)

[D00bc0025/24a](#)

[D0nex0200/21a](#)

[R00memdm-2/70](#)

[A0dus1415/00d](#)

[F0g010z0cdnb001](#)

[Fm25 1500I/H](#)

[R0memricpt105](#)

[Nbx24/C](#)

O-RING SU-P46V50 (NBX024LOKFOM002), Serial number
140938/10A-10B-10C-10D (11/140938/10D) Manufacturer Part
No: A0ORW3143/000

[Fm625 / Wec0b00](#)

[Fm-F70](#)

[D0nef0200/19d](#)

[Bush Å26 For Fmg25/Wec0b00](#)

[D0net0200/20h](#)

[Nax10/X106ve8 Old Code, New Code
Nax10/X10gve0](#)