

Pompetravaini

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Pompetravaini Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Pompetravaini Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
Volute Casing no. 102	
Casing cover no.161	
impeller no.230 (300mm Durchmesser)	
TCH 80-315 1/C/GS Pump	Volute Casing No.102
TCH 80-315 1/C/GS Pump	Casing cover no:161
TCH 80-315 1/C/GS Pump	Bearings bracket no.330
TRVX 657/1-C/F	1 off Travaini single-stage liquid ring vacuum pump with flat valves of the type TRVX 657/1-C/F in bare shaft version Material of construction TRVX 657/1-C/F Suction casing Cast iron GG25 Discharge casing Cast iron GG25 Impeller casing Cast iron GG25 Shaft Stainless steel AISI 420 Impeller Ductile iron GGG40 Port plates Stainless steel AISI 304 Bearing housing Cast iron GG25 Suction flange DN 65 PN 10 EN 1092-1 Discharge flange DN 65 PN 10 EN 1092-1 Mechanical seals Article code 95B.045.BKC.96H Diameter 45 mm Stationary face Silicon carbide Rotating face Carbon Elastomer Viton Spring Stainless steel AISI 316 Norm DIN 24960
10305110101	
31423C100060	
95A030HPT93V	
95A030HPT95V	
95A045HPT95V	

95A055HPT93V	
95A055HPT95V	
95B045BKC96H	
For TRVA 65-450/C-M/F	
GUARB2C1	
TCD 32-125/2R-R/GS	
TRVX 657/1-CRX	
Repair kit TRHE 32-20/C-M/A3	400.G seal set GUARB95.101 00R 1pc 320 ball bearings 961 006.304.2RS 2pcs 433.2 Mechanical seal RH 950 022.FMA.923 1pc 433.1 Mechanical seal LH 950 022.FMB.923 1pc
GUARB95.101 00R	400.G gasket set
961 006.304.2RS	320 ball bearings
TCT 50-160/1-C/A3 with free shaft end	Pump housing: AISI 316 stainless steel Impeller: AISI 316 stainless steel Pump shaft: AISI 316 stainless steel Mechanical seal: Car / Sic / Kalrez Diameter: 30mm Stationary: Sic Rotating: Carbon Metal parts: AISI 316 stainless steel Elastomers: Kalrez
TCT 50-160/1-C/A3	SN: Y20 Volute casing assembly CORR060.C00.060
TBA 291/1-C/A3 with free shaft end	Pump housing: AISI 316 stainless steel Impeller: AISI 316 stainless steel Pump shaft: AISI 316 stainless steel Mechanical seal: Car / Sic / Viton Diameter: 22mm Stationary: Sic Rotating: Carbon Metal parts: AISI 316 stainless steel Elastomers: Viton
CENTRİFUGAL PUMP; 60 M3/H; 2900 RPM	EX II 3 GC IIB T3; TCD 50-160 / 2-R / GS SERIAL NR: FV077;
TRHE 32-45 / C-M / RZ SN: FB607	Pump housing: gray cast iron GG25 Impeller: AISI 316 stainless steel Pump shaft: stainless steel AISI 420 Mechanical seal: Car / Sic / Viton Diameter: 22mm Stationary: Sic Rotating: Car Metal parts: AISI 316 stainless steel Elastomers: Viton
Pump bearing, small	TCH 65-250/1-c/GS
pump seal	TCH 65-250/1-c/GS
161 Casing cover assembly	part number SCURTCH.250.002
330 Baring bracket assembly part number	SUPRAH2.000.001
TCH50-125/1-C/A3	FAN
TCH 25-200A/1R/A3T	FAN
TCH 50-200/1-C/GS	Pump housing: nodular cast iron GGG40 Impeller: Gray cast iron GG25 Pump shaft: AISI 316 stainless steel Mechanical seal: Car / Sic / Perfluore Diameter: 30mm Stationary: Sic Rotating: Car Metal parts: AISI 316 stainless steel Elastomers: Perfluores Electric motor Power: 15kW Voltage: 400/690V Pohl number: 2P Frequency: 50Hz Flange connection: B3 Frame: 160MB Efficiency: IE3
TCH 80-315/1-C/GS	casing cover :161 Bearing bracket: 330
TRMX 257/1-C/RX/	Pump housing: Grey cast iron GG25 Impeller: Stainless steel AISI 304 Pump shaft: Stainless steel AISI 420 Mechanical seal: Sic / Sic / Perfluore Diameter: 24 mm Stationary: Sic Rotating: Sic Metal parts: Stainless steel AISI 316 Elastomers: Perfluore Electric motor: 1.5kW / 2900rpm / 50Hz / IE3
168 Impeller cover assembly	COGMXR00001
Abb Electrical Motor P=4kw, 1450 Rpm, B5 For Lantern+coupling	

Bearing Frame, Ek-1, Poz No:330	F¼r Model: POMPETRAVAİNI TCH 65-250/1-C/GS
013 05 100041 Ms Locating Ring	
016 23 112001 Mechanical Seal	
Suction Casing, Ek-1, Poz No:102	F¼r Model: POMPETRAVAİNI TCH 65-250/1-C/GS
55.11-965-752-Tpm 075-4 Fluid - Filter Element	
Discharge Cover, Ek-1, Poz No:163.2	F¼r Model: POMPETRAVAİNI TCH 65-250/1-C/GS
320 (961 006310000) Waelzlager	
230 (306 93c110060) Laufrad	
940 (930 060149041) Passfeder	
137.2 (306 74c100060) Steuerscheibe	
Trva 65-300 C-M/F	
521 (966 062765041) Stufenhuelse	
323 27c100061 Laufrad	
95f 030fba931 Unit For Pump	
400.G (Guarb7901000n) Dichtungen Satz	
C.V.E. - Ip55 Ie2 Efficiency / Kw 1,1 / 4p / V 230/400 / Hz 50 / B5 / Frame 90sa Motor	
273 23c110060 230 (Diameter 253)	
95b 024bcc9dc Glrd	
137.3 (306 75c100060) Steuerscheibe	
Baseplate + Elastic Coupling	
940 (930 070128034) Passfeder	
230.1 (306 91c110060) Laufrad	
210.G (Alb B79011041) Wellen Bausatz	
Abb Electrical Motor P=4kw, 1450 Rpm,B3 For Baseplate+coupling Connection	
433 (95b 055bkc96h) Gleitringdichtung (Glrd)	