

Ponndorf

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Ponndorf Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Ponndorf T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
10-035-022	Rotor kompl. P_classic 35 / P_classicplus 35 For pump types P_Classic 35 and P_Classicplus 35 Consisting of rotor with shaft and bearing, rolling rollers, roll axes and discs, as well as touts and feather
12-035-111	Leadership strip set complete: 2 guide strips P_Classicplus 35 For P_Classicplus 35 consisting of 2 pieces of guide strips
10-035-112	Teflone insert set complete 2 inserts type 35 including pencils consisting of: 2 pieces of Teflone inlays, 10 pieces of holding pencils
12-035-061	Pump hose P_Classicplus 35, natural rubber Torture pressure (max.): 4 bar Medium temperature (max.): +80 ° C (for short-term operation) +60 ° C (for continuous operation)
10-035-117	Teflon roller set complete: 3 rolls type 35 including axes & slices consisting of: 3 pieces of teflon rolls, 3 pieces of rollers axes and 6 pieces of roller slices (Suitable for pump types P_Classic 35 and P_Classicplus 35)
Px35,10-035-022	

Spezial-Schmiermittel 1 Kg Pumpenschlauch 21-000-002
10-027-062
Rotor Kompl. P Classic 27 / P Classicplus 27 10-027-022
P Classic 35
Classic 27 With Hose With Nrf
P Classic 50, Naturkautschuk
Natural Rubber
P Classic 35 - Gm/Fuc/Fl
Typ 27
Pump 27-35 With Reducer Adjustable
10-027-060
10-050-117
P Classic 50
Ek300
P Classic 50 Pump
Sk015z-71 L/4
Px50
6gd285x169x3
3 Rollen Typ 27 Inkl. Achsen Amp; Scheiben
Schlauchbruchuberwachung
Art N: 21-000-016
Teflonrollen-Set Komplett: 3 Rollen Typ 35 Incl. Achsen Amp; Scheiben/Art.-Nr. 10-035-117
P-Classic 50 Twin Gm/Fu/Fl Pmax:2bar Modified Pump With Lubricant Bath
P Classic 27
Dwg 1/10117a
P Classic 35 - Gm - Nk
Spezial-Schmiermittel 250 G

[6halbrunddl15x12](#)

[6gd380x265x3](#)

[P_Classic 27, Naturkautschuk 10-027-060](#)

[6balle161](#)

[Pumpenschlauch P_Classic 35, Naturkautschuk](#)

[10-015-060](#)

[6gore10x10](#)