

Positronic

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Positronic Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Positronic T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
PCIH47M400C1/AA	PCIH Series - PCIH Series - 23 size 16 contacts and 24 size 22 contacts - Male - Solder, Right Angle (90°) Printed Board Mount with 2.68 [0.106] tail extension for connection systems 1, 2, 3 and 4 - Not Applicable - Not Applicable - 0.76µ [0.000030 inch] gold over nickel on mating end and termination end - RoHS Compliant
PCIH47F9300A1/AA	STR PF PCB FEM CON 23 size 16 contacts and 24 size 22 contacts female Press Fit, Compliant Termination size 16 and size 20 or size 22 gold flash over nickel on mating end and termination end RoHS konform
CBM8W8S0S50T2X/AA	Military conformance with "closed entry" female Military conformance with "closed entry" female signal contacts plated 0.000050 [1.27µ] gold over nickel plate Shell Size 4 Female - Industrial / Military Level - PosiBand Closed Entry Signal Contacts Swaged Locknut, 4-40 Threads Fixed Female Jackscrews
DD104M100E2S/AA	- DD series - Times - Crimp, 22AWG-30AWG [0.3mm2-0.05mm2] -Mounting Hole, 0.120 [3.05] diameter - Rotating Male Screw Locks - Stainless steel, passivated RoHS

	compliant
CBM2WK2M000E2S/AA	Combo D sub shell size 1
Sg4400e100j0	
Mc6026d	
Rd9m100es/Aa	
Sgmc20s0000j0/Aa	
Smpl20motolb/Aa	
D37000ane0/Aa	D-SUB HAUBE D37000ANE0/AA RoHS konform
Smpl44motolb/Aa	
Dd104s10geo	
9502-11-0-0 Positioner Tool	
Pla03f7000/Aa	
D50000ane0/Aa	LIGHTWEIGHT ALUMINUM CABLE ADAPTER (HOOD) -Shell Size 5 -Top Opening -Includes Rotating Male Jackscrews - Lightweight Aluminum with Nickel Plating -Nickel Plated Steel Jackscrews
Odd62s100es/Aa	
Dd62m100es	
Mc116n/Aa	
Gmct50m00p0v0	
Rd15s100es/Aa	
Dd78s10geo	
Mc8122d/Aa	
Cbm3w6s37s60ts Connector	
Odd62m100es/Aa	
Mmip18m0000-S1106	
Fc602d	
Odd26m100es/Aa	
Dd104m10feo	
Gap20mds6t0000/Aa-S404	
Smpl50motolb/Aa	
Sg5000e100j0	

G9/7500t0000/Aa	
Sgmc50s0000j0/Aa	
Mc120n/Aa	
Dd62m100es/Aa	
D9000ane0/Aa	LIGHTWEIGHT ALUMINUM CABLE ADAPTER (HOOD) RoHS konform
Rd9f100es	
M81969/1-04	
Dd104m100es/Aa	
Rd15m00geo	
G9/7500n0000/Aa	
Dd15m100es/Aa	
Sg2000e100j0	
Gap20mds6t0000/Aa-S403	
Cbm3w3m000es Combo D Mil Spec Shell Size 2 Male Contacts	
Cbm13w6s37s60ts	
Cbm5w5m000es Combo D Mil Spec Shell Size 3 Male Contacts	
Rd9s100es/Aa	
Ms4012d/Aa	
M39029/35-441	
D104000ane0/Aa	HOOD TOP OPENING BACKSHELL
Sgmc44s0000j0/Aa	
Rd25m00geo	
Fc6020d2ch (Moq1 Pack = 25 Pcs) Thermocouple Chromel Size 20	
D25000ane0/Aa	D-SUB HAUBE D25000ANE0/AA RoHS konform
Fc112n2/Aa Contact Female 4qmm	
Odd26s100es/Aa	
Fc8120d/Aa	
Cbm2wk2m000e2s/Aa	

Dd15s00000/Aa
Dd104s100es/Aa
Rd15m100es/Aa
9507-0-0-0 Hand Crimp Tool
Dd78m10geo
Fc6020d2al (Moq1 Pack = 25 Pcs) Thermocouple Cont Size20 Alume
Odd104s100es/Aa
Dd104m100e2s Connector