

Praher

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Praher Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Praher T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
122_353a	PVC / EPDM Labor KH BSP DN 6x1 / 4 "122 353a Internal thread - external thread Seat seal PTFE with accessory set
124280	
124090	
124089	
124088	
124087	
EO510-MVO	
1" with VM code	Valve: 2 Way Full Bore Ball Hand Valve Limit switch box: ATEX IIC/IIB protection class, 2 mechanical switches, 3-dimensional position indicator, Atex cable glands included. 1" DN25 DIN FLANGE ATEX IIC/IIB, IP67/68 Valve: PVDF 2 piece, PTFE (Teflon) Gasketed, Threaded Full Bore and Sleeved
	Valve: 2 Way Full Bore Ball Valve, On-Off Actuators:

1" with VK Code	Pneumatic, DOUBLE acting, O-rings all Viton, Limit switch box: ATEX IIC/IIB protection class, 2 mechanical switches, 3-dimensional position indicator Solenoid and valve: 24VDC, ATEX IIC/IIB protection class, NAMUR Type 5/3 Double Coil Directional Control Valve, SS316L Unions included. 1" DN25 DIN FLANGE ATEX IIC/IIB, IP66/67/68 Valve: PVDF 2 piece, PTFE (Teflon) Gasketed, Gear Full Bore
1" with VU-L code	Valve: 3 Three Way L-Port Threaded Ball Valve, On-Off Actuators: Pneumatic, DOUBLE acting, O-rings all Viton, Limit switch box: ATEX IIC/IIB protection class, 2 mechanical switches, 3-dimensional position indicator Solenoid and valve: 24VDC, ATEX IIC/IIB protection class, NAMUR Type 5/3 Double Coil Directional Control Valve, SS316L Unions included. 1" DN25 DIN FLANGE ATEX IIC/IIB, IP66/67/68 Valve: PVDF LPORT PTFE (Teflon) Gasketed, Gear Full Bore
1 1/2" with VD code	Valve: Butterfly valve, On-Off Actuators: Pneumatic, single acting, O-rings all Viton, Limit switch box: ATEX IIC/IIB protection class, 2 mechanical switches, 3-dimensional position indicator Coil Directional Control Valve, Unions included. Solenoid and valve: 24VDC, ATEX IIC/IIB protection class, NAMUR Type 5/3 Pair DN40/DN50 DIN FLANGE ATEX IIC/IIB, IP66/67/69 Valve: PTFE COATED PTFE (Teflon) Gasketed, flanged
PVC/EPDM KH S6 2W d20 adhesive socket ASTM	128237
PVC/EPDM KH S6 2W d25 adhesive socket ASTM	128238
PVC/EPDM KH S6 2W d32 adhesive socket ASTM	128239
PVC/EPDM KH S6 2W d50 Klebemuffe ASTM	125496
PVC threaded socket NPT 1/2" 140188	
PVC Gewindemuffe NPT 3/4" 140448	
PVC threaded socket NPT 1" 140189	
PVC threaded socket NPT 1 1/2" 140190	
PVC RSV S4 spring PTFE coated d25	BSP 127013
PVC RSV S4 spring PTFE coated d32	BSP 127014
PVC RSV S4 spring PTFE coated 3/4"	Threaded socket BSP 121190
PVC RSV S4 spring PTFE coated 1"	Threaded socket BSP 121192
DFM M335 PVC measuring tube, d32 100-1000 l/h	77241
Flow indicator	Float Type 0 – 4000 L/h Liquid type: 8% sulfuric acid solution at 2°C – 50°C d32 PP inlet – outlet (butt welded) Will not be contacted Material: Supplier recommendation

120340 Kugelhahn
127303
128472
122354a
422826 Pvcu Klebemuffe D20 Metrisch Pn 16 Epdm/Ptfe Einzeln Verpackt 121118
121383
127297
126976
125255
129375
128484
128480
127482
Artikel: 122355a Pvc-U Laborkugelhahn 1/4quot; - 1/4quot; Npt + Zubehorset, Dichtsatz: Epdm
121707
127302
122751a
122353a
127299
129628
121437
122757a
10sn1007481519 Valve
121117 Kugelhahn S4 2w Dn10 Pvc Grau Pvcu Klebemuffe D16 Metrisch Pn16 Fpm Ptfe Einzeln Verpackt
128448
129374
18021pvcarm 126 976

121433
50628 Edelstahl- Siebrohr Fur Schnitzfillter 275dn65 1mm Mat. 1.4301
120647
120046-S5
128620 90-240vac
121521
127298
121704
127301
127300
121704 Schmutzfilter
129626
127304
124710 Schmutzfilter
127481
129578
124709 Schmutzfilter
129372
128610 24v Ac/Dc
77121
121703 Schmutzfilter