

## Praher

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Praher** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Praher Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">122_353a</a>	PVC / EPDM Labor KH BSP DN 6x1 / 4 "122 353a Internal thread - external thread Seat seal PTFE with accessory set
<a href="#">124280</a>	
<a href="#">124090</a>	
<a href="#">124089</a>	
<a href="#">124088</a>	
<a href="#">124087</a>	
<a href="#">EO510-MVO</a>	
<a href="#">1" with VM code</a>	Valve: 2 Way Full Bore Ball Hand Valve Limit switch box: ATEX IIC/IIB protection class, 2 mechanical switches, 3-dimensional position indicator, Atex cable glands included. 1" DN25 DIN FLANGE ATEX IIC/IIB, IP67/68 Valve: PVDF 2 piece, PTFE (Teflon) Gasketed, Threaded Full Bore and Sleeved
	Valve: 2 Way Full Bore Ball Valve, On-Off Actuators:

<a href="#">1" with VK Code</a>	Pneumatic, DOUBLE acting, O-rings all Viton, Limit switch box: ATEX IIC/IIB protection class, 2 mechanical switches, 3-dimensional position indicator Solenoid and valve: 24VDC, ATEX IIC/IIB protection class, NAMUR Type 5/3 Double Coil Directional Control Valve, SS316L Unions included. 1" DN25 DIN FLANGE ATEX IIC/IIB, IP66/67/68 Valve: PVDF 2 piece, PTFE (Teflon) Gasketed, Gear Full Bore
<a href="#">1" with VU-L code</a>	Valve: 3 Three Way L-Port Threaded Ball Valve, On-Off Actuators: Pneumatic, DOUBLE acting, O-rings all Viton, Limit switch box: ATEX IIC/IIB protection class, 2 mechanical switches, 3-dimensional position indicator Solenoid and valve: 24VDC, ATEX IIC/IIB protection class, NAMUR Type 5/3 Double Coil Directional Control Valve, SS316L Unions included. 1" DN25 DIN FLANGE ATEX IIC/IIB, IP66/67/68 Valve: PVDF LPORT PTFE (Teflon) Gasketed, Gear Full Bore
<a href="#">1 1/2" with VD code</a>	Valve: Butterfly valve, On-Off Actuators: Pneumatic, single acting, O-rings all Viton, Limit switch box: ATEX IIC/IIB protection class, 2 mechanical switches, 3-dimensional position indicator Coil Directional Control Valve, Unions included. Solenoid and valve: 24VDC, ATEX IIC/IIB protection class, NAMUR Type 5/3 Pair DN40/DN50 DIN FLANGE ATEX IIC/IIB, IP66/67/69 Valve: PTFE COATED PTFE (Teflon) Gasketed, flanged
<a href="#">PVC/EPDM KH S6 2W d20 adhesive socket ASTM</a>	128237
<a href="#">PVC/EPDM KH S6 2W d25 adhesive socket ASTM</a>	128238
<a href="#">PVC/EPDM KH S6 2W d32 adhesive socket ASTM</a>	128239
<a href="#">PVC/EPDM KH S6 2W d50 Klebemuffe ASTM</a>	125496
<a href="#">PVC threaded socket NPT 1/2" 140188</a>	
<a href="#">PVC Gewindemuffe NPT 3/4" 140448</a>	
<a href="#">PVC threaded socket NPT 1" 140189</a>	
<a href="#">PVC threaded socket NPT 1 1/2" 140190</a>	
<a href="#">PVC RSV S4 spring PTFE coated d25</a>	BSP 127013
<a href="#">PVC RSV S4 spring PTFE coated d32</a>	BSP 127014
<a href="#">PVC RSV S4 spring PTFE coated 3/4"</a>	Threaded socket BSP 121190
<a href="#">PVC RSV S4 spring PTFE coated 1"</a>	Threaded socket BSP 121192
<a href="#">DFM M335 PVC measuring tube, d32 100-1000 l/h</a>	77241
<a href="#">Flow indicator</a>	Float Type 0 – 4000 L/h Liquid type: 8% sulfuric acid solution at 2°C – 50°C d32 PP inlet – outlet (butt welded) Will not be contacted Material: Supplier recommendation

<a href="#">120340 Kugelhahn</a>
<a href="#">127303</a>
<a href="#">128472</a>
<a href="#">122354a</a>
<a href="#">422826 Pvcu Klebemuffe D20 Metrisch Pn 16 Epdm/Ptfe Einzeln Verpackt 121118</a>
<a href="#">121383</a>
<a href="#">127297</a>
<a href="#">126976</a>
<a href="#">125255</a>
<a href="#">129375</a>
<a href="#">128484</a>
<a href="#">128480</a>
<a href="#">127482</a>
<a href="#">Artikel: 122355a Pvc-U Laborkugelhahn 1/4quot; - 1/4quot; Npt + Zubehorset, Dichtsatz: Epdm</a>
<a href="#">121707</a>
<a href="#">127302</a>
<a href="#">122751a</a>
<a href="#">122353a</a>
<a href="#">127299</a>
<a href="#">129628</a>
<a href="#">121437</a>
<a href="#">122757a</a>
<a href="#">10sn1007481519 Valve</a>
<a href="#">121117 Kugelhahn S4 2w Dn10 Pvc Grau Pvcu Klebemuffe D16 Metrisch Pn16 Fpm Ptfe Einzeln Verpackt</a>
<a href="#">128448</a>
<a href="#">129374</a>
<a href="#">18021pvcarm 126 976</a>

[121433](#)

[50628 Edelstahl- Siebrohr Fur  
Schnitzfillter 275dn65 1mm Mat. 1.4301](#)

[120647](#)

[120046-S5](#)

[128620 90-240vac](#)

[121521](#)

[127298](#)

[121704](#)

[127301](#)

[127300](#)

[121704 Schmutzfilter](#)

[129626](#)

[127304](#)

[124710 Schmutzfilter](#)

[127481](#)

[129578](#)

[124709 Schmutzfilter](#)

[129372](#)

[128610 24v Ac/Dc](#)

[77121](#)

[121703 Schmutzfilter](#)