



Ps Automation

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Ps Automation Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Ps Automation T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
0501-110	
1000-299	
1000-308	
1000-345	
1000-416	
1000-519	
1000-574	
1000-592	
1000-593	
1101-506	
2001-112	
2100-091	

2100-122	
2100-127	
2100-194	
5900-503	
5900-568	
5900-595	
5902-033	
70481-402	
CY03B452107	
POTIGR/1K/25/1Kab/PSQx03 (1000-593)	
PSAP.2A/115/1A (1000-051)	
PSL208	
PSQ103	
PSQ202	
PSQ202 115VAC 28S/90°	
PSQ203/115VAC/50-60Hz/64W/250Nm/69/F07+F10 (1202-501)	
PSQ703AMS13/115VAC/50-60Hz/93W/700Nm/70/F12 (1900-525)	
ZUSATZSCHALTER/ WEG/PSQx03 (1000-592)	
5153-404	PSL204/230VAC/50-60Hz/18W/4.5kN/0.50 Model 4 V2 - Samson M30 Electric linear drive Type: PSL204 Can be used in regular operation according to Class C according to DIN-EN 15714-2 - Power supply: 230VAC - Frequency: 50/60Hz - Actuating force: 4.50 kN - Actuating speed: 0.50 mm/s - Stroke (max.): 50 mm - Connection thread: SAMSON/M30/16 - Operating mode according to IEC60034-1: S2 30 min / S4 50% ED - Ambient temperature: -20°C to +80°C (S2) / -20°C to +60°C (S4) - Protection class according to EN60529: IP65
1000-519	PSAP.3/230/PSL/Mod. 4 Stellungsregler PSAP.3/230/4-20mA/PSL/Mod. 4
1000-576	POTIGR/1K/30/PSL/Mod.4/V2 Potentiometer PSL Modell 4 V2 1000 Ohm / Hub = 30 mm
1000-013	

Psap.3
Pd 210 (1000?)
Psq-202/Ams11
Psq202 115vac 28s/90;
Psq 102,Bv10-2366e, Dn 125
Psl208ams11/230vac/50- 60hz/38w/8,0kn/0,70/M10 (5902-033)
Psl204.1ma-18-Pot-Psap (18 Mm)
Psr45 (230v, 50hz)
140 415
Psl 312
Psq52 / 230vac / 50hz / 50 Nm / 22
Psl204ams11204
Psl 314 Dp
1000-299 Prozesregler/Psic/Ams11- 13prozesregler Psic
5900-416 Psl204.1
Psq102ams12 230vac
566 422
Psq202 !! By (1202-550+1000- 051+1000-593+2002-127)
Psl204.1ma-18-Pot-Psap (25mm)
Psq-Ams
Binã196;Re Eingã196;Nge/Ams1x/24vac+dc/Standard (1000-567)
2100-094
5900-462 Psl208.1
Psl201 / 230vac / 50hz / 1 Kn / 0,25
Psq202 / 230vac / 50hz / 250 Nm / 28
1502-402
105539
Pls325 Ser No: 224154

(1202-550+1000-051+1000-593+2002-127)
Psl204 / 230vac / 50hz / 4 Kn / 0,50
5153-601
1000-051
2100-180
Psl 314
2100-091 Spare/Leiterplattepos.6/Psr-E/230vac 1~spare/Leiterplattepos.6/Psr-E/230vac 1~
Type Psc 2
5900-564 Psl202.1/230vac/50-60hz/8w/2,0kn/0,25/M12
Cy02d345264
2004-126
Psl 208
Psq102 / 230vac / 50hz / 130 Nm / 16
Psl 325 S/N 224154
5153-602
Psq102 115vac 8s/90