

## Pulsatron



Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Pulsatron** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Pulsatron Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">LB04S2-VTC2-CZXXX</a>	Dosing pump Pulsatron, series A plus, Delivery rate 3.8 liters / hour (1.0 gal./hour), 125 strokes / min, max. Outlet pressure 7.0 bar (100psi). Manual adjustment of the stroke length and stroke frequency via potentiometer from 0-100% delivery rate. Fire protection encapsulated for outside and inside use. very quiet operation due to housing encapsulation. simple and reliable suction through integrated vent valve. Dosing head made of PVC, valve seats PTFE, valve ball ceramic. Connections: 1/4 "ID x 3/8" OD hose connection. Drive: 230V, 50/60 Hz., 1ph., 2m cable, without plug, CE approval Packaging dimensions:242x130x250mm 4,5kg
<a href="#">LB04S2-VTC1-CZXXX</a>	Dosing pump Pulsatron, series A plus Delivery rate 3.8 liters / hour (1.0 gal./hour), 125 strokes / min, max.outlet pressure 7.0 bar (100psi). Manual adjustment of the stroke length and stroke frequency via potentiometer from 0-100% delivery rate. Fire-proof encapsulated for outdoor and indoor use. very quiet operation due to housing encapsulation. simple and reliable suction through integrated vent valve. Dosing head made of PVC, valve seats PTFE, valve ball ceramic. Connections: 1/4 "ID x 3/8" OD hose connection. Drive: 230V, 50/60 Hz., 1ph., 2m cable, without plug, CE approval Packaging dimensions: 242 x 130 x 250 m Unit weight: 4.500

	kg
<a href="#">LB04S2-KTC1-CZXXX</a>	Dosing pump Pulsatron, series A plus Delivery rate 1.9 liters / hour (0.50 gal / hour), 125 strokes / min, max 7.0 bar (100psi). Dosing head made of PVDF, valve seats PTFE, valve ball ceramic. Connections: 1/4 "ID x 3/8" OD hose connection. Drive: 230V, 50/60 Hz. CE certificate Unit weight: 4.500 kg
<a href="#">LPK2SB-WTC1-XXX</a>	PULSAtron dosing pump, series E plus Flow rate: 0.5 litres/hr (0.13 GPH,3.0 GPD), max. 125 strokes / min. Max. outlet pressure: 21.0 bar / 300 psi PVC dosing head Valve seats made of PTFE (Teflon) Ceramic valve balls Hose connections: 1/4" female x 3/8" male 230 volts, 50/60 Hz, 1ph Packing dimensions: 35 x 15 x 30 cm
<a href="#">18.9 LPH-7 BAR,</a>	
<a href="#">18.9 LPH-7 BAR.</a>	
<a href="#">30GPD, 10</a>	
<a href="#">41403</a>	
<a href="#">FD-I-60</a>	
<a href="#">J61021</a>	
<a href="#">LB03SB-PTC1-XXX</a>	
<a href="#">LB03SB-VTC1-XXX</a>	
<a href="#">LB64S2-VTCI-365</a>	
<a href="#">LBC2SB-WTC1-XXX</a>	
<a href="#">LD04S2-PTC1-CZXXX</a>	
<a href="#">LD54525-PTCN-CZXXX</a>	
<a href="#">LD54E2-KTC1-CZ000</a>	
<a href="#">LD54S2-PTC1-CZXXX</a>	
<a href="#">LE44SB-VTC3-XXX</a>	
<a href="#">LPA2MA - VTC1 - UO3</a>	
<a href="#">LPB4EB-VTC1-XXX</a>	
<a href="#">PLTRN GFPP 44 GPD W</a>	
<a href="#">PLTRN PP/TFE 3 GPD</a>	
<a href="#">XXXX</a>	
<a href="#">Antiscalant Dosing Pump Suction Valve</a>	
<a href="#">Antiscalant Dosing Pump Discharge Valve</a>	

<a href="#">A+LB04-S2-VTC1-CZXXX</a>	
<a href="#">A+LB04-S2-KTC1-CZXXX</a>	
<a href="#">A+LB04-SB-VTC1 ICIN K4VTC1</a>	
<a href="#">A+LB04-SB-KTC1 ICIN K4KTC1</a>	
<a href="#">MODULU,E+A+LXX-XX-VTC1 ICIN,J41996.1/2"X3/8"</a>	
<a href="#">MODULU,E+A+LXX-XX- KTC1,J61020(AD)1/2"X3/8"</a>	
<a href="#">E+A+3/8 OD TUBIN,L3201 TC1-PVD</a>	
<a href="#">E+A+LXX-XX-VTC1</a>	
<a href="#">MODULU,A+E+LXX-XX-VTC1,PTC1,KTC1 ICIN,J40211W</a>	
<a href="#">A+E+LXX-XX-VTC1 ICIN,L3101TC1-PVC</a>	
<a href="#">A+E+LXX-XX-KTC3 L3101TC1-PVD(A.D)</a>	
<a href="#">LXX-XX-VTC1 ICIN,L3300T01-PVC</a>	
<a href="#">LXX-XX-KTC1 L3300T01-PVD(A.D)</a>	
<a href="#">DIAPHRAGM,FOR A+LB0A-SB- VTC1,L0301100-THY</a>	
<a href="#">ELECTRONIC CARD,A+L9906202-000</a>	
<a href="#">LB04SB-VTC1-CZXXX</a>	PULSATron electric dosing pump, series A+ Max. delivery rate: 3.8 liters / hour, 1 gal / hour (24 gal / day). max. working pressure: 7.0 bar (100psi) max. viscosity: 1000 cps manual stroke adjustment, analogue settings Dosing head made of PVC/membrane and PTFE seals, ceramic valve balls. Hose connection: 1/4" ID x 3/8" OD Connection thread: 1/4" NPT (female thread) Drive: 230Volt, 50-60 Hz, 1 ph, 2m cable, CE approval
<a href="#">Pulsatron Series E, LE21</a>	Turndown Ratio 100:1, Q: 0.8 lt/h
<a href="#">Lpb4sa-Vhc1-Xxx</a>	PUMP METER SERIES EPLUS 115 PVC/HYP/C
<a href="#">Ld02s2-Ktc1-Czxxx</a>	
<a href="#">Lb64s2-Vtci-365</a>	
<a href="#">Lpb3mb-Ktc1-130</a>	
<a href="#">Bi8-M18-Ap6x 7m</a>	
<a href="#">Lb64s2-Vtc1-365</a>	
<a href="#">Lpd4mb-Vtc1</a>	

<a href="#">Lb02sa-Ptc1-M43</a> <a href="#">Model:Lpd3sb-Ptc1</a>	ELECTRONIC METERING PUMP .40AMP 115V 150PSI 1PH
<a href="#">Lb02-Vtc1</a>	
<a href="#">9961-0464</a>	
<a href="#">Lpe4mb-Vtc1</a>	
<a href="#">Lpb4mb-Vtc1-520</a>	
<a href="#">Lph7sa-Ptc3-500</a>	PUMP METER FLOUROPOLYMER .5INCH SUCTION TUBE SIZE7 HEAD
<a href="#">200540</a>	
<a href="#">Lmb2t2-Ptcj-Ca002</a>	
<a href="#">Lpa2ma ? Vtc1 ? Uo3</a>	
<a href="#">Lpb4eb-Phc1-Xxx</a>	
<a href="#">Lb54sa-Vtc1-Xxx</a>	MOTOR-DRIVEN PUMP .6AMP 115VAC 50/60HZ
<a href="#">800140</a>	
<a href="#">800080</a>	
<a href="#">Pulsatron A Plus</a>	
<a href="#">Lph7eapttexxx</a>	PUMP
<a href="#">L3201tc1-Pvc</a>	
<a href="#">Lpg4saktc3500</a>	PUMP
<a href="#">Lpj7maktc3xxx</a>	PUMP
<a href="#">Lpb3mb-Vtc1</a>	
<a href="#">Lmk5 T2b-Ptc-M-520</a>	
<a href="#">K3vtc1</a>	
<a href="#">J60728</a>	
<a href="#">K4vtc1</a>	
<a href="#">L3101tc1-Pvc</a>	
<a href="#">K3ktc1</a>	
<a href="#">Lpb3mb-Vtc1-130</a>	
<a href="#">Lmh5kaptc3xxx</a>	METERING PUMP
<a href="#">Np50046-000</a>	
<a href="#">Lmg5ta-Ptc3-Xxx</a>	METERING PUMP 1PH 1AMP 115VAC 50/60HZ

<a href="#">Lb04s2-Vtc1</a>	
<a href="#">Pc8/7v-S</a>	
<a href="#">L6n6emsap-Xxxx</a>	
<a href="#">K4ktc1</a>	
<a href="#">Lb64sa-Ktc1-520</a>	METERING PUMP 30GPD 115VAC 100PSI .6A ELECTRONIC
<a href="#">Check Valve For Aplus Chlorine Dosing Pump Lb64</a>	
<a href="#">Mct130</a>	
<a href="#">809050</a>	
<a href="#">Lmb2t2-Ptc1-Ca002</a>	
<a href="#">Clear Tubing To Suit Pump</a>	
<a href="#">Lpb4mb-Ktc1</a>	
<a href="#">Repair Kit For Dosing Pump Series E-Plus</a>	
<a href="#">Lb04sb-Vct1-Xxx</a>	
<a href="#">Lb04s2-Vtc1-Czxxx</a>	Please look at the attachement