


Raychem

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Raychem** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Raychem Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
Kabelkopf (Set \ Heat Shrinked \ 36 Kv / 1x240 Mm2	INTERNES RAYCHEM 3006678
Kabeltitel \ Intern \ Heat Shrinking \	KUPFERLEITER / SPANNSCHUH / 6-10 KV / 1X240 MM / RAYCHEM 3125239
Kabelkopf (Set) \ Heat Shrinking \ 6-10 Kv /	1X95 MM2 / INTERN 3006672
Kabelkopf (Set) \ Cold Shrinkle \ 36 Kv /	1X240 MM2 / INTERN / 3M 3006673
Kabelkopf (Set) \ Cold Shrinkle / 10kv / 1x240 Mm2	/ 3M: 92-EB63-2 TR 3006653
Kabelkopf (Set) \ Cold Shrinkle \ 6-10 Kv /	1X95 MM2 / INTERN / 3M 3006675
MXSU-6121	Connection sleeve, 30kV, with screw connector for 1L plastic cable 70-150 mm ² A29218-005
EMKJ-2201	8006384 STRAIGHT THROUGH JOINTS FOR FLEXIBLE CABLE, SCREENED 3-CORE / 3 EARTH CORE WITH/WITHOUT METAL SHIELD 25/10 - 95/16 mm ² 6 kV 788826-011
20045361	KIT END TERMINATION6.6KV50SQMMCABLEXLPE 6.6KV END TERMINATION KIT FOR 3 CORE 50 SQ MM CU XLPE ARMORED CABLEHEAT SHRINKABLE KIT
EAKT-1642	1 PC ARMOUR EARTHING ASSEMBLY FOR PLASTIC & PAPER CABLE, MULTI-CORE WITH WIRE ARMOUR. UP TO 36 KV DIA. OVER ARMOUR: 40 - 67 MM 225798-011 Packaging unit: 5 pieces Manufacturer number: 225798-011

MXST-4331-LY01	Herstellernummer: CP0311-000
- 1*95,120,185,240 mm2 internal cable head for	XLPE Cable (36 kv)
MONI-PT100-EXE-SENSOR	Art Nr:529022-000 Pt100 temperature sensor without junction box, ATEX
PRODUCT CODE: 402R236	VOLTAGE LEVEL: MEDIUM VOLTAGE MEDIUM VOLTAGE CABLE BREAKOUT FOR 3 CORE CABLE For cables of the following cross section 3x35mm2 XLPE 3x50mm2 XLPE 3x70mm2 XLPE
PRODUCT CODE: 402R248	VOLTAGE LEVEL: MEDIUM VOLTAGE MEDIUM VOLTAGE CABLE BREAKOUT FOR 3 CORE CABLE For cables of the following cross section 3x120mm2 XLPE 3x150mm2 XLPE 3x185mm2 XLPE 3x240mm2 XLPE
LV BREAK OUT/AG VEIN SEPARATOR 502K016/S	VOLTAGE LEVEL: LOW VOLTAGE 1kV LOW VOLTAGE CABLE BREAKOUT FOR 4 CORE CABLE
LV BREAK OUT/AG VEIN SEPARATOR 502K026/S	VOLTAGE LEVEL: LOW VOLTAGE 1kV LOW VOLTAGE CABLE BREAKOUT FOR 4 CORE CABLE
LV BREAK OUT/AG VEIN SEPARATOR 502K046/S	VOLTAGE LEVEL: LOW VOLTAGE 1kV LOW VOLTAGE CABLE BREAKOUT FOR 4 CORE CABLE
PRODUCT CODE: 402R225	VOLTAGE LEVEL: MEDIUM VOLTAGE MEDIUM VOLTAGE CABLE BREAKOUT FOR 3 CORE CABLE For cables of the following cross section For cables less than 3x35mm2 MV BREAK OUT/OG VESSEL SEPARATOR
LV Transformer Bushing Insulation (Closing)	for 2500 kVA TR RAYCHEM LVBC 3150A (1600-2000-2500kVA) AG BUSH.KAP
RSFR-H 16mm	
E255532 (9mm)	
82A0111-12-9	
99M0111-12-0	
202k121-25225-0	Manufacturer number: 634051-000
222K121-25-0	Manufacturer number: 878511-000
DR-25-1/2-0-SP	
HTAT-16/4-0	Manufacturer number: NB07544001
POLJ-42/1x120-240-AW (097)	
MXSU-6131	Connection sleeve, 30kV, with screw connector for 1L plastic cable 150-300 mm² 124108-005 Manufacturer number: 124108-005 Origin: Germany
36 kV 1x185/25 mm²	heat shrink copper cable splice
36 kV 1x240/25 mm²	heat shrink copper cable splice
M27500-22ML2T08	
TXR40-BW00-0804AI	
TXR40BW00-1005AI	MFR PN: 415359-000 571-415359-000
STXR40SJ00-1210AI	
TXR40BW00-1005AI	
STXR40BW00-0805AI	
STXR40BW00-1008AI	

STXR-40-BW00-1010AI	
55A0111-24-0	
55A0111-24-9 (AWG24)	
S1125, PART A+B	
SOLDER SLEEVE,W-W,2.7MM,D-110-41	
SPEC 55 TIN-COATED COPPER WIRE, 55A0121-24-0/9	
RAY101-4.0	
DR-25-3/8-0-SP	
202K142-25/225-0	CONN ACCESSORY, MICRO-D BACKSHELL, 31LP, 500-047M31HJM
Heat Shrink Boot, 202K142-25/225-0	
HEAT SHRINK TUBING,24MM,3:1,POLYOLEFINBLACK, ATUM-	-24/8-0
TMS-SCE-3/8-2.0-4	
RT-375-3/8-X	
POWER JUNCTION BOX, JBU-100-EP	
T-100 - TEE CONNECTION BOX, EEx FOR TH SYSTEM	
ELECTRONIC THERMOSTAT ETS-05-L2-EP	
KIT, INSULATION ENTRY: IEK-25-04	
HEAT SHRINK END SEAL, ATEX, E-06, EX-e II, IP66	
POWER JUNCTION BOX, JBU-100-EP	
16A 230V SOCKET OUTLET	
63A WELLDING SOCKET OUTLET (SWITCHED)	
Stripping Tool	
650-M27500-22ML2T08	MFR PN: M27500-22ML2T08 44AM1121-22-9/96-9 P TE Connectivity Multi-Conductor Cables RoHS: Compliant ECCN: EAR99 / US HTS: 8544493080
12 KV 1X 70-120 MM	
12 KV 1X 240-400 MM	
6 KV 3X 70-120 MM	
6KV 3X 150-240 MM	
jbu-100	
1x120/16 INTERNAL TYPE 36 KV XLPE CABLE HEAD	
36 KV 1x120/16 XLPE EK MUFU	
BPTM 30/12	
	Heat shrink tubing, 30kV, for Busbar insulation. 1/2U: 22-38mm

BPTM-30/12-A/U-4(S30)	Diameter 13.5-25mm 723955-000
D-110-0090	H/S-PARA 10+ GRY
NGC-40-PTM	
36KV 3X240mm2 HEAT SHRINKABLE	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 36D3XIH2-TR01 3
36KV 1X240mm2 HEAT SHRINKABLE	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 36D1XI-TR01 SMOE-1-AE59-TR/01 ARMOR EARTHING KIT WILL BE PURCHASED TOGETHER WITH EPKT 36D1XI-TR01 1X240
EPKT 17C3XIH2-TR01 3X240	6-10KV 3X240 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X240
EPKT 17C3XIH2-TR01 3X185	6-10KV 3X185 INTERNAL CABLE HEAD Armored COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X185
EPKT 17C3XIH2-TR01 3X150	6-10KV 3X150 INTERNAL CABLE HEAD Armored COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X150
EPKT 17C3XIH2-TR01 3X120	6-10KV 3X120 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X120
EPKT 17C3XIH2-TR01 3X95	6-10KV 3X95 INTERNAL CABLE HEAD Armored COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X95
EPKT 17B3XIH2-TR01 3X70	6.3 KV 3X70 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17B3XIH2-TR01 3X70
EPKT 17B3XIH2-TR01 3X50	6.3 KV 3X50 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17B3XIH2-TR01 3X50
6,3KV 1X300mm2 HEAT SHRINK	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17D1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17D1XI-TR01-1X300
6-10KV 1X240mm2 HEAT SHRINKABLE	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X240
6,3KV 1X185mm2 HEAT SHRINK	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X185
6,3KV 1X150mm2 HEAT SHRINK	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X150
6,3KV 1X120mm2 HEAT SHRINK	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X120
6,3KV 1X95MM2 HEAT SHRINKABLE	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X95
6,3KV 1X70MM2 HEAT SHRINKABLE	INTERNAL CABLE HEAD (ARMORED)XLPE COPPER EPKT 17B1XI-TR01 SMOE-1-AE57-TR/01 ARMOR EARTHING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17B1XI-TR01-1X70
36KV 1X240 ARMORED COPPER XLPE	SMOE-63486-WA1-TR/01 1X240
6KV 3X240 ARMORED COPPER XLPE	
RAYGEL-PLUS-2 (CH6881-000)	

MXSU-6131	Connection sleeve, 30kV, with screw connector for 1L plastic cable 150-300 mm ² 1 124108-005
MRSM-50/23-600/239(S5)	Heat shrink repair sleeve for flexible cables 0.6/1kV. Application range 25-40 mm. Length 600mm, pack of 5, 295069-000
LVBC-2000-3150A	
MRSM 50/23-600 S5	
10BTV2-CT	SELF-REGULATING HEAT CABLE 30W/M 230VAC\ 10BTV2-CT
Rsti6855	
Cwt-7-W122-9	
At-Ts-14	
Mxsu - 6141 Jointing System (Mxsu) - 36 Kv	
Tfer-3/8-X-Stk	
202k121	
Ø18 Izolasyon	
Awg12	
Awg16	
202k132-25/225-0	
Gpmb95	
Cv-1981-42v1000w-Npmk2(Excv1981-42v-960w)	
Srfr-10/6-8	
Emkj 2211 - Cee01 Heat Excellence Flexib Cable	
Ø20 Izolasyon	
Crn-3/16-0-Stk	
Cv1983-220v3060w	
Cv1983-220v-2260w	
Crn-8-2	
41830402	
Raychem Emkj-2201	CABLE CONNECTION
Ssbt-03	
Epki2081ng	
202k132	
469145-000	
Crn-6-4	
Rsti5855	
Ø22 Izolasyon	
Emkj 2201 - Cee01 Heat Excellence Flexib	

Cable	
Rw-175-3/64-X	with heat Narrowed Makaron
Ø8 İzolasyon	
Rsti5853	
Crn-4-8	
Ø16 İzolasyon	
Ø14 İzolasyon	
Cpa 02	
Xaga 500-100/25-460-Int	
104-0033	
Ø6 İzolasyon	
Mxsu - 6121 Jointing System (Mxsu) - 36 Kv	
Ø10 İzolasyon	
202k121-25/225-0	Item number: 634051-000 Manufacturer: TE Connectivity / Raychem Brand Description: 202K121-25 / 225-0
Rsti5851	
Ssbt-04	
Ø4 İzolasyon	
Rsti5854	
Smoe - 62453 Heat Excellence Flexib Cable	
202k232-25/225-0	Special procurement no exchange / cancellation.
Ø12 İzolasyon	
Ixsu-F3141	
5btv2-Cr	
Crn-2-4	