


## Raychem

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Raychem** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Raychem Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">Kabelkopf (Set \ Heat Shrinked \ 36 Kv / 1x240 Mm2</a>	INTERNES RAYCHEM 3006678
<a href="#">Kabeltitel \ Intern \ Heat Shrinking \</a>	KUPFERLEITER / SPANNSCHUH / 6-10 KV / 1X240 MM / RAYCHEM 3125239
<a href="#">Kabelkopf (Set) \ Heat Shrinking \ 6-10 Kv /</a>	1X95 MM2 / INTERN 3006672
<a href="#">Kabelkopf (Set) \ Cold Shrinkle \ 36 Kv /</a>	1X240 MM2 / INTERN / 3M 3006673
<a href="#">Kabelkopf (Set) \ Cold Shrinkle / 10kv / 1x240 Mm2</a>	/ 3M: 92-EB63-2 TR 3006653
<a href="#">Kabelkopf (Set) \ Cold Shrinkle \ 6-10 Kv /</a>	1X95 MM2 / INTERN / 3M 3006675
<a href="#">MXSU-6121</a>	Connection sleeve, 30kV, with screw connector for 1L plastic cable 70-150 mm <sup>2</sup> A29218-005
<a href="#">EMKJ-2201</a>	8006384 STRAIGHT THROUGH JOINTS FOR FLEXIBLE CABLE, SCREENED 3-CORE / 3 EARTH CORE WITH/WITHOUT METAL SHIELD 25/10 - 95/16 mm <sup>2</sup> 6 kV 788826-011
<a href="#">20045361</a>	KIT END TERMINATION6.6KV50SQMMCABLEXLPE 6.6KV END TERMINATION KIT FOR 3 CORE 50 SQ MM CU XLPE ARMORED CABLEHEAT SHRINKABLE KIT
<a href="#">EAKT-1642</a>	1 PC ARMOUR EARTHING ASSEMBLY FOR PLASTIC & PAPER CABLE, MULTI-CORE WITH WIRE ARMOUR. UP TO 36 KV DIA. OVER ARMOUR: 40 - 67 MM 225798-011 Packaging unit: 5 pieces Manufacturer number: 225798-011

<a href="#">MXST-4331-LY01</a>	Herstellernummer: CP0311-000
<a href="#">- 1*95,120,185,240 mm2 internal cable head for</a>	XLPE Cable (36 kv)
<a href="#">MONI-PT100-EXE-SENSOR</a>	Art Nr:529022-000 Pt100 temperature sensor without junction box, ATEX
<a href="#">PRODUCT CODE: 402R236</a>	VOLTAGE LEVEL: MEDIUM VOLTAGE MEDIUM VOLTAGE CABLE BREAKOUT FOR 3 CORE CABLE For cables of the following cross section 3x35mm2 XLPE 3x50mm2 XLPE 3x70mm2 XLPE
<a href="#">PRODUCT CODE: 402R248</a>	VOLTAGE LEVEL: MEDIUM VOLTAGE MEDIUM VOLTAGE CABLE BREAKOUT FOR 3 CORE CABLE For cables of the following cross section 3x120mm2 XLPE 3x150mm2 XLPE 3x185mm2 XLPE 3x240mm2 XLPE
<a href="#">LV BREAK OUT/AG VEIN SEPARATOR 502K016/S</a>	VOLTAGE LEVEL: LOW VOLTAGE 1kV LOW VOLTAGE CABLE BREAKOUT FOR 4 CORE CABLE
<a href="#">LV BREAK OUT/AG VEIN SEPARATOR 502K026/S</a>	VOLTAGE LEVEL: LOW VOLTAGE 1kV LOW VOLTAGE CABLE BREAKOUT FOR 4 CORE CABLE
<a href="#">LV BREAK OUT/AG VEIN SEPARATOR 502K046/S</a>	VOLTAGE LEVEL: LOW VOLTAGE 1kV LOW VOLTAGE CABLE BREAKOUT FOR 4 CORE CABLE
<a href="#">PRODUCT CODE: 402R225</a>	VOLTAGE LEVEL: MEDIUM VOLTAGE MEDIUM VOLTAGE CABLE BREAKOUT FOR 3 CORE CABLE For cables of the following cross section For cables less than 3x35mm2 MV BREAK OUT/OG VESSEL SEPARATOR
<a href="#">LV Transformer Bushing Insulation (Closing)</a>	for 2500 kVA TR RAYCHEM LVBC 3150A (1600-2000-2500kVA) AG BUSH.KAP
<a href="#">RSFR-H 16mm</a>	
<a href="#">E255532 (9mm)</a>	
<a href="#">82A0111-12-9</a>	
<a href="#">99M0111-12-0</a>	
<a href="#">202k121-25225-0</a>	Manufacturer number: 634051-000
<a href="#">222K121-25-0</a>	Manufacturer number: 878511-000
<a href="#">DR-25-1/2-0-SP</a>	
<a href="#">HTAT-16/4-0</a>	Manufacturer number: NB07544001
<a href="#">POLJ-42/1x120-240-AW (097)</a>	
<a href="#">MXSU-6131</a>	Connection sleeve, 30kV, with screw connector for 1L plastic cable 150-300 mm² 124108-005 Manufacturer number: 124108-005 Origin: Germany
<a href="#">36 kV 1x185/25 mm²</a>	heat shrink copper cable splice
<a href="#">36 kV 1x240/25 mm²</a>	heat shrink copper cable splice
<a href="#">M27500-22ML2T08</a>	
<a href="#">TXR40-BW00-0804AI</a>	
<a href="#">TXR40BW00-1005AI</a>	MFR PN: 415359-000 571-415359-000
<a href="#">STXR40SJ00-1210AI</a>	
<a href="#">TXR40BW00-1005AI</a>	
<a href="#">STXR40BW00-0805AI</a>	
<a href="#">STXR40BW00-1008AI</a>	

<a href="#">STXR-40-BW00-1010AI</a>	
<a href="#">55A0111-24-0</a>	
<a href="#">55A0111-24-9 (AWG24)</a>	
<a href="#">S1125, PART A+B</a>	
<a href="#">SOLDER SLEEVE,W-W,2.7MM,D-110-41</a>	
<a href="#">SPEC 55 TIN-COATED COPPER WIRE, 55A0121-24-0/9</a>	
<a href="#">RAY101-4.0</a>	
<a href="#">DR-25-3/8-0-SP</a>	
<a href="#">202K142-25/225-0</a>	CONN ACCESSORY, MICRO-D BACKSHELL, 31LP, 500-047M31HJM
<a href="#">Heat Shrink Boot, 202K142-25/225-0</a>	
<a href="#">HEAT SHRINK TUBING,24MM,3:1,POLYOLEFINBLACK, ATUM-</a>	-24/8-0
<a href="#">TMS-SCE-3/8-2.0-4</a>	
<a href="#">RT-375-3/8-X</a>	
<a href="#">POWER JUNCTION BOX, JBU-100-EP</a>	
<a href="#">T-100 - TEE CONNECTION BOX, EEx FOR TH SYSTEM</a>	
<a href="#">ELECTRONIC THERMOSTAT ETS-05-L2-EP</a>	
<a href="#">KIT, INSULATION ENTRY: IEK-25-04</a>	
<a href="#">HEAT SHRINK END SEAL, ATEX, E-06, EX-e II, IP66</a>	
<a href="#">POWER JUNCTION BOX, JBU-100-EP</a>	
<a href="#">16A 230V SOCKET OUTLET</a>	
<a href="#">63A WELLDING SOCKET OUTLET (SWITCHED)</a>	
<a href="#">Stripping Tool</a>	
<a href="#">650-M27500-22ML2T08</a>	MFR PN: M27500-22ML2T08 44AM1121-22-9/96-9 P TE Connectivity Multi-Conductor Cables RoHS: Compliant ECCN: EAR99 / US HTS: 8544493080
<a href="#">12 KV 1X 70-120 MM</a>	
<a href="#">12 KV 1X 240-400 MM</a>	
<a href="#">6 KV 3X 70-120 MM</a>	
<a href="#">6KV 3X 150-240 MM</a>	
<a href="#">jbu-100</a>	
<a href="#">1x120/16 INTERNAL TYPE 36 KV XLPE CABLE HEAD</a>	
<a href="#">36 KV 1x120/16 XLPE EK MUFU</a>	
<a href="#">BPTM 30/12</a>	
	Heat shrink tubing, 30kV, for Busbar insulation. 1/2U: 22-38mm

<a href="#">BPTM-30/12-A/U-4(S30)</a>	Diameter 13.5-25mm 723955-000
<a href="#">D-110-0090</a>	H/S-PARA 10+ GRY
<a href="#">NGC-40-PTM</a>	
<a href="#">36KV 3X240mm2 HEAT SHRINKABLE</a>	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 36D3XIH2-TR01 3
<a href="#">36KV 1X240mm2 HEAT SHRINKABLE</a>	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 36D1XI-TR01 SMOE-1-AE59-TR/01 ARMOR EARTHING KIT WILL BE PURCHASED TOGETHER WITH EPKT 36D1XI-TR01 1X240
<a href="#">EPKT 17C3XIH2-TR01 3X240</a>	6-10KV 3X240 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X240
<a href="#">EPKT 17C3XIH2-TR01 3X185</a>	6-10KV 3X185 INTERNAL CABLE HEAD Armored COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X185
<a href="#">EPKT 17C3XIH2-TR01 3X150</a>	6-10KV 3X150 INTERNAL CABLE HEAD Armored COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X150
<a href="#">EPKT 17C3XIH2-TR01 3X120</a>	6-10KV 3X120 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X120
<a href="#">EPKT 17C3XIH2-TR01 3X95</a>	6-10KV 3X95 INTERNAL CABLE HEAD Armored COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17C3XIH2-TR01 3X95
<a href="#">EPKT 17B3XIH2-TR01 3X70</a>	6.3 KV 3X70 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17B3XIH2-TR01 3X70
<a href="#">EPKT 17B3XIH2-TR01 3X50</a>	6.3 KV 3X50 INTERNAL CABLE HEADER ARMORED COPPER XLPE DIN 46235 COMPRESSION TYPE WITH LUGS INCLUDED EPKT 17B3XIH2-TR01 3X50
<a href="#">6,3KV 1X300mm2 HEAT SHRINK</a>	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17D1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17D1XI-TR01-1X300
<a href="#">6-10KV 1X240mm2 HEAT SHRINKABLE</a>	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X240
<a href="#">6,3KV 1X185mm2 HEAT SHRINK</a>	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X185
<a href="#">6,3KV 1X150mm2 HEAT SHRINK</a>	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X150
<a href="#">6,3KV 1X120mm2 HEAT SHRINK</a>	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X120
<a href="#">6,3KV 1X95MM2 HEAT SHRINKABLE</a>	INTERNAL CABLE HEAD (ARMORED)XLPE EPKT 17C1XI-TR01 SMOE-1-AE58-TR/01 ARMOR GROUNDING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17C1XI-TR01-1X95
<a href="#">6,3KV 1X70MM2 HEAT SHRINKABLE</a>	INTERNAL CABLE HEAD (ARMORED)XLPE COPPER EPKT 17B1XI-TR01 SMOE-1-AE57-TR/01 ARMOR EARTHING KIT WILL BE PURCHASED TOGETHER WITH EPKT 17B1XI-TR01-1X70
<a href="#">36KV 1X240 ARMORED COPPER XLPE</a>	SMOE-63486-WA1-TR/01 1X240
<a href="#">6KV 3X240 ARMORED COPPER XLPE</a>	
<a href="#">RAYGEL-PLUS-2 ( CH6881-000 )</a>	

<a href="#">MXSU-6131</a>	Connection sleeve, 30kV, with screw connector for 1L plastic cable 150-300 mm <sup>2</sup> 1 124108-005
<a href="#">MRSM-50/23-600/239(S5)</a>	Heat shrink repair sleeve for flexible cables 0.6/1kV. Application range 25-40 mm. Length 600mm, pack of 5, 295069-000
<a href="#">LVBC-2000-3150A</a>	
<a href="#">MRSM 50/23-600 S5</a>	
<a href="#">10BTV2-CT</a>	SELF-REGULATING HEAT CABLE 30W/M 230VAC\ 10BTV2-CT
<a href="#">Rsti6855</a>	
<a href="#">Cwt-7-W122-9</a>	
<a href="#">At-Ts-14</a>	
<a href="#">Mxsu - 6141 Jointing System (Mxsu) - 36 Kv</a>	
<a href="#">Tfer-3/8-X-Stk</a>	
<a href="#">202k121</a>	
<a href="#">Ø18 Izolasyon</a>	
<a href="#">Awg12</a>	
<a href="#">Awg16</a>	
<a href="#">202k132-25/225-0</a>	
<a href="#">Gpmb95</a>	
<a href="#">Cv-1981-42v1000w-Npmk2(Excv1981-42v-960w)</a>	
<a href="#">Srfr-10/6-8</a>	
<a href="#">Emkj 2211 - Cee01 Heat Excellence Flexib Cable</a>	
<a href="#">Ø20 Izolasyon</a>	
<a href="#">Crn-3/16-0-Stk</a>	
<a href="#">Cv1983-220v3060w</a>	
<a href="#">Cv1983-220v-2260w</a>	
<a href="#">Crn-8-2</a>	
<a href="#">41830402</a>	
<a href="#">Raychem Emkj-2201</a>	CABLE CONNECTION
<a href="#">Ssbt-03</a>	
<a href="#">Epkj2081ng</a>	
<a href="#">202k132</a>	
<a href="#">469145-000</a>	
<a href="#">Crn-6-4</a>	
<a href="#">Rsti5855</a>	
<a href="#">Ø22 Izolasyon</a>	
<a href="#">Emkj 2201 - Cee01 Heat Excellence Flexib</a>	

<a href="#">Cable</a>	
<a href="#">Rw-175-3/64-X</a>	with heat Narrowed Makaron
<a href="#">Ø8 Izolasyon</a>	
<a href="#">Rsti5853</a>	
<a href="#">Crn-4-8</a>	
<a href="#">Ø16 Izolasyon</a>	
<a href="#">Ø14 Izolasyon</a>	
<a href="#">Cpa 02</a>	
<a href="#">Xaga 500-100/25-460-Int</a>	
<a href="#">104-0033</a>	
<a href="#">Ø6 Izolasyon</a>	
<a href="#">Mxsu - 6121 Jointing System (Mxsu) - 36 Kv</a>	
<a href="#">Ø10 Izolasyon</a>	
<a href="#">202k121-25/225-0</a>	Item number: 634051-000 Manufacturer: TE Connectivity / Raychem Brand Description: 202K121-25 / 225-0
<a href="#">Rsti5851</a>	
<a href="#">Ssbt-04</a>	
<a href="#">Ø4 Izolasyon</a>	
<a href="#">Rsti5854</a>	
<a href="#">Smoe - 62453 Heat Excellence Flexib Cable</a>	
<a href="#">202k232-25/225-0</a>	Special procurement no exchange / cancellation.
<a href="#">Ø12 Izolasyon</a>	
<a href="#">Ixsu-F3141</a>	
<a href="#">5btv2-Cr</a>	
<a href="#">Crn-2-4</a>	