



Reggiana Riduttori

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Reggiana Riduttori Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Reggiana Riduttori T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Rr 510 I=5,0	Planetengetriebe 7110 154F3834 Folgende R¼ckmeldung haben wir hierzu vom Hersteller erhalten: "This is a special and dedicated gear we usually supply to an Italian customer of ours: it is a protected unit, so we cannot quote nor supply it to third parties."
Rr1010dmc	64 mm /28 mm
Kr-B5583-004	model, RR310 MS R=5,8 RF SP 2/4 3 G TİP, 06195451-0003 Serinr, 11/2016 die Hydraulikmotoren
RA 110D MS i=89,26	Angular gear KRB8564003 154B8564 completely assembled with: Motor connection 1542300M230
154F3603	Wheel hub gear RRTD300B i = 6.09 154F3603 prepared for OMSS
154B7473M1	PART LISTED BELOW Gear RR 65D FS i = 12.32 shaft: spline A 40x36 (Din 5482) T2 output torque: 800 Nm (n2xh = 30,000) max.output torque: 1200 Nm thermal power: 5 kW max. input speed: 3500 rpm 10 154B7473M1
154-2300M679	Conn. .SIEMENS 1FT606/1FK706 RR65D FS RF
154B5407M7	Planetary gear RR 1010D MC i = 23.2 * without motor connection *****
Gear RR 510D MH i=40.6 +++	

001.000.999.000.408	Output assembly P3360 for RR 1010 MC, code 154B9021
KRB7472001	Reggiana Riduttori Getriebe RR 65 FS, i=6.21 KRB7472001 Composed by: 154B7472M1 RR65 FS i=6,21 RF 1542300M515 Conn. IEC90SL B5 24x50 RR65FS P.RF
154B4823M6	Gear RR 210T MC i=254 shaft: cylindrical ø 40x70 mm. T2 output torque: 1500 Nm (n2xh=30.000) max. output torque: 2500 Nm thermal power: 6 kW max. input speed: 3500 rpm
RR 65/46 TR005 R 4,65:1 FLG MOT OMP/R	
5060-053-0010	
CCA01-00	RE 512 FS i=22,74 MO-NC 25
CSC01-00	RE 512 FS i=22,74 MO-NC 25
TSM01-00	AC_AUTOFRENANTE_71B_4POLI_B5
00.000.000.000.	
001.000.000.000.173	
001.000.000.000.212	
001.000.000.000.494	
001.000.000.000.506	
001.000.000.000.662	
001.000.000.000.845	
001.000.000.000.848	
001.000.000.000.861	
001.000.000.000.881	
001.000.000.000.957	
001.000.000.000.962	
001.000.000.001.031	
001.000.000.001.032	
001.000.000.001.594	
001.000.000.001.604	
001.000.000.001.605	
001.000.000.001.629	
001.000.000.001.631	
001.000.000.001.643	

[001.000.000.001.645](#)

[001.000.000.001.668](#)

[001.000.000.001.670](#)

[001.000.000.001.671](#)

[001.000.000.001.672](#)

[001.000.000.001.675](#)

[001.000.000.331](#)

[001.000.999.000.025](#)

[001.000.999.000.052](#)

[001.000.999.000.120](#)

[001.000.999.000.332](#)

[001.000.999.000.356](#)

[001.000.999.000.364](#)

[001.000.999.000.380](#)

[001.000.999.000.381](#)

[001.000.999.001.260](#)

[001.000.999.001.763](#)

[001.000.999.003.011](#)

[001.000.999.003.013](#)

[03499998](#)

[154B3884](#)

[154B4817M7](#)

[154B7472M1](#)

[154B7500M6](#)

[154B7502M7](#)

[154B7560](#)

[154F4035](#)

[630072300](#)

[65503633](#)

[FDM781-HB225NM](#)

RR 105D FS	
RR 310 MC	
RR 310D UC	
RR 510 MC	
RR 65 FS	
RR 65D FS	
RR 65D MC 154B7457 M7	
RR 65T FS	
RR 810D ME	
RR 810T SS	
S/N 02829226-0004	
Gear RR 710T FS i=315	Outputshaft: spline A58x53 (DIN 5482) T2 output torque: 3100 Nm (n2xh=100.000) Max. output torque: 8500 Nm Thermal power: 8 kW max. input speed: 3500 rpm
KR-B7506-005	Gear RR 105 D MC i=14.39 + Conn. OMP/R-SAE 6B Composed by: - 154B7506M6 RR105D MC i=14.39 - 154-3284 Flange OMP/R - Input "A" - 154-3285 Coupling OMP/R SAE 6B for input "A" - Mountingposition: Important: - Gearbox and/ or brake is NOT filled up with lubrication oil and has to be filled before operation. - Gearbox and/ or brake is NOT painted.
RR 510 FS R=7	
Reggiana RS 1700 Gearbox Repair Kit	
154N5631	RRTD3600TB i=161 2eV RF28 A6VE80 WHEEL HUB GEAR
154N3148	Hydro Leduc Hydr.Mot. MSI 80 W40 MSI80 B W1 L0 M1 00SV
PLANETARY GEAR RR310 FS I=5.0	154B5617 + MOTOR LINK OMP/OMR/OMH 32mm 154-5980
belonging to planetary reducer;	Reducer input shaft 65 mm output shaft 90 mm The conversion rate is 7/1 75 kw 1500d/d motor and reducer with turbo coupling and the reducer is water cooled with the help of an external heat exchanger. We kindly ask you to price it in this way. Related images are attached.
999060	154B7506M6 Gear RR 105D MC i=14.39 - Weight: 5,7 kg 154-3284 Flange OMP/OMR 2B RR65 11209 - Weight: 2,4 kg 154-3285 Coupling OMP/OMR SAE 6B RR65 24-3008 - Weight: 0,12 kg
001.000.000.000.173	Standard planetary gearbox RR 65T FS Translation i: 101.3 with splined hollow shaft A40x36 DIN 5482 max.throughput power: 4.0 kW (thermal) Output torque T2: 800 Nm (n2xh = 30000) max. output torque: 1200 Nm max. input speed n1: 3500/min Installation position: A Code no. : 154B8705M1 Weight: approx. 12.5 kg with light pin drive L Code no. : 154-

	4060 Code no. of the unit: KR-B8705-001
RR510 D MS i=23.20	KR-B5758-008 Consists of: 154B5758 Engine connection 1545977 ### Attention!!!! The gearbox is not filled with lubricating oil and should be filled before commissioning. ###
Rr510fs (154b5804m1)	
001.000.000.331 Standard-Planetengetrieberr 210t Mci=89,82	
Rr-710/Dfs Rr710dfs	
Sd L-C30dn-E-Rnf-F08-S-N-N-Af-F18-Nnn-Nnn	
Type : Ra 510t Mh/4723	
Kr-B3887-002	
Rr 1010d Fs/13,6+a2fm90 Motoradapter (W40 Welle)	
154f8758 Rrtd 180b I=6.09 Rf20 2ev Omsu-3	
154b3884 Planetengeantrieb	
C200857 Sintered Disc	
154b3965	
Type Rr 500 Df 5df/560 Hydraulikmotor	
Kr-F0952-001-Rr71055	
Rr105-Mc7.20	
154f5171	
Rr 110 Dms	
Rr 1010 Ms	
Rr180f Obsolete, Replaced By Rr310fs (154b5617m1)	
Ra 710t Mh 820,42	
Kr-F1002-001	
100734	
154b5583m1 Rr310ms R=1:5,8 Rf + 154b2706 Acc.Omp/R 2/4b D.25	
Shaft For 154f6120m197, Sn: 04184123-0006	
	PARTNO : F020173500 INPUT SHAFT (PLANETARY PART)

Rr1010dmc232	UPPER PART OF THE SHAFT
Bearing For 154f6120m197, Sn: 04184123-0006	
C010035 Bearing	
Cooper Washer For 154f6120m197, Sn: 04184123-0006	
Rf2/14	
Rr 105 – Mc	
Plug For 154f6120m197, Sn: 04184123-0006	
Sela Kit For For 154f6120m197, Sn: 04184123-0006	
Rr 65d Mc Standard- Planetengetriebeentspricht Sn: 04804110-0002	
154b7500m6 Getriebe	
Rr 810d Me Getriebe	
154b7474	
154f4748m138	
Rr710tmc	
Pr10000 L4 Fs	
Rr 510d Fs/16,0+ A2fm28 Motoradapter (W30 Welle)	
Rr310fs (154b5617m1)	
001.000.000.001.598	
Rr 510 Mc Standard- Planetengetriebeentspricht Sn: 04747497-001	
154b7472m1 Rr65 Fs R6,21 Rf Getriebe	
Kr-B3887-002 Standard- Planetengetriebe	
Getriebetyp Rr 210t Mccode-Nr. 154-2300m522	
154f4035 Getriebe Vollstaendigrrtd 1000db/32,3	
Brake Disc For 154f6120m197, Sn:	

04184123-0006	
Rr 65d Mc	
001.000.000.000.536	
001.000.000.000.962 Getriebe Mit Unterer Welle Und Mutter	
154-2847 Brake	
Rr 65t Fs Standard- Planetengetriebeentspricht Sn: 05455847-0001	
Rr 710 D Mc I:16	+154 - 2300 M75 HYDROMOTOR-ANSCHLUSSFLANSCH H94903090101
154f8758 Rrtd 180b I=6.09 Rf20 2ev Omsu-3 Front Cover For Rrtd180b/6, 09 Rf20 2	
- Gangnummer 34	
Rr 310 Mc Getriebebestell-Code 154b5584m7	
154-2300m417	
Kr-B8705-001	7110 planetary gear RR 65T FS i = 101.36 KRB8705001 154B8705M1 completely assembled with: 154B4060
Rr500dt	
Rr 105 ? Mc	
Rahs 510 1	
Ra 710t Mh 1854,72	
P/N: Rr510ld	
154-2847	
26076-79	
Rrtd800d/53,00 Omss T.Mec Gearboxes/N 05343928-0001 05/2015	
Rr2500 L3 Fs 149.31 Rf5/65 Getriebe	
Rm700d Rt 2, 154f2208m1	
Rr 65 Fs Standard- Planetengetriebeentspricht Sn: 05455850-0001	
151-0725	
For Rrtd1000bd	

001. 000. 999. 000
71035313 Rf5/130 1545313
Planetengetriebetyp Rr 65t Mc154b8704m7
Flange For154f6120m197, Sn: 04184123-0006
Rrtd2400tb/115.00
Rr210ss Ratio 3.31
154-2300m471
154b4817m7 Planetengetriebe Rr 210t - R=89,92
L4 Ff Zi 340.30 Sp
Rr-710/Dfs
154f3667
Fitting For 154f6120m197, Sn: 04184123-0006
Spare Part List For Rm 510 D
154b7453m1 Rr65d Ms + 154-2859m3 Rf2/14 Omp
C200412 Iron Disc
Lock Ring For 154f6120m197, Sn: 04184123-0006
630071100 (Rr3200)
Rr210 Mc R=3.91 154b4801m6 01850413
154b5407m7 Rr1010d Mc I=23.2
Rr 310t Fs/3129
154-2300m75
Rr105-Mc7.20 Getriebe
Rr5200
Rr 1700d
Rr65 Fs R=6,21 Rfa Getriebe
Rr 65d Mc 154b7457 M7 Panetengetrieberr 65d Mc; I=38,5code- Nr. 154b7457m7

2451.18902.0	
Rr 510 Mc Standard-Planetengetriebeentspricht Sn: 05451791-0001	
001.000.999.000.332 Eingangswelle Rr310/7.0 02478code 154b9104 R=7.0	
Rr-65-Fs	GEAR REDUCER 3 STAGE 65NT
Rr5000f	
Rr 65d Fs Standard-Planetengetriebeentspricht Sn: 04766699-0001	
Rr65d Mc	
Rr 500 Dm Bu Model Artik Uretilmiyor.	
Steering Cylinder For 154f6120m197, Sn: 04184123-0006	
154b7560 Winkel-Planetengetriebera 105 Fsi: 10,34	
Rr105fs (154b7520m1)	
Rr-1009/Dfs	
Rr 1010d Fs/13,6+a2fm63 Motoradapter (W35 Welle)	
Oil Seal For 154f6120m197, Sn: 04184123-0006	
Type Ra510 Sc 154b5951m6	
001.000.000.000.957 Standard-Planetengetriebe	
Rr 180 Dm I:21,7 18dm	Please see attached Photo
154 2163 M86 Replaced By 154f5171	
Rr810d Ms 154b3884 Getriebe	
00.000.000.000. Planetengetriebe Ohne Motor	
Internal Thread For Rr 3000	
Ra 710t Mh 1854,12	
Spare Parts List For Rr 710 Ms, Rt 6,25 F 5666 NI 7 H/3433	
154b5583m1 Rr310ms R=1:5,8 Rf + 154b2706 Acc.Omp/R 2/4b D.25	

Reggiana Ridutt	
001.000.000.Ool.594	
71035313 Rf5 130 1545313	
Rr 1700 D Mc	
Rhb/30s/Ssr/3.2/B/S/Sf/P/V	
154f6120m197	
Kr-F7935-001	
001.000.999.003.006	
154b5331m6	
Rr500f Rr510fs	
Rrtd1000bd Getriebe Im Komplet	
001.000.000.000.	
Rr 750 Df	
4254703	
Rr1010dmc29	
Rr-310/Dfs	
154-2300m312	
154f2782	
Rr100f Rr105fs	
Rr3200d Fs	SIEHE ANHANG
Rr 510d Fs/16,0+ A2fm32 Motoradapter (W30 Welle)	
65503633 Getriebe	
Rr105-Mc7.20 Reductor	
Kr-B8700-001	
Rr65fs/62, I=6,21	
154b7501m1	PLANETARY GEAR HEAD 4:1RATIO
Rr 65d Fs Standard- Planetengetriebeentspricht Sn: 05455854-0001	
Rr510 S1 5+rf 5/130+pam	
154b7502m7 Rr105 Mc R=5,42 Getriebe	

[Spring For 154f6120m197, Sn:
04184123-0006](#)

[S/N 02829226-0004 Hydraulikmotor Mit
Getriebe Komplett](#)

[Rr65 Ms](#)

[Rr 105d Fs Standard-
Planetengetriebeentspricht Sn:
05455593-0001](#)

[Rrtd2400tb/101.74 Rf28 2;V 51c060](#)

[Rr 810t Ss Standart-Planetengetriebe](#)